



APEX WAVES RMC-8354 External Controller for PXI Installation Guide

[Home](#) » [APEX WAVES](#) » APEX WAVES RMC-8354 External Controller for PXI Installation Guide 

Contents

- [1 APEX WAVES RMC-8354 External Controller for PXI](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 COMPREHENSIVE SERVICES](#)
- [5 INSTALLATION GUIDE](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



APEX WAVES RMC-8354 External Controller for PXI



Product Information

The NI RMC-8354 DVD R/W is a device designed for reading and writing DVDs. It is compatible with the NI RMC-8354 chassis and comes with the necessary components for installation.

Product Usage Instructions

1. Remove the top cover of the NI RMC-8354.
2. Disconnect the SATA power and data connectors from the installed DVD ROM. Use the ejector handle to push the DVD ROM out of the chassis.
3. Detach the two brackets from the DVD ROM and attach them to the DVD R/W.
4. Remove the CDM-USATA-G board from the back of the DVD ROM and attach it to the DVD R/W.
5. Insert the DVD R/W into the chassis and connect the SATA power and data cables.
6. Replace the top cover of the NI RMC-8354.

Please follow these steps carefully to ensure proper installation of the NI RMC-8354 DVD R/W. For further assistance, refer to the installation guide or contact our customer support.

COMPREHENSIVE SERVICES


- We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

- We buy new, used, decommissioned, and surplus parts from every NI series.
- We work out the best solution to suit your individual needs.

-  Sell For Cash

-  Get Credit


-  Receive a Trade-In Deal

INSTALLATION GUIDE

NI RMC-8354 DVD R/W


- This guide explains how to install the NI RMC-8354 DVD R/W.
- Follow these steps to install the NI RMC-8354 DVD R/W:

1. Remove the NI RMC-8354 top cover.
2. Remove the DVD ROM installed in the NI RMC-8354 by disconnecting the SATA power and data connectors and ejecting the DVD ROM from the chassis by pushing the ejector handle to the left and forward, as shown below.




1. SATA Power
2. SATA Data
3. Ejector Handle

- Remove the two brackets shown below from the DVD ROM and attach them to the DVD R/W.



1. Bracket 1
2. Bracket 2

- Remove the CDM-USATA-G board shown below from the back of the DVD ROM and attach it to the DVD R/W.




1. CDM-USATA-G Board.

- Insert the DVD R/W into the chassis and connect the SATA power and data cables.
- Replace the NI RMC-8354 top cover.

LabVIEW, National Instruments, NI, ni.com, the National Instruments corporate logo, and the Eagle logo are trademarks of National Instruments Corporation. Refer to the Trademark Information at ni.com/trademarks for other National Instruments trademarks. Other product and company names mentioned herein are trademarks or trade names of their respective companies. For patents covering National Instruments products/technology, refer to the appropriate location: Help» Patents in your software, the patents.txt file on your media, or the National Instruments Patent Notice at ni.com/patents. Refer to the Export Compliance Information at ni.com/legal/export-compliance for the National Instruments global trade compliance policy.
© 2011 National Instruments Corporation. All rights reserved.

Documents / Resources

	<p>APEX WAVES RMC-8354 External Controller for PXI [pdf] Installation Guide RMC-8354 External Controller for PXI, RMC-8354, External Controller for PXI, External Controller, Controller</p>
---	---

References

- [NI Engineer Ambitiously - NI](#)
- [NI Legal Information - NI](#)
- [NI National Instruments Patents - NI](#)
- [NI NI Trademarks and Logo Guidelines - NI](#)
- [AW RMC-8354 National Instruments External Controller for PXI | Apex Waves](#)