APEXFORGE V1 Portable Tripod





APEXFORGE V1 Portable Tripod User Manual

Home » APEXFORGE » APEXFORGE V1 Portable Tripod User Manual



Contents


- 1 APEXFORGE V1 Portable
- **Tripod**
- **2 Tripod Introduction**
- **3 Warranty**
 - 3.1 Your Warranty Includes
- **4 Specifications**
- 5 FAQ
- 6 Documents / Resources
 - **6.1 References**




APEXFORGE V1 Portable Tripod



Tripod Introduction




Panning, pitching and 90-degree shooting opera-tion (Fig.2)




- Rotating the horizontal locking knob counter-clockwise to loosen for smooth consistent panning, rotating
 oppositely to tight it.
- Rotating the handlebar counter-clockwise to loosen for smooth consistent tilting, Rotating oppositely to tight the tilt knob.
- Rotating the vertical flip knob counter-clockwise to adjust the angle of the loading plate, flip up to 90 degree. Rotating oppositely to tight it.


Raising and Lowering the Center Column. (Fig.3)



To raise or lower the center column, turn the center locking knob counter-clockwise and set the column to the desired position. While holding the column in position, turn the column locking knob clockwise to secure the column in place. Don't over tighten the center column lock, as this could damage the threads.

Extend and fold the leg. (Fig 4,5)






Each Leg section can be adjusted to the desired length by opening the Flip Lock Lever so the Leg is free to slide in or out. Once the desired length is achieved, snap the Flip Lock Lever closed, so that the Leg Section is securely locked. Repeat this step for each Leg and each Section until the Tripod is set to the desired height.

Warnings



MAX Do not exceed the tripod's maximum load capacity




• — Do not operate this tripod when the temperature is below -20°C or above 70°C. It is not recommended to operate in saltwater.




Do not put this tripod in sunlight or lean against the glass of car for a long time



Do not leave this tripod unattended in public place; please be careful when use it in a dangerous place.



• It is not necessary to equip lubricant, Please use standard lubricant or grease when necessary.



Warranty

Your Warranty Includes

30 Days Refund Guaranty

Within the first 30 days of your purchase, you are allowed to return your product for a full refund.

30 Days to 3 Months

We will replace the defective unit due to manufacture fault with a new one.

3 Months to 24 Months

Within 24 months, we will provide timely and effective online after-sales service after your purchase.

How to Return Your APEXFORGE Products

- Contact <u>support@apex-forge</u> with your order number.
- We will issue you the RMA# and return address for your return.
- Please fill out the RMA info, tear off this page and leave it inside your return package. We will issue replace/return after receiving your return.

Return Products Details

To get your returns processed as quickly as possible, please fill out this form and include it in your return package.

- Purchase Name
- Order Number
- Date of Purchase
- · Your Email Address
- · Where did you buy it
 - If your product is purchased from the Amazon Fulfilled channel, please contact Amazon for a return within 30 days of purchase.

Specifications

• Model: V1

• Material: Aluminum alloy

• Maximum Load Capacity: 5kg

Maximum Height: 150cmMinimum Height: 50cm

FAQ


Q: Can I use this tripod with a heavy DSLR camera?

A: The tripod has a maximum load capacity of 5kg, so it should be suitable for most DSLR cameras.

Q: How do I clean and maintain the tripod?

A: Use a damp cloth to clean the tripod if necessary. Avoid using lubricants unless specified. Regularly check for any loose parts and tighten them as needed.

Documents / Resources



APEXFORGE V1 Portable Tripod [pdf] User Manual V1 Portable Tripod, V1, Portable Tripod, Tripod

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.