



APPLIED WIRELESS PAR900M Wireless Audio Transmitter Receiver User Guide

[Home](#) » [APPLIED WIRELESS](#) » APPLIED WIRELESS PAR900M Wireless Audio Transmitter Receiver User Guide



PAR900M Wireless Audio Transmitter Receiver
User Guide

Contents

- [1 PAR900M Wireless Audio Transmitter Receiver](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

PAR900M Wireless Audio Transmitter Receiver

Receiver Model	Description	Ch	Stereo / Mono	XLR	XLR Signal Out	RC A	Line Signal Out	Freq Res Noise Dual (Hz) Gate Diversity	Use With
PAR900M	PRO Series Wireless Audio Receiver	24	Mono	x	3.5Vpp	x	1.5Vpp	30-20k x x	PAT900, AT900-24DZ
Transmitter Model	Description	Ch	Stereo / Mono	XLR	XLR Input	RC A	Line Input Z	Freq Res Remote (Hz) Mic Input Antenna	Use With
PAT900	Pro Audio Transmitter, Mono	24	Mono	x	200k	x	50k	30-20k x	PAR900M
AT900-24DZ	Audio Transmitter with Remote Outdoor Antenna	24	Mono			x	10k	50-15k x	PAR900M
AT900-24DY	Audio Transmitter with Remote Indoor Antenna	24	Mono			x	10k	50-15k x	PAR900M

Receiver Model	Description	Ch	Stereo/ Mono	XLR	XLR Signal Out	RCA	Line Signal Out	Frequency Response Dual (Hz) Gate Diversity	Use With
PAR900M	PRO Series Wireless Audio Receiver	24	Mono	x	3.5Vpp	x	1.5Vpp	30-20kx	PAT900, AT900-24DZ
Transmitter Model	Description	Ch	Stereo/ Mono	XLR	XLR Input	RCA	Line Input Z	Frequency Response Remote (Hz) Mic Input Antenna	Use With
PAT900	Pro Audio Transmitter, Mono	24	Mono	x	200k	x	50k	30-20kx	PAR900M
AT900-24DZ	Audio Transmitter with Remote Outdoor Antenna	24	Mono			x	10k	50-15kx	PAR900M
AT900-24DY	Audio Transmitter with Remote Indoor Antenna	24	Mono			x	10k	50-15kx	PAR900M

All products above operate at 902 to 928 MHz.

All products above come with power adapters.

Max. Line-of-Sight Range for all products are 750 feet with included antennas. Higher gain antennas are also available.

Optional Directional Antennas for use on Receivers

Model	Description	Size (inches)	Elements	Beam width
FP915-5	Flat Panel, 5dBd	8 x 8 x 1 in		65 deg
Y915-8	Yagi, 8 dBd	21"	5	55 deg
Y915-10	Yagi, 10 dBd	26"	7	50 deg
FB35T900	Vertical, Omni-Directional, 6-dB, N Female	22"	1	360 deg

First 3 Antennas above have 3' RG58 cable with BNC male Connector.



PAR900 Pro Audio Receiver



PAT900 Pro Audio Transmitter

These are analog products so there is no latency.
Use with amplified speakers or separate amplifier(s) and speakers.



Remote Outdoor Transmit Antenna

1250 Avenida Acaso, Ste F, Camarillo, CA 93012 Ph: 805 383-9600
email: sales@appliedwireless.com

Documents / Resources



[APPLIED WIRELESS PAR900M Wireless Audio Transmitter Receiver](#) [pdf] User Guide
PAR900M Wireless Audio Transmitter Receiver, PAR900M, Wireless Audio Transmitter
Receiver, Audio Transmitter Receiver, Transmitter Receiver, Receiver, Transmitter

[Manuals+](#)