

[Home](#) » [Artemide](#) » **Artemide 4568154 Algoritmo System for Projectors Instructions** 

Contents [[hide](#)]

- [1 Artemide 4568154 Algoritmo System for Projectors](#)
- [2 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 DESCRIPTION](#)
- [5 FEATURES](#)
- [6 DIMENSIONS](#)
- [7 Frequently Asked Questions](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)

Artemide

Artemide 4568154 Algoritmo System for Projectors



Specifications

- **Product Name:** Algoritmo System for projectors
- **Features:** Prewired gear tray for Rail, Direct rail + indirect emission, 4000K non-dimmable
- **Designers:** Carlotta de Bevilacqua, Paola di Arianello
- **Luminaire:**
 - **Watt:** 27W
 - **Flux Lumineux (lm):** 2592lm
 - **CCT:** 4000K
 - **Efficiency:** 77%
 - **Efficacy:** 95.99lm/W
 - **CRI:** 80
- **Additional Notes:** Double emission version, with upper screen in PMMA

Product Usage Instructions

Installation

1. Ensure the power source is switched off before installation.
2. Mount the prewired gear tray securely onto the rail using the provided fixtures.
3. Connect the appropriate power supply to the gear tray following the manufacturer's instructions.
4. Adjust the direction of the direct and indirect emission as needed for optimal lighting.

Maintenance

To maintain optimal performance, clean the luminaire regularly with a soft, dry cloth. Avoid using harsh chemicals or abrasive materials that may damage the surface.

Troubleshooting

If the luminaire is not functioning properly, check the power supply connection and ensure the power source is operational. If issues persist, contact customer support for assistance.

Safety Precautions

Do not attempt to disassemble or modify the product yourself. Always consult a qualified technician for any repairs or alterations to avoid electric shock or injury.

Disposal

Dispose of the product following local regulations for electronic waste disposal. Do not dispose of the product in regular household waste.

Storage

Store the luminaire in a cool, dry place away from direct sunlight when not in use to prevent damage and prolong its lifespan.

DESCRIPTION

A modular system for ceiling or wall-recessed installation, to be installed as a continuous line or with angles, composed of structural modules in extruded aluminium, of pre-wired gear plates with through-wiring and quick-connection system of optics systems and components for connecting, fixing, joining or finishing the system. The prewired LED plates were designed for diffused emission, wall washer light, prismoptic or controlled emission, for projectors integration (PAD or Cube 37), for 3 phase track alimentation. Complies with standard EN60598-1 and any other specific standard

LUMINAIRE

- **Power Supply:** Electronic Integrated
- **Watt:** 27W
- **Voltage:** 220V-240V
- **Delivered lumen output:** 2475lm
- **CCT:** 3000K
- **Efficiency:** 77%
- **Efficacy:** 91.68lm/W
- **CRI:** 80

Notes

Allows intallation and supplying of 1 to 4 PAD 230V projectors. MV through-wiring included. Upper screen in PMMA included for double emission version. PAD projectors to be ordered separately.

FEATURES

- Product Code M2945WOO Projector, Recessed, Ceiling
- Installation. Architectural Indoor
- Series design by: Carlotta de Bevilacqua, Paola di Arianello

DIMENSIONS

- Length. 1180 mm
- Weight. kg 1.2
- Glow Wire Test. 6500

Accessories

- Algoritmo System intermediate finishing connector (set of 2 pcs). To be used at the junction of modules with accent lighting and fluorescent or LED modules. Metal-grey paint finish. M217660
- ALGORTIMO – PAD for ALGORITMO – Blind panel. For closing the positions where no PAD projector is used. 1 piece required for each empty position. metal-grey M217760

Frequently Asked Questions

Can this product be dimmed?

No, this product is non-dimmable with a fixed color temperature of 4000K.

What material is used for the upper screen in the double emission version?

The upper screen in the double emission version is made of PMMA (Polymethyl Methacrylate).

Documents / Resources



[Artemide 4568154 Algoritmo System for Projectors \[pdf\]](#) Instructions
4568154 Algoritmo System for Projectors, 4568154, Algoritmo System for Projectors, System for Projectors, for Projectors

References

- [User Manual](#)

Artemide

4568154, 4568154 Algoritmo System for Projectors, Algoritmo System for Projectors, Artemide, for Projectors, System for Projectors

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.