

ARTUSI AID2000 Induction Cooktop Instruction Manual

Home » ARTUSI » ARTUSI AID2000 Induction Cooktop Instruction Manual

Contents

- 1 ARTUSI AID2000 Induction
- Cooktop
- **2 Product Information**
- 3 Usage Instructions
- 4 features
- **5 PRODUCT INFORMATION**
- **6 DISCLAIMER**
- **7 TECHNICAL DIAGRAM**
- **8 CONTACT**
- 9 Documents / Resources
 - 9.1 References



ARTUSI AID2000 Induction Cooktop



Product Information

Model	AID2000
EARN	ТВА
Product Dimensions (W x D x H)	800mm x 520mm x 60mm
Cutout Dimensions (W x D)	775mm x 495mm
Total Power	7200W


Usage Instructions

To use the 80cm Induction Cooktop (Model AID2000), please follow the instructions below:

- 1. Ensure that the cooktop is properly installed in a suitable location.
- 2. Connect the cooktop to a power source.
- 3. Place compatible induction cookware on the cooking zones.
- 4. Turn on the cooktop by pressing the power button.
- 5. Select the desired cooking zone by touching the corresponding control panel area.
- 6. Adjust the cooking power level using the power level buttons.
- 7. Set the desired cooking time using the timer buttons, if necessary.
- 8. Monitor the cooking process and make any necessary adjustments.
- 9. After cooking, turn off the cooktop by pressing the power button.
- 10. Clean the cooktop according to the cleaning instructions provided in the user guide.

Please refer to the user guide for detailed installation instructions and safety precautions.

features



PRODUCT INFORMATION

Finish

Black Schott glass with Matte Film

Features

- 9 heat levels
- Individual Timer up to 99 minutes
- Single slider touch control for all zones
- Pan sensor
- Induction Zones (4)
- Flex Zone (1)
- Front bevel
- Indicator light color: white

Safety

- Automatic safety cut-off (after 90min of use)
- Residual heat indicators
- Child lock

Zones

- · 4 induction cooking zones
- 1 x 190mm 2000W + boost 2800W (front left)
- 1 x 190mm 1500W + boost 2000W (rear left)
- 1 x Flex Zone 190mm x 385mm 3000W + boost 3600W
- 1 x 280Ø 2300W + boost 3000W (centre)
- 1 x 160Ø 1200W + boost 1500W (front right)
- Technical
 - See page 2

DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Eurolinx and are not authorised to bind Eurolinx by any express or implied undertaking or representation.

FOLLOW US ON: Jartusi kitchen laundry outdoor

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369 ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

- NSW & ACT (Head Office)
- 48-50 Moore Street
- Leichhardt
- F 02 8569 4699
- Victoria

- 2r/131 Church Street
- Hawthorn
- QLD
- 1/42 Cavendish Road
- Coorparoo
- WA & NT
- Unit 10/55 Howe Street
- Osborne Park
- New Zealand
- PO Box 11.160
- Sockburn Christchurch

80cm Induction Cooktop MODEL AID2000

TECHNICAL DIAGRAM

NB: drawings are not to scale – they are to be used for detailed installation instructions, please refer to the user guide.

CONTACT

- Technical Information AID2000 Built-in Cooktop
- Size 800 × 520 × 60
- CUTOUT 775 x 495
- Electrical Connection: Hard Wired, 220-240V,
- Total Power (W): 7200

Documents / Resources



ARTUSI AID2000 Induction Cooktop [pdf] Instruction Manual AID2000 Induction Cooktop, AID2000, Induction Cooktop, Cooktop

References

• <u>Artusi Home Appliances</u>

Manuals+,