

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Leviton](#) /
- › [Leviton 2610 30 Amp 125V Flush Mount Locking Receptacle User Manual](#)

Leviton 2610

Leviton 2610 30 Amp 125V Flush Mount Locking Receptacle User Manual

1. INTRODUCTION

The Leviton 2610 is an industrial-grade flush mounting locking receptacle designed for reliable electrical connections. This 30 Amp, 125 Volt device ensures secure power delivery in demanding environments, preventing accidental disconnection of power cords. It is built with high-quality materials to provide superior performance and dependability.



Image 1.1: Front view of the Leviton 2610 30 Amp 125V Flush Mount Locking Receptacle.

2. SAFETY INFORMATION

WARNING: Risk of electric shock. Improper installation or use can result in serious injury or death. Always follow these safety guidelines:

- Installation must be performed by a qualified electrician in accordance with all national and local electrical codes.
- Disconnect power at the circuit breaker or fuse box before installation, inspection, or servicing. Verify power is off using a voltage tester.
- Use only copper conductors. Do not use with aluminum wiring.
- Ensure all wire connections are tight and secure.
- Do not exceed the specified electrical ratings (30 Amp, 125 Volt).
- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm (Proposition 65 warning). Wash hands after handling.

3. PRODUCT FEATURES

- **Industrial Grade:** Designed for durability and performance in severe industrial settings.

- **Locking Mechanism:** Ensures a secure connection, preventing accidental disconnections.
- **Electrical Rating:** 30 Amp, 125 Volt.
- **Mounting Type:** Flush mounting for a clean, integrated appearance.
- **Grounding:** Provides essential safety grounding.
- **V-0-MAX:** Indicates a high-quality material or rating for enhanced safety and performance.
- **Configuration:** 3-wire system.
- **Color:** Black finish.

4. SPECIFICATIONS

Model Number	2610
Brand	Leviton
Electrical Rating	30 Amp, 125 Volt
Configuration	3-Wire, Grounding
Mounting Type	Flush Mount
Color	Black
Material	Solid
Product Dimensions	1.3"L x 3.5"W
Item Weight	3.68 ounces
Manufacturer	LEVITON MFG CO INC

5. SETUP AND INSTALLATION

Installation of this electrical device should only be performed by a qualified electrician. Adherence to all national and local electrical codes is mandatory.

1. **Disconnect Power:** Before beginning any work, ensure the power supply to the circuit is completely disconnected at the main circuit breaker or fuse box. Use a voltage tester to confirm the circuit is de-energized.
2. **Prepare Wiring:** Strip insulation from the circuit wires (hot, neutral, ground) to the appropriate length as specified by the receptacle's terminals. Ensure only copper conductors are used.
3. **Connect Wires:** Connect the wires to the corresponding terminals on the Leviton 2610 receptacle. Typically, the hot wire connects to the brass terminal, the neutral wire to the silver terminal, and the ground wire to the green terminal. Tighten all terminal screws securely.
4. **Mount Receptacle:** Carefully fold the wires into the electrical box and secure the receptacle to the box using the provided mounting screws. Ensure the receptacle is flush with the wall surface.
5. **Install Cover Plate:** Attach a compatible cover plate (sold separately) over the installed receptacle.
6. **Restore Power:** Once installation is complete and all connections are secure, restore power at the circuit breaker and test the receptacle for proper operation.

6. OPERATING INSTRUCTIONS

To use the Leviton 2610 locking receptacle:

1. **Insert Plug:** Align the blades of the compatible locking plug with the corresponding slots on the receptacle.
2. **Lock Plug:** Insert the plug fully into the receptacle. Once inserted, twist the plug clockwise until it locks securely into place. This locking action prevents accidental disconnections.
3. **Remove Plug:** To disconnect, twist the plug counter-clockwise to unlock it, then pull the plug straight out from the receptacle.

7. MAINTENANCE

Regular inspection and basic maintenance can help ensure the longevity and safe operation of your Leviton 2610 receptacle:

- **Visual Inspection:** Periodically inspect the receptacle for any signs of physical damage, cracks, discoloration, or loose components.
- **Cleanliness:** Keep the receptacle and surrounding area clean and free from dust, dirt, and debris. Use a dry cloth for cleaning; do not use liquid cleaners directly on the receptacle.
- **Connection Check:** If safe to do so (with power off), occasionally check the tightness of the mounting screws and terminal connections.
- **Replacement:** Do not attempt to repair damaged receptacles. If the device shows signs of wear, damage, or malfunction, replace it with a new, approved device by a qualified electrician.

8. TROUBLESHOOTING

If you encounter issues with your Leviton 2610 receptacle, consider the following:

- **No Power to Device:**
 - Check the circuit breaker or fuse for the circuit. Reset if tripped or replace if blown.
 - Ensure the plug is fully inserted and twisted to the locked position in the receptacle.
 - If the issue persists, disconnect power and verify all wiring connections to the receptacle are secure. Consult a qualified electrician if necessary.
- **Plug Feels Loose:**
 - Ensure the plug is fully inserted and twisted clockwise until it locks.
 - If the receptacle itself is loose in the wall, disconnect power and tighten the mounting screws.
 - If the locking mechanism appears worn or damaged, the receptacle may need replacement.
- **Overheating:**
 - If the receptacle feels warm to the touch, immediately disconnect any connected devices and turn off power to the circuit.
 - Overheating can indicate an overload or a loose connection. Do not use the receptacle until the cause is identified and corrected by a qualified electrician.

9. WARRANTY AND SUPPORT

For detailed warranty information, technical support, or to find authorized service centers, please visit the official Leviton website or contact Leviton customer service directly. Keep your purchase receipt as proof of purchase for any warranty claims.

