### Manuals+

Q & A | Deep Search | Upload

### manuals.plus /


- Master Lock /
- > Master Lock 1500D Combination Padlock Instruction Manual

### **Master Lock 1500D**

INTRODUCTION

# Master Lock 1500D Combination Padlock Instruction Manual

This manual provides essential instructions for the proper use and care of your Master Lock 1500D Combination Padlock. Please read this guide thoroughly to ensure optimal performance and security.



This image displays the Master Lock 1500D combination padlock, featuring its black dial with white numbers and a silver shackle. The word 'HARDENED' is visible on the shackle, indicating its durability.

### **Finding Your Preset Combination**

The Master Lock 1500D combination padlock comes with a factory-preset three-digit combination. This combination cannot be changed. To find your lock's combination:

- 1. Locate the sticker on the back of your padlock.
- 2. The three-digit number printed on this sticker is your unique combination.
- 3. It is recommended to record this combination in a secure place for future reference.


**Important Note:** This lock's combination is permanent and cannot be reset or changed by the user.

### **OPERATING INSTRUCTIONS**

### **Opening the Padlock**

Follow these steps to open your Master Lock 1500D combination padlock:

- 1. Turn the dial three or more full turns to the right (clockwise) and stop at the first number of your combination.
- 2. Turn the dial to the left (counter-clockwise), passing the first number of your combination once, and stop at the second number.
- 3. Turn the dial to the right (clockwise) and stop at the third number of your combination.
- 4. Pull up on the shackle to open the lock.



A user's hands are shown manipulating the dial of the Master Lock 1500D combination padlock, illustrating the process of entering the combination to open the lock.

### **Securing the Padlock**

To secure the padlock:

- 1. Close the shackle firmly into the lock body.
- 2. Scramble the dial numbers to prevent unauthorized opening.



The Master Lock 1500D combination padlock is shown attached to a grey locker, demonstrating its typical use for securing personal belongings.

### **M**AINTENANCE

Your Master Lock 1500D padlock is designed for durability and requires minimal maintenance. To ensure its longevity:

- Keep the lock clean and free from dirt and debris. Wipe with a soft, dry cloth as needed.
- For optimal performance, especially in harsh environments, apply a small amount of graphite lubricant or a silicone-based spray to the shackle and locking mechanism periodically. Avoid oil-based lubricants as they can attract dirt.
- Store the lock in a dry place when not in use to prevent corrosion.

### **TROUBLESHOOTING**


• Lock will not open: Ensure you are entering the combination correctly, following the three-step opening procedure precisely. Make sure the dial is turned three or more full turns clockwise before stopping at the first number.

- Forgotten Combination: The Master Lock 1500D has a permanent, factory-preset combination that cannot be changed or reset. If you have forgotten your combination and no longer have the sticker, you will need to contact Master Lock customer support with proof of ownership for assistance.
- **Stiff Dial/Shackle:** Apply a graphite or silicone-based lubricant to the moving parts. Ensure no foreign objects are obstructing the mechanism.

### **S**PECIFICATIONS

Key specifications for the Master Lock 1500D Combination Padlock:

Feature	Detail
Model Number	1500D (P43004)
Lock Type	3-Digit Combination Padlock
Body Width	1-7/8 in (48 mm)
Shackle Diameter	9/32 in (7 mm)
Shackle Length	3/4 in (19 mm)
Shackle Width	13/16 in (21 mm)
Material	Metal body, hardened steel shackle, stainless steel cover
Color	Black (dial) / Silver (body)



## **DIMENSIONS**

This diagram provides detailed measurements of the Master Lock 1500D padlock, including its wide lock body (1-7/8 inches or 48 mm), shackle diameter (9/32 inches or 7 mm), shackle length (3/4 inches or 19 mm), and shackle width (13/16 inches or 21 mm).

### WARRANTY AND SUPPORT

### **Limited Lifetime Warranty**

The Master Lock 1500D Combination Padlock is backed by a Limited Lifetime Warranty, providing assurance against defects in material and workmanship. For full details regarding warranty coverage and claims, please refer to the official Master Lock website or contact customer service.

### **Customer Support**

For further assistance, product inquiries, or to report a forgotten combination (with proof of ownership), please visit the official Master Lock website at <a href="https://www.masterlock.com">www.masterlock.com</a> or contact their customer support directly.

### Related Documents - 1500D

<ol> <li>Cope has shifter belong and a previously set constitution. The loss must leved nevert sentiments, any survey or each if livint to be shade and a let in the spec 1985 to have been been previously on the livint to be shade and a let in the spec 1985 to have been been previously or shade an about a food.</li> <li>I have not been a previously disappear to either dividually. Freed and automated these in this particular control of any previously disappear to the previously disappear to the entire the previously disappear to the previously disappear to the entire the previously disappear to the previously disappear to the previously disappear to the previously disappear to the previously disappear.</li> <li>In ordinary convenients of the previously disappear to the previously disappear to</li></ol>	named combination, or you convol med if False the shaded mad like in the oper position to have the commission or look on side of look.  I have not been produced managing in sole on side of look.  False and been in works mill degrees to rether densities? Fased had advantable they in Yes position.  I had not experience designed to the commission of the position of t
Peak well for in without III degrees (in other director). Freel and automatically straps in this position.     The predictor-desired contraction.     The analyses contracted in the peak of the	<ol> <li>Fash and had in archae III degree (a nifer dealer). Fast had advention stops in the position.</li> <li>Ind. whether desired commutes.</li> </ol>
Peak med tool in probantild degrees (notifier director). Freet tool automatically stops in this position.     Tool products associated as a format of the peak of the pea	<ol> <li>Fook work had in worker fill degrees (notifier director). Freet had automation stages in the profiler.</li> <li>Self-received-desired comments.</li> </ol>
Furnish major med but Lock is named to removalization.     Record our representation in a substate.	

### How to Change Combination on Master Lock M176XDLH Padlock

Step-by-step instructions for changing the combination on your Master Lock M176XDLH padlock. Learn how to reset your combination easily and securely.



### Master Lock Model 175D Combination Change Instructions

Step-by-step guide on how to change the combination for the Master Lock Model 175D padlock.



### Master Lock Combination Lock with Key: Setting and Retrieving Your Code

Learn how to easily set a new combination and retrieve a lost code for your Master Lock combination padlock with key. Step-by-step instructions for security and convenience.



### Master Lock Small Digital Combination Lock Box P008EML Instructions

This document provides instructions for the Master Lock Small Digital Combination Lock Box, model P008EML. Learn how to install batteries, program user codes, and open the lock box.



### Master Lock 5401EURD Key Safe Instructions

Comprehensive instructions for operating, setting a new combination, and wall-mounting the Master Lock 5401EURD key safe. Includes multilingual guidance.



### Master Lock #5400D Key Storage Combination Lock Instructions

Comprehensive instructions for operating, setting combinations, and using the Master Lock #5400D portable key safe with shackle. Learn how to open, secure, and maintain your key storage lock.