#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- Master Lock /
- Master Lock 630D Combination Padlock User Manual

#### **Master Lock 630D**

# Master Lock 630D Combination Padlock User Manual

Model: 630D | Brand: Master Lock

# INTRODUCTION

This manual provides instructions for the Master Lock 630D Set Your Own Combination Padlock. Designed for durability and convenience, this padlock is ideal for securing backpacks, cabinets, and zippers. Its solid metal body and nickel-plated steel shackle offer resistance against cutting and sawing, while the 3-dial combination provides keyless security.



Image: The Master Lock 630D combination padlock, featuring a silver aluminum body and three numerical dials.

#### PRODUCT FEATURES

- Compact Design: Small lock, best used as a travel lock, backpack lock, or cabinet lock.
- Customizable Combination: Set your own three-digit combination for keyless convenience.
- Durable Construction: Constructed with an aluminum body and nickel-plated steel shackle.
- **Dimensions:** 1-3/16 in. (30 mm) wide lock body; 3/16 in. (5 mm) diameter shackle with 1 in. (25 mm) length, 9/16 in. (14 mm) width.



Image: Close-up of the Master Lock 630D, highlighting its features: "Set Your Own 3-Digit Combination" and "Aluminum Body With Nickel-Plated Steel Shackle."

# SETUP: SETTING YOUR COMBINATION

The shackle is preset to open on 0-0-0. Follow these steps to set your personal combination:

- 1. Set the dials to the current code (factory preset is 0-0-0).
- 2. Pull up the shackle to open the lock.
- 3. Rotate the shackle 90 degrees (a quarter turn) in either direction.
- 4. Press the shackle down firmly into the lock body.
- 5. While holding the shackle down, set your new desired 3-digit combination by turning the dials. Ensure the numbers align with the indicator line.
- 6. Release the shackle and return it to its normal open position.
- 7. Rotate the shackle back to the original 0-degree position.
- 8. Push the shackle down to lock. Scramble the dials to secure the lock.

Important: Remember your new combination. There is no master key or override for this lock.



Image: A four-panel diagram illustrating the steps to reset the lock combination, showing the lock being opened, shackle rotated, pressed down, and new combination set.

# **OPERATING THE PADLOCK**

To open the padlock, align the three dials to your set combination. The shackle will release, allowing you to open the lock. To close, simply push the shackle back into the lock body and scramble the dials to secure it.



Image: A Master Lock 630D padlock securing the zippers of a black backpack, demonstrating its use for added security while traveling.

### **MAINTENANCE**

The Master Lock 630D is designed for low maintenance. To ensure smooth operation and prolong the life of your padlock:

- Keep the dials clean and free from dirt or debris.
- Periodically apply a small amount of silicone lubricant to the shackle mechanism if it becomes stiff. Avoid oilbased lubricants as they can attract dirt.
- Store the lock in a dry environment when not in use to prevent corrosion.




Image: A Master Lock 630D padlock attached to the zipper of a blue backpack, illustrating its practical application for securing belongings.

#### **TROUBLESHOOTING**

# **Lock Will Not Open with Correct Combination**

If the lock does not open after entering the correct combination, try the following:

- Ensure each number on the dials is perfectly aligned with the indicator line. Sometimes a slight misalignment can prevent opening.
- Gently jiggle the shackle while entering the combination.
- Double-check that you are using the correct combination. If you recently reset it, ensure you are using the new code.
- If the lock has been exposed to extreme conditions (e.g., dirt, moisture), clean the dials and shackle area thoroughly and apply a lubricant.

# **Shackle is Stiff or Difficult to Move**

- Apply a silicone-based lubricant to the shackle where it enters the lock body.
- Ensure the combination is correctly set to 0-0-0 (or your current combination) before attempting to open or reset.

# **SPECIFICATIONS**

Feature	Detail	

Brand	Master Lock
Model Name	Set Your Own Combination Lock
Model Number	630D
Lock Type	Combination Lock
Body Material	Aluminum
Shackle Material	Nickel-plated Steel
Lock Body Width	1-3/16 in. (30 mm)
Shackle Diameter	3/16 in. (5 mm)
Shackle Length	1 in. (25 mm)
Shackle Width (clearance)	9/16 in. (14 mm)
Item Weight	2.4 ounces
Product Dimensions (L x W x H)	5.56 x 2.75 x 0.7 inches




Image: A diagram showing the precise dimensions of the Master Lock 630D, including body width, shackle length, and shackle diameter.

# **WARRANTY INFORMATION**

The Master Lock 630D Set Your Own Combination Aluminum Lock comes with a **Limited Lifetime Warranty**. This warranty provides peace of mind, covering defects in material and workmanship for the life of the product. For full details and to make a claim, please refer to the official Master Lock website or contact their customer service.

# **CUSTOMER SUPPORT**


For further assistance, product inquiries, or troubleshooting not covered in this manual, please visit the official Master Lock website or contact their customer support team.

Website: www.masterlock.com

Contact information may also be found on the product packaging.

© 2025 Master Lock. All rights reserved.

#### **Related Documents - 630D**





# Master Lock 5401EURD Key Safe Instructions

Comprehensive instructions for operating, setting a new combination, and wall-mounting the Master Lock 5401EURD key safe. Includes multilingual guidance.