

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Taylor](#) /
- › [Taylor Programmable Digital Cooking Probe Thermometer with Timer Instruction Manual](#)

Taylor 1470

Taylor Programmable Digital Cooking Probe Thermometer with Timer

Model: 1470

PRODUCT OVERVIEW

The Taylor Programmable Digital Cooking Probe Thermometer with Timer, Model 1470, is designed to accurately monitor the internal temperature of food during cooking, eliminating the need to open ovens or grills. It features a durable stainless steel probe connected by a 4-foot silicone cord to a digital display unit. This versatile thermometer also includes a programmable timer and temperature alarm to ensure precise cooking results.



Image: The Taylor Model 1470 Digital Cooking Probe Thermometer, showing the main unit with its digital display and control buttons,

connected to the stainless steel probe via a red silicone cord.

SETUP AND INITIAL USE

1. **Battery Installation:**

The thermometer requires 2 AAA batteries, which are included. Locate the battery compartment on the back of the main unit. Open the compartment, insert the batteries according to the polarity indicators (+/-), and close the cover securely.


2. **Probe Connection:**

Insert the stainless steel probe's jack firmly into the port on the side of the main unit. Ensure a secure connection for accurate readings.

3. **Placement:**

The main unit can be positioned in several ways:

- **Angled Stand:** Fold out the integrated stand on the back of the unit to prop it up for easy viewing.
- **Flat Surface:** Lay the unit flat on a countertop.
- **Magnetic Mount:** Utilize the magnets on the back of the unit to attach it temporarily to a metal surface, such as a refrigerator or oven exterior (ensure surface is not excessively hot).



1470N DIGITAL PROBE THERMOMETER



Image: Side view of the Taylor thermometer, demonstrating its ability to be angled for better visibility using its integrated stand.

OPERATING INSTRUCTIONS

Temperature Monitoring

1. Insert Probe:

Carefully insert the stainless steel probe into the thickest part of the food, avoiding bones or gristle. Ensure the probe tip is fully immersed for an accurate reading.

WIRED PROBE CARE

Precision is our business and we want you to have the most accurate results for a successful meal!



MAKE SURE THAT YOU DO NOT EXPOSE THE WIRE TO THE COOKING SURFACE OR DIRECT FLAME.



TAKE CARE OF THE WIRE SO IT DOESN'T GET CRIMPED IN THE OVEN DOOR OR GRILL LID.



HAND WASH ONLY. DO NOT SUBMERGE THE WIRE IN WATER, ESPECIALLY WHERE WIRE MEETS PROBE.



Image: The thermometer probe inserted into a roast in a baking pan, with the main unit placed nearby to monitor temperature.

2. Set Target Temperature:

Press the **TEMP UP** or **DOWN** buttons to adjust the desired target temperature. The display will show both the current temperature (Thermo Temp) and the set target temperature (Set Temp).

3. Activate Temperature Alert:

Slide the **TEMP ALERT** switch to the "ON" position. An alarm will sound when the food reaches the set target temperature.

4. Monitor Temperature:

The large digital display will continuously show the current internal temperature of your food. The response time for temperature changes is approximately 5 seconds.

Timer Function

1. Set Timer:

Press the **HR** button to set hours and the **MIN** button to set minutes for the countdown timer. The timer range is up to 24 hours.

2. Start/Stop Timer:


Press the **START / STOP** button to begin the countdown. Press it again to pause or stop the timer.

3. Clear Timer:

Press the **CLEAR** button to reset the timer to 0:00.

TAYLOR®

DIMENSIONS



TEMPERATURE RANGE

32°F to 392°F | 0°C to 200°C

1470N DIGITAL PROBE THERMOMETER



Image: A close-up front view of the Taylor thermometer's main unit, highlighting the digital display and control buttons for temperature and timer settings.

MAINTENANCE AND CARE

• Cleaning:

For best results, **hand wash only**. Do not submerge the main unit or the probe wire in water, especially where the wire meets the probe. Wipe the main unit with a damp cloth. The stainless steel probe can be cleaned with warm, soapy water, ensuring the wire connection point remains dry.

• Probe Wire Care:

To ensure longevity and accuracy, take care not to expose the probe wire to direct flame or cooking surfaces. Avoid crimping the wire in oven doors or grill lids.



Image: Visual instructions for wired probe care, showing warnings against exposing the wire to direct heat, crimping it in oven doors, and submerging it in water, especially at the probe connection.

• **Handling Hot Probe:**

The thermometer probe will be hot after use. Always use oven mitts or potholders when handling the hot probe to prevent burns.

• **Storage:**

When not in use, store the thermometer in a clean, dry place. The unit folds flat for compact storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No display or dim display.	Low or dead batteries; incorrect battery installation.	Replace batteries with new AAA batteries, ensuring correct polarity.
Inaccurate temperature readings.	Probe not fully inserted; probe wire damaged; probe tip touching bone/gristle.	Ensure probe is fully inserted into the thickest part of the meat, away from bones. Check probe wire for visible damage. If damaged, the probe may need replacement.

Problem	Possible Cause	Solution
Alarm does not sound.	Temperature alert switch is off; volume too low (if adjustable, though not specified for this model).	Ensure the TEMP ALERT switch is in the "ON" position.
Timer not functioning.	Timer not started; incorrect setting.	Press START / STOP to begin. Verify hours and minutes are set correctly.

SPECIFICATIONS

Model: 1470

Brand: Taylor

Temperature Range: 32°F to 392°F (0°C to 200°C)

Response Time: Approximately 5 seconds

Probe Length: 6 inches (immersion depth)

Cord Length: 4 feet (silicone)

Power Source: 2 x AAA batteries (included)

Materials: Stainless Steel probe, Silicone cord, Plastic main unit

Display Type: Digital

Dimensions (folded): Approximately 5.12 inches (length)

Weight: 4.8 ounces

Indoor/Outdoor Usage: Indoor



Image: Back view of the Taylor thermometer, illustrating its compact folded form and the magnetic back for convenient storage or mounting.

WARRANTY AND SUPPORT

Specific warranty information for the Taylor Programmable Digital Cooking Probe Thermometer, Model 1470, was not provided in the product data. Please refer to the product packaging or the official Taylor website for the most current warranty details and customer support contact information.

For further assistance or inquiries, please visit the official Taylor website or contact their customer service department.



	Taylor 9840 Digital Meat Thermometer: Quick Start Guide and Cooking Temperatures Learn how to use the Taylor 9840 digital meat thermometer, including temperature ranges, USDA cooking guidelines, battery replacement, and important cautions for accurate food preparation. Features include a clear display and durable design.
	Taylor Five Star Wireless Thermometer with Remote Pager Plus Timer Instruction Manual This instruction manual provides detailed guidance for the Taylor Five Star Wireless Thermometer with Remote Pager plus Timer (models 1479, 1479-21, 532, 532-77). Learn setup, operation, programming, timer functions, clock settings, care, precautions, and troubleshooting for your digital cooking thermometer.
	Taylor 5309295 Wireless Bluetooth Thermometer - Features and Usage Detailed information on the Taylor 5309295 Wireless Bluetooth Thermometer, including its specifications, features, multiple cooking uses, ease of cleaning, and system pairing instructions. Wirelessly track temperatures in ovens, grills, and smokers with this IPX7 waterproof and rechargeable device.
	Taylor 5309295 Waterproof Wireless Meat Thermometer with Charging Case Instruction Manual Instruction manual for the Taylor 5309295 Waterproof Wireless Meat Thermometer with Charging Case, detailing setup, usage, product specifications, care, precautions, FCC compliance, and warranty information.
	Taylor Digital Waterproof Thermometer User Guide Instructions and information for the Taylor Digital Waterproof Thermometer, including how to use, battery information, cleaning, and warranty.
	Taylor 5309295 Waterproof Wireless Meat Thermometer: Setup & Usage Guide Learn how to use the Taylor 5309295 Waterproof Wireless Meat Thermometer with its companion SMARTTHERMO app for precise cooking. This guide covers setup, operation, care, and safety precautions.

Figure 9

www.fordfordtmanalysis.com/

<https://www.forkliftdtmanalysis.com/>

forklift manuals Taylor TEC950L Forklift Truck Parts Manual t 1645298424 app 6295738066 III

lang:i-klingon score:25 filesize: 5.09 M page count: 212 document date: 2022-02-19

TAYLOR FORKLIFT TRUCK Service Manual Fault Codes DTCv1forklift manuals app 6295738066 Taylor


03/ 24/ 10 TN51 / PAGE ... mbly Taylor

lang:i-klingon score:25 filesize: 5.09 M page count: 212 document date: 2022-02-19

[pdf] User Manual Instructions Declaration of Conformity Warranty Catalog

1470 Manual cdr wcisco 1 Digital Cooking Timer Thermometer DO NOT TOUCH WITH BARE HANDS! 2


Keep the metal probe and cord away from children 3 Sterilize each time before use 4 Do not expose thermometer to water direct heat a hot surface or sunlight The above may cause damage electric circuit components inside 5 this in microwave oven 6 TAY1470 bargreen media Wasserstrom Instruction Leading Way Accuracy @ One Year Warranty Taylor@ warrants product be free defects Wa y from 630532manual 1470N ib wasserstrom wcsstore WasserstromCatalogAssetStore Attachment taylorusa 80 IBs Taylor Precision 1470FS 32 392°F 100012008 McLendon Hardware Installation assets unilogcorp 187 ITEM DOC 1470n 2007 operating instructions HHH LLL reading on remotes Smoking Meat Forums Best Barbecue Discussion Forum On Earth! Here s link Wasserstrom1470 WasserstromDO 61470 inHHH theHHH Earth!Thank you for purchasing Your is an example of superior design craftsmanship This product Taylor WasserstromInstruction from Taylor HardwareTAY1470 ManualTaylor Manualbargreen Manualwasserstrom 630532manualtaylorusa ibtaylorusa ibwasserstrom srsltid AfmBOopruGzZs dqJUbv8x2luRx sNlR jgNBD069lfzWEombMfb1G2rwasserstrom 630532manualwasserstrom ibassets product Thank This Taylor AfmBOoprk6hReEfPi7jOpgHfM0wheQEWH v XUlpYp4q5pJc5tGGeQR1wasserstrom product To clear temperature settings press RESET button back See cooking table FIG recommended temperatures Thank AfmBOooY fb21DOvGAfMRxEvRB5VgP7UkqO3k2R4tA6xyn8cmw6GxsrOwasserstrom This 1470 AfmBOoqSwGrPsGY4rXHpSgLWeghgtqyfb6s07mOSsqNcsbBb0FM4BTp0wasserstrom from 1470 AfmBOorEP4hW0jzopdZ52OZ 2Q4yxW3jqZgeihh2v5i aEMQu49IKnL1wasserstrom from One material workmanship one year originalTaylor



AfmBOOpMijMAPBJcsGFP1MAi1g38WetZPr4vLsAADX2yrwo2Rb4KGZ08wasserstrom originalThank AfmBOoqNt0RZTNK9SC1bJEH1S2tPz9G0fFl pGqfwQNcdarvAmW1p1awasserstrom AfmBOOp kw0N23G VHart hZfUljhHUIIN2zgyC1BWLftwR2T2mo6gi2Cwasserstrom |||

Precautions 1. Always wear a heat resistant glove when touching the metal probe or cord during or ju ... aylor Precision Products and its affiliated companies. All rights reserved. www.taylorusa.com CP1470-7.07 1470 Digital Cooking Timer/Thermometer Leading the Wa y in Accuracy Instruction Manual ...

lang:en score:24 filesize: 279.01 K page_count: 2 document date: 2007-07-05




[pdf] Guide

MEDIA RESOURCE GUIDE May 31 2024 — IMSA Doug O Donnell Sr Director Brand Consumer Marketing Office 386 310 6580 Cell 307 8358 dodonnell@imsa Detroit Media Resource Guide imsa sites 32 05 |||

MEDIA RESOURCE GUIDE 2024 CHEVROLET DETROIT SPORTS CAR CLASSIC DETROIT STREET CIRCUIT MAY 31-JU ... areer Poles: 0 Team PR Contacts: Megan Barnhart 317-677-5832 mba coforce.com Krista Riley 508-560-1470 krista waynetaylorracing.com Manufacturer PR Contacts: Dan Layton 314-614-9763 danlayton47 ear...

lang:en score:22 filesize: 6.32 M page_count: 49 document date: 2024-05-31



[pdf] Specifications

Slayback Taylor Reduced Wafer Head Drill Point Screw 10m075cknfdp icc ss senco docs manuals and parts charts 10M075CKNFDP ICC SS

Reduced Wafer Head Drill Point Screw Metal to metal fastener for 20ga 16ga steel
Specifications: - ... Out lbs * Pull Over lbs * 0.04 697 271 1344 0.05 0.06 0.07 832 1337 1454 315 1353 595 **1470** 697 1553 0.1 1620 1081 2022 *Figures represent ultimate average test results from 3rd pa...

lang:en score:17 filesize: 441.05 K page_count: 2 document date: 2014-12-09

[pdf]

F A C O T S the story of Field artillery central officers training school Camp Zachary Taylor Kentucky archive org details facotsstoryoffie00raymrich Raymond Walters George Palmer Putnam John Kirby and others 15 déc 2022 — able for use in this country unless they are returned from France In determining curriculum or course instruction basic idea was to teach bw |||

IE STORY OF THE FIELD ARTILLERY CENTRAL OFFICERS TRAINING SCHOOL
Shell 1640f.s. M. V. Angle of R ... ARLAND C, 175 N. Merideth Ave., Pasadena.
EMERY, FRANK S., 3629 Utah St., San Diego. ENGLISH, JOHN, **1470** Orange Grove, Riverside. ERWIN, ELDER E., 399 S. 12th St., San Jose. ESTES, ROLAND FRANCIS, 326...

lang:en score:16 filesize: 15.91 M page_count: 374 document date: 2010-12-19


[pdf]

Cost List.xlsx Christian Reed Quantity Description Purpose Purchasing Location Number 1127 Piece Heat Shrink Tubing Set Harbor Freight 67524 1Oil Resistant PVC Long Cuff Gloves Or whatever rubber gloves you have 99677 12 Gallon Gas Can Used to store Etchant Solution when not being used in machiene 66453 1GFCI Outlet Adapter Cause Power shut F9FQVBZGX7D2TPZ content instructables ORIG F9F QVBZ GX7D2TPZ |||

Quantity Description 4 32oz Containers Hydorgen Peroxide 1 Red Power Illuminated Rocker Switch SPS ... ushbutton Normally Closed Momentary Switch 4Gpack 2 2P Series 1/4 120V Solenoid Valve 1 Taylor **1470** Digital Cooking Thermometer/Timer 1 1/2 Polyethylene 90 Elbow Hose barb x MIP 1 1/2 Polyet...

lang:en score:15 filesize: 45.43 K page_count: 2 document date: 2012-01-10

Item	Description	Quantity	Unit	Price	Total
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...
11	...	...	...	...	...
12	...	...	...	...	...
13	...	...	...	...	...
14	...	...	...	...	...
15	...	...	...	...	...
16	...	...	...	...	...
17	...	...	...	...	...
18	...	...	...	...	...
19	...	...	...	...	...
20	...	...	...	...	...
21	...	...	...	...	...
22	...	...	...	...	...
23	...	...	...	...	...
24	...	...	...	...	...
25	...	...	...	...	...
26	...	...	...	...	...
27	...	...	...	...	...
28	...	...	...	...	...
29	...	...	...	...	...
30	...	...	...	...	...
31	...	...	...	...	...
32	...	...	...	...	...
33	...	...	...	...	...
34	...	...	...	...	...
35	...	...	...	...	...
36	...	...	...	...	...
37	...	...	...	...	...
38	...	...	...	...	...
39	...	...	...	...	...
40	...	...	...	...	...
41	...	...	...	...	...
42	...	...	...	...	...
43	...	...	...	...	...
44	...	...	...	...	...
45	...	...	...	...	...
46	...	...	...	...	...
47	...	...	...	...	...
48	...	...	...	...	...
49	...	...	...	...	...
50	...	...	...	...	...
51	...	...	...	...	...
52	...	...	...	...	...
53	...	...	...	...	...
54	...	...	...	...	...
55	...	...	...	...	...
56	...	...	...	...	...
57	...	...	...	...	...
58	...	...	...	...	...
59	...	...	...	...	...
60	...	...	...	...	...
61	...	...	...	...	...
62	...	...	...	...	...
63	...	...	...	...	...
64	...	...	...	...	...
65	...	...	...	...	...
66	...	...	...	...	...
67	...	...	...	...	...
68	...	...	...	...	...
69	...	...	...	...	...
70	...	...	...	...	...
71	...	...	...	...	...
72	...	...	...	...	...
73	...	...	...	...	...
74	...	...	...	...	...
75	...	...	...	...	...
76	...	...	...	...	...
77	...	...	...	...	...
78	...	...	...	...	...
79	...	...	...	...	...
80	...	...	...	...	...
81	...	...	...	...	...
82	...	...	...	...	...
83	...	...	...	...	...
84	...	...	...	...	...
85	...	...	...	...	...
86	...	...	...	...	...
87	...	...	...	...	...
88	...	...	...	...	...
89	...	...	...	...	...
90	...	...	...	...	...
91	...	...	...	...	...
92	...	...	...	...	...
93	...	...	...	...	...
94	...	...	...	...	...
95	...	...	...	...	...
96	...	...	...	...	...
97	...	...	...	...	...
98	...	...	...	...	...
99	...	...	...	...	...
100	...	...	...	...	...



[pdf] User Manual Specifications Dimension Guide

Product Name Taylor T u084922 Téléchargez le manuel iciMembrane résidentielle Filmtec1 8 x12 100 GPD Bateau gratuit Water eStore CAFilmtec TW30 1812 Manualcdn shopify s files 1 0659 5447 Filmtec Manual 1470 |||

Product Information FILMTEC Membranes FILMTEC High Flow 100 Gallons Per Day Drinking Water Element Features FILMTECTM reverse osmosis membrane elements for home drinking water are the industry s most reliable. Advanced membrane technology and automated fabrication allow these elements to deliver ...

lang:en score:15 filesize: 79.37 K page_count: 3 document date: 2004-01-28

[pdf]

Jurgita Vidūnaitė Stankevičienė Elektroniniai žurnalai Biblioteka VILNIUS TECHTaylor and Francis 2025

žurnalaivilniustech It files 5594 279 13 3 Taylor |||

Taylor Francis 2025 m. prenumeruojam urnal s ra as Pavadinimas 1 International

Journal of ... 1469-8447 1469-8412 1366-588X 1362-3060 2164-0637 2474-0519

1752-6116 1471-6828 1751-133X 2159-5356 **1470**-1243 1324-5821 1839-2083

2574-2450 1743-0445 1469-2988 1746-0271 1480-9214 1532-2289 1740-4649 ...

lang:en **score:11** filesize: 984.16 K page_count: 65 document date: 2025-02-20

[pdf] User Manual

Wilder Charakter Wood Steel Fall 2014 GR kirstein de out pictures wysiwigpro landing taylor |||

Wilder Charakter Blackheart Sassafras Herbst-LTDs Blackwood 500er Voll-Koa 300er

GS Mini 40 Taylor ... Musik Klier 0911 4399043 Leeds, Grobritannien Donnerstag, 16.

Oktober, 19:00 Uhr Dawsons 0113 203 **1470** Marseille, Frankreich Donnerstag, 16.

Oktober, 19:00 Uhr Gebelin Planete Musique 04 91 32 31 3...

lang:de **score:11** filesize: 3.14 M page_count: 19 document date: 2014-09-25

[pdf]

Using the Pharmaceutical Literature S Srodin Taylor and Francis 2006 WW eye eu public Books BioMed

Using the Pharmaceutical Literature edited by Sharon Srodin Nerac, Inc. Tolland,

Connecticut, USA Ne ... regulatory issues covered. Pharmacogenomics Journal. 2001



. Nature Publishing. 6 issues/yr. pISSN: **1470**-269X. URL: http://www.nature.com/ tpj/.

Covers effects of genetic variability on drug toxicity ...

lang:en **score:10** filesize: 4.81 M page_count: 303 document date: 2006-11-06

Taylor & Francis 2025 m. prenumeruojam žurnalų sąrašas

Publikacijos	ISSN
1. International Journal of Cybernetics	1752-1111
2. International Journal of Cybernetics	1752-1111
3. International Journal of Cybernetics	1752-1111
4. International Journal of Cybernetics	1752-1111
5. International Journal of Cybernetics	1752-1111
6. International Journal of Cybernetics	1752-1111
7. International Journal of Cybernetics	1752-1111
8. International Journal of Cybernetics	1752-1111
9. International Journal of Cybernetics	1752-1111
10. International Journal of Cybernetics	1752-1111
11. International Journal of Cybernetics	1752-1111
12. International Journal of Cybernetics	1752-1111
13. International Journal of Cybernetics	1752-1111
14. International Journal of Cybernetics	1752-1111
15. International Journal of Cybernetics	1752-1111
16. International Journal of Cybernetics	1752-1111
17. International Journal of Cybernetics	1752-1111
18. International Journal of Cybernetics	1752-1111
19. International Journal of Cybernetics	1752-1111
20. International Journal of Cybernetics	1752-1111
21. International Journal of Cybernetics	1752-1111
22. International Journal of Cybernetics	1752-1111
23. International Journal of Cybernetics	1752-1111
24. International Journal of Cybernetics	1752-1111
25. International Journal of Cybernetics	1752-1111
26. International Journal of Cybernetics	1752-1111
27. International Journal of Cybernetics	1752-1111
28. International Journal of Cybernetics	1752-1111
29. International Journal of Cybernetics	1752-1111
30. International Journal of Cybernetics	1752-1111





[pdf] Press Release


4 Tim Beckwith DCA JetBlue 6 2014 adff6c0b f7d5 4392 b87f 0b7a5f36a0ff res cloudinary simpleview image upload v1465509816 clients pbi |||

PALM BEACH COUNTY BOARD OF COUNTY COMMISSIONERS Priscilla A. Taylor, Mayor Paulette Burdick, Vice Ma ... COUNTY GLADES AIRPORT Pahokee 846 PALM BEACH INTERNATIONAL AIRPORT West Palm Beach, Florida 33406-**1470** 561 471-7400 FAX: 561 471-7427 www.pbic.org PALM BEACH COUNTY PARK AIRPORT Lantana NORTH ... lang:en score:9 filesize: 92.85 K page_count: 3 document date: 2014-06-19

The image displays a table titled 'ABDC JOURNAL QUALITY LIST'. It lists various journals and their corresponding quality scores. The table is organized into columns for journal titles, quality scores, and other relevant information. The journals listed include titles like 'Journal of Management', 'Journal of Marketing', 'Journal of Finance', etc. The quality scores are numerical values ranging from 1 to 5. The table is a comprehensive list of journals and their quality ratings.

[pdf]

ABDC JQL 2022 v3 100523 Jeonghwan Choi attach 1 knm tfile blog kakaochn net dn n7guq btsHKR1Lz5f K0gLKVII25xu4xjRaUwuX0 ||| 2022 ABDC Journal Quality List Current to the review finalised 15 March 2023 including minor textua ... 0950-6764 1467-7679 1966 3801 B Development Southern Africa Taylor Francis Online 0376-835X **1470**-3637 1984 3801 C Digital Policy, Regulation and Governance Emerald Publishing 2398-5046 23... lang:en score:9 filesize: 649.13 K page_count: 34 document date: 2024-06-02



[pdf]

Layout 1 LD Series Donserv R018 8C00 D024 8C02 RO33 R033 Tipping Stand P N A D025 Dipper 05C8 810R 8C50 imagesdbseria Id specyfikacja 140409 0 donserv pl files 762404806 ||| LD Series LD Series The LD Series of cryogenic dewars are designed for storing and dispensing small ... e Albury, NSW 2640 Australia Phone: 61 0 2 6040-2533 Europe Taylor-Wharton Germany GmbH. Postfach **1470** D-25804 Husum Phone: 49 0 4841-9850 Taylor-Wharton Slovakia s.r.o. Vstupn arel U.S. Steel 044... lang:en score:9 filesize: 213.13 K page_count: 2 document date: 2014-02-25



[pdf] Press Release

10 Tim Beckwith Press Release 2014 Airport Triennial ER Drill 0c21694c 2cd4 46e4 b48a b42357f3ddf res cloudinary simpleview image upload v1465509756 clients pbi ||| PALM BEACH COUNTY BOARD OF COUNTY COMMISSIONERS Priscilla A. Taylor, Mayor Paulette Burdick, Vice Ma ... COUNTY GLADES AIRPORT Pahokee 846 PALM BEACH INTERNATIONAL AIRPORT West Palm Beach, Florida 33406-**1470** 561 471-7400 FAX: 561 471-7427 www.pbic.org PALM BEACH COUNTY PARK AIRPORT Lantana NORTH ... lang:en score:9 filesize: 609.9 K page_count: 2 document date: 2014-03-31

