

## Tripp Lite N316-03M

# Tripp Lite Duplex Multimode 62.5/125 Fiber Patch Cable (LC/SC) User Manual

MODEL: N316-03M

Brand: Tripp Lite

## 1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Tripp Lite Duplex Multimode 62.5/125 Fiber Patch Cable (LC/SC), Model N316-03M. Please read these instructions carefully before use to ensure optimal performance and safety.

## 2. PRODUCT OVERVIEW

The Tripp Lite N316-03M is a 3-meter (10-foot) duplex multimode fiber patch cable designed for high-speed data transfer. It features LC connectors on one end and SC connectors on the other, facilitating connections between various fiber optic network devices. The cable utilizes 62.5/125µm multimode fiber and has an orange PVC jacket with a riser (OFNR) fire rating.

Key features include:

- 3M (10-feet) Duplex MMF 62.5/125 Patch Cable (LC/SC)
- Premium PVC 62.5/125µm multimode patch cables
- Beveled edge on ends of glass for easy plug insertion



*An orange duplex multimode fiber patch cable featuring LC connectors on one end and SC connectors on the other. The cable is designed for connecting fiber optic network devices.*

### 3. SAFETY INFORMATION

---

- **Do not look directly into the end of any fiber optic cable or port.** Laser light can cause permanent eye damage.
- Handle fiber optic cables with care. Avoid sharp bends or excessive pulling, which can damage the internal fiber.
- Keep connectors clean. Dust and debris can degrade signal quality.
- Ensure proper ventilation around connected equipment.

### 4. PACKAGE CONTENTS

---

Your package should contain the following items:

- Tripp Lite Duplex Multimode Fiber Patch Cable (N316-03M)
- Instruction Guide (this document)

## 5. SETUP

---

Follow these steps to connect your fiber patch cable:

1. Identify the appropriate LC and SC ports on your network devices. Ensure they are compatible with 62.5/125µm multimode fiber.
2. Remove the protective dust caps from both ends of the fiber patch cable and from the device ports. Store the caps for future use.
3. Gently insert the LC connectors into the corresponding LC ports on one device. Ensure they click securely into place.
4. Gently insert the SC connectors into the corresponding SC ports on the other device. Ensure they click securely into place.
5. Verify that both ends of the cable are securely seated and that there are no kinks or sharp bends in the cable run.

The duplex design means there are two fibers (one for transmit, one for receive). Ensure that the transmit fiber from one device connects to the receive port of the other, and vice-versa. Most duplex connectors are keyed to prevent incorrect connection, but always double-check.

## 6. OPERATING INSTRUCTIONS

---

Once the Tripp Lite N316-03M fiber patch cable is securely connected between two compatible fiber optic devices, it will facilitate high-speed data transmission. No further user interaction is required for the cable itself. The cable supports data transfer rates up to 1 Gigabits Per Second, depending on the connected equipment.

Ensure that the connected devices are powered on and configured correctly according to their respective manuals to establish a network link.

## 7. MAINTENANCE

---

Proper maintenance ensures the longevity and performance of your fiber patch cable:

- **Cleaning Connectors:** If signal issues arise, carefully clean the fiber optic connectors using a specialized fiber optic cleaning kit. Never use harsh chemicals or abrasive materials.
- **Cable Management:** Avoid bending the cable beyond its minimum bend radius. Do not tie the cable in tight knots or place heavy objects on it.
- **Storage:** When not in use, replace the dust caps on the connectors and store the cable in a clean, dry environment, away from direct sunlight and extreme temperatures.

## 8. TROUBLESHOOTING

---

If you experience issues with your fiber optic connection, consider the following troubleshooting steps:

- **No Signal/Intermittent Signal:**
  - Verify that both ends of the cable are securely connected to the correct ports on your devices.
  - Ensure the transmit and receive fibers are correctly aligned (Tx to Rx, Rx to Tx).
  - Inspect the connectors for any visible dirt or damage. Clean them if necessary using a fiber optic cleaning tool.

- Check the status indicators on your network devices to confirm they are detecting a link.
- Test with a known working fiber patch cable if available to rule out device issues.

- **Slow Data Transfer:**

- Ensure all connected devices are operating at their optimal speed and are compatible with the cable's specifications.
- Check for excessive bends or damage along the cable run that could be causing signal loss.


## 9. SPECIFICATIONS


| Feature                    | Specification                            |
|----------------------------|------------------------------------------|
| Model Number               | N316-03M                                 |
| Cable Type                 | Fiber Optic                              |
| Fiber Type                 | 62.5/125µm Multimode                     |
| Connector Type             | LC to SC                                 |
| Cable Length               | 3 Meters (10 Feet)                       |
| Jacket Color               | Orange                                   |
| Jacket Material            | PVC                                      |
| Fire Rating                | OFNR (Optical Fiber Nonconductive Riser) |
| Data Transfer Rate         | 1 Gigabits Per Second                    |
| Item Weight                | 1.6 ounces (0.1 Pounds)                  |
| Product Dimensions (LxWxH) | 9.25 x 7 x 0.5 inches                    |
| Manufacturer               | TRIPP LITE                               |

## 10. WARRANTY AND SUPPORT

This Tripp Lite fiber patch cable is backed by a **Lifetime Warranty**. For warranty service or technical support, please refer to the official Tripp Lite website or contact their customer service department. Keep your purchase receipt for warranty claims.

**Related Documents - N316-03M**

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     | <p><a href="#">Tripp Lite N516-02M Duplex Multimode 50/125 Fiber Patch Cable (LC/SC), 2M</a></p> <p>Detailed specifications and features for the Tripp Lite N516-02M, a 2-meter duplex multimode 50/125 fiber patch cable with LC/SC connectors. This cable is designed for high-bandwidth gigabit and 10Gbps networks and is backward compatible with 62.5 micron fiber.</p>                                                                                          |
|    | <p><a href="#">Tripp Lite N600D-0144-6 Fiber Splice Dome Closure Owner's Manual</a></p> <p>This owner's manual provides detailed instructions for the installation and assembly of the Tripp Lite N600D-0144-6 Fiber Splice Dome Closure, designed for up to 144F single fiber with 6x 24F splice trays. It covers preparation, cable installation, closure assembly, branch cable installation, fiber splicing, box encapsulation, and closure mounting.</p>          |
|    | <p><a href="#">Tripp Lite SEC6K Laptop Security Cable with Key Lock</a></p> <p>Secure your laptop and peripherals with the Tripp Lite SEC6K Key Lock Security Cable. This 1.83m (6 ft) anti-theft cable is designed to attach to a desk or table, offering robust security for your valuable equipment. Features a high-security zinc alloy lock and a PVC-coated cable to prevent damage and deter theft. Ideal for offices, classrooms, and retail environments.</p> |
|  | <p><a href="#">Tripp Lite External Battery DC Connector Cable Assembly Instructions</a></p> <p>Detailed instructions for assembling and connecting the Tripp Lite External Battery DC Connector Cable for SMART1524ET and SMART1548ET UPS systems. Includes safety warnings, symbol explanations, and step-by-step assembly guidance.</p>                                                                                                                              |
|  | <p><a href="#">Tripp Lite TLP1008TELTV Surge Suppressor - 10 Outlet, 8 ft Cord</a></p> <p>Tripp Lite TLP1008TELTV surge suppressor with 10 outlets, 8-ft cord, 3345 joules, and Tel/Modem/Coaxial protection. Features include diagnostic LEDs, EMI/RFI filtering, and a \$150,000 Ultimate Lifetime Insurance.</p>                                                                                                                                                    |
|  | <p><a href="#">Tripp Lite Media Converters Owner's Manual - N784 &amp; N785 Series</a></p> <p>Comprehensive owner's manual for Tripp Lite 10/100 and 10/100/1000 Media Converters, including product features, specifications, installation, and warranty information for models N784-001-SC-MM, N784-001-SC-15, N785-001-LC-MM, N785-001-SC-MM, and N785-001-SC.</p>                                                                                                  |




[\[pdf\]](#) Specifications Datasheet

N316 03M 1 Tripp Lite ĐĐ<sup>3</sup>/<sub>4</sub>Đ»Đ<sup>3</sup>/<sub>4</sub>Đ°Đ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>/<sub>2</sub>Đ<sup>1</sup>/<sub>2</sub>Đ<sup>3</sup>/<sub>4</sub> Đ<sup>3</sup>/<sub>4</sub>Đ¿ÑĐ<sub>3</sub>ÑĐ<sup>1</sup>/<sub>2</sub>Ñ Đ°Đ°Đ±ĐμĐ»Ñ RX Electronics

Limited n316 03m rxelectronics ua datasheet 93 |||

Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC , 3M 10-ft. MODEL NUMBER: **N316-03M** Description Tripp Lite s 3-meter multimode duplex fiber optic SC/LC patch cable is manufactured from 62.5/125 zipcord fiber. The cable has LC to SC connectors, a PVC jacket and is FDDI and OFNR rated. Duplex mul...  
lang:en score:44 filesize: 150.47 K page\_count: 2 document date: 2019-08-21



[\[pdf\]](#) Specifications Datasheet

N316 03M 07M Tripp Lite Stock available The distributor Micro Semiconductor offer the best price with new original products 93 micro semiconductor datasheet |||

Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC , 3M 10-ft. MODEL NUMBER:  
**N316-03M** Description Tripp Lite s 3-meter multimode duplex fiber optic SC/LC patch  
 cable is manufactured from 62.5/125 zipcord fiber. The cable has LC to SC  
 connectors, a PVC jacket and is FDDI and OFNR rated. Duplex mul...  
 lang:en score:43 filesize: 150.27 K page\_count: 2 document date: 2018-08-17




[\[pdf\]](#) Datasheet

N316 03M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 3M 10 ft Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp@tripplite.com Model #: **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable LC/SC Highlights Premium PVC 62.5/125m multimode patch cables Attenuation loss meets or exceeds the latest industry standa...

lang:en score:41 filesize: 108.42 K page count: 3 document date: 2013-07-21






## [pdf] Specifications Dimension Guide Borchure

Manufacturer Brochure Tripp Lite Duplex Fiber Optic Patch Cable CareTek Information Technology Solutions 10060692 content utilize Manufacturer |||

Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC , 3M 10 ft. MODEL NUMBER: **N316-03M** Features q Manufactured from 62.5/125 duplex zipcord fiber q PVC jacket q Length: 3-meter connectors: 2 SC/LC connectors on each end q Insertion loss testing performed on every connector 0.2db typical and pr...

lang:en score:31 filesize: 150.49 K page\_count: 2 document date: 2021-03-23



## [pdf] Datasheet Warranty

n316 10m Tripp Lite Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 10M Fibre Cables netstoredirect data sheet id attachment 12688 |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... le, LC/SC N316-02M Multimode Fiber Optics 2-meter 6-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC **N316-03M** Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC Qty: opti...

lang:en score:31 filesize: 102.02 K page\_count: 2 document date: 2009-05-18




## [pdf] Specifications Datasheet Warranty

N455 000 Duplex Simplex Multimode Fiber Coupler Adapter LC Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC N318-01M 1M 3-ft. Duplex MMF 6...

lang:en score:31 filesize: 111.56 K page\_count: 2 document date: 2013-07-27




## [pdf] Datasheet Warranty

n316 20m Tripp Lite Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 20M DELL PCs netstoredirect  
data sheet id attachment 12822 |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... le, LC/SC N316-02M Multimode Fiber Optics 2-meter 6-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC **N316-03M** Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC N318-01M ...

lang:en score:31 filesize: 102.23 K page\_count: 2 document date: 2009-05-18




## [pdf] Specifications Datasheet

N316 10M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 33 ft Tripp Lite AV iQ Datasheet cdn  
docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:31 filesize: 105.82 K page\_count: 2 document date: 2013-07-21




## [pdf] Specifications Datasheet

N316 15M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 50 ft Tripp Lite AV iQ Datasheet cdn  
docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:31 filesize: 105.65 K page\_count: 2 document date: 2013-07-21



[pdf] Specifications Datasheet

N316 30M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 100 ft Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:31 filesize: 105.82 K page\_count: 2 document date: 2013-07-21




[pdf] Specifications Datasheet

N316 25M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 82 ft Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:31 filesize: 106.16 K page\_count: 2 document date: 2013-07-21






[pdf] Specifications Datasheet

N316 13M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 43 ft Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:31 filesize: 105.59 K page\_count: 2 document date: 2013-07-21






[pdf] Datasheet

n320 15m Tripp Lite Duplex Multimode 62 5 125 Fiber Patch Cable LC 15M Fibre Cables netstoredirect data sheet id attachment 12264 |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... TRJ/SC N314-03M Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, MTRJ/LC **N316-03M** Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC N320-03M ...

lang:en score:30 filesize: 107.8 K page\_count: 2 document date: 2009-05-18




[pdf] Datasheet

n320 10m Tripp Lite Duplex Multimode 62 5 125 Fiber Patch Cable LC 10M Fibre Cables netstoredirect data sheet id attachment 12263 |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... TRJ/SC N314-03M Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, MTRJ/LC **N316-03M** Multimode Fiber Optics 3-meter 10-ft. Duplex MMF 62.5/125 Patch Cable, LC/SC N320-03M ...

lang:en score:30 filesize: 107.77 K page\_count: 2 document date: 2009-05-18




[pdf] Specifications Datasheet

N316 06M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 6M 20 ft Tripp Lite AV iQ N31606M

Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC More information, including relat...

lang:en score:30 filesize: 105.43 K page\_count: 2 document date: 2013-07-21



## [pdf] Specifications Datasheet

N316 04M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 4M 13 ft Tripp Lite AV iQ N31604M

Datasheet cdn docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF

62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N316-05M 5M 16-ft. Duplex MMF ...

lang:en score:30 filesize: 106.17 K page\_count: 2 document date: 2013-07-21



## [pdf] Specifications Datasheet

Tripp Lite N316 04M Patch Cable Data Sheet cable SC multi mode M LC 13 ft fiber optic 62 5 125 micron

riser at TigerDirect static highspeedbackbone net |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 62.5/125 Patch Cable 1 LC/SC N316-02M 2M 6-ft. Duplex MMF

62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N316-05M 5M 16-ft. Duplex MMF ...

lang:en score:30 filesize: 112.4 K page\_count: 2 document date: 2012-07-31



## [pdf] Datasheet

n304 010 Tripp Lite Duplex Multimode 62 5 125 Fiber Patch Cable SC ST 3M 10 ft Fibre Cables

netstoredirect data sheet id attachment 12455 |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... TRJ/SC N314-03M Multimode Fiber Optics 3-meter 10-ft. Duplex

MMF 62.5/125 Patch Cable, MTRJ/LC **N316-03M** Multimode Fiber Optics 3-meter 10-

ft. Duplex MMF 62.5/125 Patch Cable, LC/SC N320-03M ...

lang:en score:30 filesize: 91.4 K page\_count: 2 document date: 2009-05-18



[pdf] Datasheet

N308 010 Duplex Multimode 62 5 125 Fiber Patch Cable MTRJ ST 3M 10 ft Tripp Lite AV iQ Datasheet

cdn docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 105.62 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N310 010 Duplex Multimode 62 5 125 Fiber Patch Cable MTRJ SC 3M 10 ft Tripp Lite AV iQ Datasheet

cdn docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 105.49 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N306 010 Duplex Multimode 62 5 125 Fiber Patch Cable SC 3M 10 ft Tripp Lite AV iQ Datasheet

cdn docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 127.69 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N320 05M Duplex Multimode 62 5 125 Fiber Patch Cable LC 5M 16 ft Tripp Lite AV iQ Datasheet cdn

docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 122.96 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N320 03M Duplex Multimode 62 5 125 Fiber Patch Cable LC 3M 10 ft Tripp Lite AV iQ Datasheet cdn

docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 127.58 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N302 010 Duplex Multimode 62 5 125 Fiber Patch Cable ST 3M 10 ft Tripp Lite AV iQ Datasheet cdn

docs av iq dataSheet |||


Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-

mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 113.37 K page\_count: 3 document date: 2013-07-21



[pdf] Datasheet

N320 15M Duplex Multimode 62 5 125 Fiber Patch Cable LC 50 ft Tripp Lite AV iQ Datasheet cdn docs

av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-


mail: saleshelp ... 125 Patch Cable 1 MTRJ/SC N314-03M 3M 10-ft. Duplex MMF

62.5/125 Patch Cable 1 MTRJ/LC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch

Cable 1 LC/SC N318-03M 3M 10-ft. Duplex MMF ...

lang:en score:30 filesize: 123.58 K page\_count: 3 document date: 2013-07-21






## [pdf] Datasheet

N316 01M Duplex Multimode 62 5 125 Fiber Patch Cable LC SC 1M 3 ft Tripp Lite AV iQ Datasheet cdn docs av iq dataSheet |||

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: 773 869 1234 E-mail: saleshelp ... 5/125 Patch Cable 1 MTRJ/LC N316-02M 2M 6-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC **N316-03M** 3M 10-ft. Duplex MMF 62.5/125 Patch Cable 1 LC/SC N318-01M 1M 3-ft. Duplex MMF 6...


lang:en score:30 filesize: 108.22 K page\_count: 3 document date: 2013-07-21



## [pdf] Specifications Datasheet

N316 01M Tripp Lite 62.5/125 Fiber Patch Cable LC/SC , 3M 10 ft. MODEL NUMBER: **N316-03M** RX Electronics Limited n316 03m rxelectronics ua datasheet a8 |||

1000 Eaton Boulevard Cleveland, OH 44122 United States Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC , 3M 10 ft. MODEL NUMBER: **N316-03M** Highlights q Premium PVC 62.5/125m multimode patch cables q Attenuation loss meets or exceeds the latest industry standards System Requirements q Any fiber... lang:en score:30 filesize: 30.49 K page\_count: 3 document date: 2023-05-23



## [pdf] Borchure

Cables Connectivity Products scrooks Brochure tripplite en buying guides applications Cables Connectivity Products Tripp Lite offers the most convenient, cost-effective solutions for ... N312-02M N312-03M N312-05M N314-01M N314-02M N314-03M N314-05M N314-09M N314-15M N316-01M N316-02M **N316-03M** N316-04M N316-05M N316-06M N316-10M N316-13M N316-15M N316-20M N316-21M N316-25M N316-30M N...

lang:en score:27 filesize: 3.9 M page\_count: 24 document date: 2008-06-11



## [pdf] Datasheet

Untitled Datasheet Manuals User Guides Application Note Circuit Data Sheet Inventory from Global Distributors Search Engine Live Cables Connectivity Products Open SVGA Plenum Rated Monitor Extension Gold Cable with RGB Coax Designed for use in Category 6 5e and 5 applications Directory df70e2ba4c9761ae00bfd77e3baa54b3 datasheet live Docs Viewer |||

Cables Connectivity Products Tripp Lite offers the most convenient, cost-effective solutions for ... N312-02M N312-03M N312-05M N314-01M N314-02M N314-03M N314-05M N314-09M N314-15M N316-01M N316-02M **N316-03M** N316-04M N316-05M N316-06M N316-10M N316-13M N316-15M N316-20M N316-21M N316-25M N316-30M N...

lang:en score:27 filesize: 3.9 M page\_count: 24 document date: 2019-08-22




[pdf] Borchure

Tripp Lite UPS Systems Brochure 120V Russian 200804150 952938 230V tripplite 80 shared literature

Tripp Lite , - / , - / , - 3- . 2-5 . 16-17 . 6-9 . 14-15 . 10-13 . 18-19 - . 20 ... 04-010 3  
SC/ST N306-003 1 SC/SC N306-006 2 SC/SC N306-010 3 SC/SC N316-01M 1  
LC/SC N316-02M 2 LC/SC **N316-03M** 3 LC/SC N318-01M 1 LC/ST N318-02M 2  
LC/ST N318-03M 3 LC/ST N320-01M 1 LC/LC N320-02M 2 LC/L...

lang:af score:26 filesize: 3.09 M page\_count: 32 document date: 2009-12-28



[pdf] Specifications Datasheet

2355116 farnell datasheets |||

Duplex Multimode 62.5/125 Fiber Patch Cable LC/SC , 3M 10-ft. MODEL NUMBER:

**N316-03M** Highlights Premium PVC 62.5/125m multimode patch cables Attenuation loss meets or exceeds the latest industry standards System Requirements Any fiber optic hardware or NIC card requiring multimode duplex cable w...

lang:en score:25 filesize: 409.23 K page\_count: 2 document date: 2017-03-03



[pdf] Accessories

tlspec 2794 tripplite shared spec

CAT6/CAT5e/Network Multimode Duplex Patch Cable Model #: N312-03M Premium PVC 62.5/125m multimode pa ... J/SC Connectors Model # N310-006 MT-RJ/LC Connectors Model # N314-03M LC/SC Connectors Model # **N316-03M** LC/ST Connectors Model # N318-03M LC/LC Connectors Model # N320-03M Duplex MMF Loopbac...

lang:en score:24 filesize: 29.35 K page\_count: 3 document date: 2005-01-08



[pdf] Accessories

tlspec 2879 tripplite shared spec

CAT6/CAT5e/Network Duplex Fiber LC/LC Coupler Model #: N455-000 Dual LC/LC coupler for extending exi ... 2meter Model # N316-02M Duplex Multimode 62.5/125 Fiber Optic Patch Cable LC/SC- 3meter Model # **N316-03M** Duplex Multimode 62.5/125 Fiber Optic Patch Cable LC/ST- 1meter Model # N318-01M Duplex ...

lang:en score:24 filesize: 25.03 K page\_count: 3 document date: 2005-01-07



Tripp Lite's null mode fiber loopback cable provides a looped (circular) signal from source device to hardware for testing purposes enabling a signal check for both transmitting and receiving functions. For use with a fiber cable having an SC connector, Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

- Use to test a fiber run
- Available in SC & MTRJ connection ports
- Durable (over 500 cycles)
- Insertion loss 0.2 dB typical/0.75 dB max
- Reflectance 20 dB min.
- SC 62.5/125 multi-mode fiber

- 3-ft. Multinode Duplex Fiber Optic Patch Cable, SC/ST Connectors (Model # N304-003)
- 6-ft. Multinode Duplex Fiber Optic Patch Cable, SC/ST Connectors (Model # N304-006)
- 10-ft. Multinode Duplex Fiber Optic Patch Cable, SC/ST Connectors (Model # N304-010)
- 3-ft. Multinode Duplex Fiber Optic Patch Cable, SC/SC Connectors (Model # N306-003)
- 6-ft. Multinode Duplex Fiber Optic Patch Cable, SC/SC Connectors (Model # N306-006)
- 10-ft. Multinode Duplex Fiber Optic Patch Cable, SC/SC Connectors (Model # N306-010)

- Any fiber optic installation with an SC connection at one end



Tripp Lite's 3-meter multimode duplex micron fiber optic LC/LC patch cable is manufactured from 62.5/125 zipcord fiber. The cable has LC connectors on each end, a PVC jacket and is PDDI and OM3 rated. Duplex multimode fiber is most commonly used in LAN applications. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 3 meters Connectors: LC connector on each-end
- Insertion loss testing performed on every connector (0.5db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a plastic polymer)
- Color coded strands identify transmit and receive
- Duplex multi/pair fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (fire rated)
- Tipp Life warrants this product to be free from defects in materials and workmanship for life

- 10 Gb Multimode Duplex Fiber Optic Patch Cable: ST/ST Connectors (Model # N004-010)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: SC/SC Connectors (Model # N004-010)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: MT-FL/SC Connectors (Model # N004-010)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: SC/SC Connectors (Model # N006-010)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: MT-FL/SC Connectors (Model # N010-010)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: MT-FL/LC Connectors (Model # N04-038)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: LC/SC Connectors (Model # N016-038)
- 10 Gb Multimode Duplex Fiber Optic Patch Cable: LC/ST Connectors (Model # N018-038)
- 5 meter Multimode Duplex Fiber Optic Patch Cable: LC/LC Connectors (Model # N020-05M)



Tipp-Lite's 10-8, multimode duplex fiber optic SC/SC patch cable is manufactured from 62.5/125 zirconia fiber. The cable has SC connectors on each end, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications. Tipp-Lite warrants this product to be free from defects in materials and workmanship for life.

- Manufactured from 62.5-om duplex (zipcord) fiber
- PVC jacket
- Length: 10.8, Connectors: 2 5C connectors on each end
- Insertion loss testing performed on every connector (0.20db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded strands identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic data routed data interface (FDDI) used
- OM3R (new rated)
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

- 10-K Multimode Duplex Fiber Optic Patch-Cable; ST/ST Connectors (Model # N3002-010)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; SC/ST Connectors (Model # N3004-010)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; RJ-45 RJ-45 Connectors (Model # N3006-010)
- 3-M Multimode Duplex Fiber Optic Patch-Cable; SC/SC Connectors (Model # N3006-003)
- 6-M Multimode Duplex Fiber Optic Patch-Cable; SC/SC Connectors (Model # N3006-006)
- 12-M Multimode Duplex Fiber Optic Patch-Cable; SC/SC Connectors (Model # N3006-012)
- 8-M RJ-45 Connectors (Model # N310-010)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; RJ-45 Connectors (Model # N310-010)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; LC/LC Connectors (Model # N310-020)
- LC/SC Connectors (Model # N310-030)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; LC/ST Connectors (Model # N310-040)
- LC/ST Connectors (Model # N310-050)
- 10-K Multimode Duplex Fiber Optic Patch-Cable; LC/LC Connectors (Model # N320-010)
- LC/LC Connectors (Model # N320-020)
- Duplex MM Loopback Cable SC-62/15 Fibre (N340-000)

- Any fiber optic hardware or NIC card requiring multimode duplex cable with SCS connector



Tripp Lite's ZSeries multimode duplex fiber optic SGLC patch cable is manufactured from 62.5/125 zipped fiber. The cable has LC to SC connectors, a PVC jacket and is FDDI and OM3 rated. Duplex multimode fiber is most commonly used in LAN applications. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

- Manufactured from 62.5/125 duplex (plastic) fiber
- PVC jacket
- Length: 2 meter Connectors 2 SGLC connectors on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded strands identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (see rating)
- Tip: Life warrants this product to be free from defects in materials and workmanship for life

- 6/1: Multinode Duplex Fiber Optic Patch Cable: ST/ST Connectors (Model # N300-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable: ST/ST Connectors (Model # N304-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- MT-RJ/ST Connectors (Model # N208-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable: SC/SC Connectors (Model # N300-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- MT-RJ/SC Connectors (Model # N310-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- MT-RJ/LC Connectors (Model # N310-000)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- LC/SC Connectors (Model # N310-010)
- 10/6: Multinode Duplex Fiber Optic Patch Cable
- LC/SC Connectors (Model # N310-010)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- LC/ST Connectors (Model # N310-020)
- 6/1: Multinode Duplex Fiber Optic Patch Cable
- LC/SC Connectors (Model # N310-020)
- Duplex MMF Loopback Cable: SC 60 to 120 Fiber (N340-000)

CAT6/CAT5e/Network Multimode Duplex Patch Cable Model #: N316-02M Premium  
PVC 62.5/125m multimode pa ... ectors Model # N316-01M 10-ft. Multimode Duplex  
Fiber Optic Patch Cable LC/SC Connectors Model # **N316-03M** 6-ft. Multimode  
Duplex Fiber Optic Patch Cable LC/ST Connectors Model # N318-02M 6-ft. M...  
lang:en score:24 filesize: 31.8 K page\_count: 3 document date: 2004-11-05



- DESCRIPTION**

### KEY BUYING POINTS

- ## OPTIONS & ACCESSORIES

- ## SYSTEM REQUIREMENTS



- DESCRIPTION**

### KEY BUYING POINTS

- ## OPTIONS & ACCESSORIES

- ## SYSTEM REQUIREMENTS

lang:en score:24 filesize: 32.01 K page count: 3 document date: 2003-09-09