Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Grizzly G9913

Grizzly G9913 Solid Maple Workbench Top User Manual

Model: G9913 | Brand: Grizzly

1. Introduction

The Grizzly G9913 Solid Maple Workbench Top is a durable and versatile surface designed for various applications, from workshops to kitchens. Constructed from solid 1 3/4-inch hard rock (sugar) maple strips, this workbench top is laminated for strength and coated with a food-safe Durakryl finish. Both the top and bottom surfaces, as well as all edges, are sealed, providing a clear, satin-smooth, low-sheen, and natural-colored appearance. This top is built for longevity and can be integrated into custom workbench setups, including those utilizing optional adjustable legs.

2. Safety Information

Please read and understand all safety information before handling or installing the workbench top.

- **Heavy Item:** The G9913 workbench top is substantial, weighing approximately 83.2 pounds. Always use proper lifting techniques and seek assistance when moving or positioning the top to prevent injury.
- **Secure Installation:** Ensure the workbench top is securely fastened to its base or legs. Loose tops can shift, creating a hazard.
- **Pre-Drilling:** When attaching the top to legs or a frame using screws, always pre-drill pilot holes appropriate for the size of your screws. This prevents splitting the wood and ensures a secure connection.
- **Edge Awareness:** While edges are sealed, exercise caution to avoid impacts that could cause dents or chips.

3. Setup

The Grizzly G9913 workbench top is designed for integration into various workbench configurations. It does not come with pre-attached legs.

1. **Unpacking:** Carefully unpack the workbench top from its packaging. Inspect for any shipping damage.
2. **Positioning:** With assistance, carefully lift and position the workbench top onto your chosen workbench frame or legs. Ensure the surface is level.
3. **Securing:** Use appropriate fasteners (screws, bolts) to secure the workbench top to your frame or legs. Remember to pre-drill pilot holes to prevent wood splitting.
4. **Optional Legs:** If using optional adjustable shop fox legs (not included), follow the leg manufacturer's instructions for assembly and attachment to the workbench top.



Figure 3.1: Grizzly G9913 Workbench Top shown with optional adjustable legs and stringer (legs and stringer sold separately).

4. Operating

The G9913 workbench top provides a robust and stable work surface for a wide range of activities.

- **Versatile Use:** This maple top is suitable for various tasks, including woodworking, crafting, assembly, and general utility. Its food-safe finish also makes it suitable for certain kitchen or food preparation applications.
- **Surface Protection:** While durable, consider using protective mats or pads when working with sharp tools, heavy objects, or corrosive chemicals to prolong the life and appearance of the finish.
- **Natural Appearance:** The top features a natural maple color with a clear satin finish. Variations in wood grain and color are inherent to natural wood products.



Figure 4.1: Close-up of the solid maple construction and Durakryl finish.

5. Maintenance

Proper care will ensure the longevity and appearance of your Grizzly G9913 workbench top.

- **Cleaning:** The Durakryl finish allows for easy cleaning. The surface can be cleaned like any other counter surface using mild soap and water. For tougher stains, bleach or nail polish remover can be used sparingly. Always wipe dry after cleaning.
- **Avoid Harsh Abrasives:** Do not use abrasive cleaners or scouring pads, as these can damage the finish.
- **Temperature and Humidity:** While the top is sealed, extreme fluctuations in temperature and humidity can affect natural wood. Maintain a stable environment where possible to prevent warping or cracking.

6. Troubleshooting

This section addresses common concerns or issues that may arise with the workbench top.

- **Surface Imperfections:** Due to the nature of wood and manufacturing processes, minor ripples or variations in smoothness may be present. These typically do not affect functionality.
- **Shipping Damage:** In the event of damage during shipping (e.g., cracks, dents, nicks), contact the retailer or manufacturer immediately for assistance. Document the damage with photographs.
- **Difficulty with Screw Installation:** If screws are difficult to drive or the wood appears to be splitting, ensure you have

pre-drilled pilot holes of the correct diameter for your fasteners.

- **Unfinished Bottom Surface:** Note that one surface is typically finished (top) and the other may be rougher or less finished (bottom). Ensure the desired finished side is facing upwards during installation.

7. Specifications

Feature	Detail
Brand	Grizzly
Model Number	G9913
Material	Solid Hard Rock (Sugar) Maple
Finish Type	Laminated, Food-Safe Durakryl
Color	Brown, Wooden, Beige (Natural Maple)
Product Dimensions	48 x 30 x 1.75 inches (Length x Width x Thickness)
Item Weight	83.2 pounds
UPC	690550099137, 009039048304
Manufacturer	Grizzly
Item Package Quantity	1
Date First Available	December 1, 2006

8. Warranty and Support

Specific warranty details for the Grizzly G9913 Solid Maple Workbench Top are not provided in this manual. For warranty information, technical support, or replacement parts, please contact Grizzly Industrial directly through their official website or customer service channels.

For additional resources and product information, you may visit theGrizzly Store on Amazon.

© 2024 Grizzly Industrial. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0000DD0XO

More documents and user manuals: **https://manuals.plus/**