

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

### Pelican 1600-004-110

## Pelican 1600 Case Instruction Manual

Model: 1600-004-110

### PRODUCT OVERVIEW

The Pelican 1600 Case is a rugged, watertight protective case designed to safeguard valuable equipment. This model features easy roller wheels, double throw latches, and a watertight construction. It includes an easy-to-adjust double-layer padded divider set and a convenient mesh organizer in the lid for optimal organization and protection.



Figure 1: Pelican 1600 Case in closed position, showcasing its robust exterior.

### Key Features:

- Watertight with Automatic Pressure Equalization Valve:** Ensures contents remain dry and protected from pressure changes.
- Reinforced Padlock Protectors:** Provides enhanced security for your valuable items.
- Stainless Steel Ball Bearing Wheels:** Facilitates easy transport of the case.
- Double Layer Padded Dividers with Velcro Adjustments:** Allows for customizable interior organization and

cushioning.

- **Convenient Mesh Organizer Securely Fashioned to the Lid:** Offers additional storage for smaller accessories.

## SETUP AND INTERIOR CUSTOMIZATION

The Pelican 1600 Case comes with a versatile padded divider system, allowing you to customize the interior to fit your specific equipment. This section outlines the steps for setting up and adjusting the dividers.



Figure 2: Pelican 1600 Case shown open, revealing the padded divider system.

1. **Open the Case:** Release the four double throw latches (two on the front, one on each side) by pulling them outwards and then upwards. Lift the lid to fully open the case.
2. **Access Dividers:** The case contains a double layer of padded dividers. These are secured with Velcro, allowing for easy repositioning.

3. **Customize Layout:** Arrange the padded dividers to create compartments that snugly fit your equipment. Ensure adequate cushioning around all items. The Velcro attachments allow for flexible and secure configurations.
4. **Utilize Mesh Organizer:** The mesh organizer located in the lid can be used to store smaller items such as cables, documents, or flat accessories.

## OPERATING THE CASE

Proper operation ensures the longevity and protective capabilities of your Pelican 1600 Case.

### Closing and Sealing:

1. **Align Lid:** Carefully lower the lid, ensuring it aligns correctly with the base of the case.
2. **Engage Latches:** Press down firmly on each of the four double throw latches until they click securely into place. Ensure all latches are fully engaged to maintain the watertight seal.
3. **Pressure Equalization Valve:** The automatic pressure equalization valve (Figure 3) will automatically adjust the internal pressure of the case to match the external atmospheric pressure, preventing vacuum lock and making the case easier to open after changes in altitude or temperature. No manual operation is required for this valve.



Figure 3: Detail of the automatic pressure equalization valve, ensuring internal pressure balance.

### Security:

The case features reinforced padlock protectors (Figure 4) at the front. You can insert standard padlocks (not included) through these holes for added security. Ensure the padlock shackle is appropriately sized for the holes.



Figure 4: Reinforced padlock protector for securing the case contents.

### Transport:

The Pelican 1600 Case is equipped with stainless steel ball bearing wheels and a retractable handle. Use the handle to pull the case on its wheels for convenient transport. For lifting, use the main handle located on the side of the case.



Figure 5: Pelican case being loaded, demonstrating its portability and ruggedness.



Figure 6: Pelican case enduring harsh conditions on a boat, highlighting its watertight capabilities.

## MAINTENANCE

Regular maintenance will help preserve the protective qualities and appearance of your Pelican 1600 Case.

- **Cleaning:** Clean the exterior of the case with mild soap and water. Avoid abrasive cleaners or solvents that could damage the plastic.
- **O-Ring Inspection:** Periodically inspect the O-ring seal located inside the lid for any signs of damage, cracks, or debris. A clean, intact O-ring is crucial for maintaining the watertight seal. If necessary, clean the O-ring and its groove with a soft cloth.
- **Lubrication:** For optimal performance, a thin coat of silicone grease (not petroleum-based products) can be applied to the O-ring once a year to keep it pliable and ensure a proper seal.
- **Latch Functionality:** Ensure latches operate smoothly and securely. If they become stiff, a small amount of silicone spray can be applied to the hinge points.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Difficulty opening case	Vacuum lock due to pressure differential; stiff latches.	Allow the automatic pressure equalization valve to equalize pressure. If latches are stiff, apply silicone spray.

Problem	Possible Cause	Solution
Case not sealing properly (leaks)	Damaged or dirty O-ring; latches not fully engaged.	Inspect and clean O-ring. Ensure all four latches are securely closed. Replace O-ring if damaged.
Padded dividers do not stay in place	Velcro worn out or not properly attached.	Ensure Velcro strips are clean and properly aligned. Contact Pelican support for replacement dividers if Velcro is worn.

## SPECIFICATIONS

- Product Dimensions:** 24.25 x 8.68 x 19.43 inches
- Item Weight:** 14 pounds
- Model Number:** 1600-004-110
- Manufacturer:** Pelican Products
- Date First Available:** August 28, 2005
- Included:** 1604, WL/WD, BLACK (This refers to the case model with wheels/dividers, black color)

## WARRANTY AND SUPPORT

Pelican Products are known for their robust construction and reliability. Many Pelican cases, including the 1600 series, come with a **Lifetime Guarantee** against breakage or defects in workmanship. This provides peace of mind regarding the product's durability.

For specific warranty details, claims, or technical support, please refer to the official Pelican Products website or contact their customer service directly. Keep your purchase receipt as proof of ownership.

For further information, you may visit the official Pelican Store:[Pelican Store on Amazon](#).

© 2024 Pelican Products. All rights reserved.

Documents - Pelican – 1600-004-110

## [pdf] Price List

Book1 Chris Parker Item 192 Pelican 1 31 2024 Price List Build myvendorlink external vfile d vrf s 160643

v 89288 sv 0 i ft b ||

Part No BX135-BLK BX140-BLK BX255-BLK BX50-BLK BX55-BLK BX80-BLK BX85-BLK BX90-BLK RFMT-002-BLK RFMT ... -000-190 1600-000-240 1600-001-110 1600-001-130 1600-001-150 1600-001-180 1600-001-190 1600-001-240 **1600-004-110** 1600-005-110 1600-005-150 1610-020-110 1610-020-130 1610-020-190 1610-021-110 1610-021-...

lang:de score:13 filesize: 649.04 K page\_count: 25 document date: 2024-02-23

Page 1 of 3

## pdf Price List

Pelican May 2025 Price List 02APR2025.xlsx Chris Parker \$328.95 \$268 \$419 \$241 VendorLink IM2200

179003 v 89288 sv 0 i 191 ft b |||

Pelican 2025 Price list Part No 014650-0000-110 014650-0010-110 014650-0050-150  
014850-0001-110 014 ... 5-110 1600-005-150 1600-001-110 1600-001-150 1600-  
001-180 1600-001-190 1600-001-240 016000-0050-110 **1600-004-110** 1610-020-110  
1610-020-190 016100-0009-110 016100-0019-110 1610-021-110 1610-021-190  
016...

lang:en score:12 filesize: 462.88 K page\_count: 34 document date: 2025-04-23

[pdf] Catalog

Justin Nishiki Part No VendorLink IM2975 18647 400 6 LAPTOPS BLK PELI 472 IM \$1 057 43 CLASSIC V SERIES 3U 2410 02 35 05 \$2 335 08 4U Pelican MSRP2024 myvendorlink external vfile d vrf s 161269

Part No 47210LAPTOPSCTAN 47210LAPTOPSIMBLK 47210LA ... -000-190 1600-000-240  
1600-001-110 1600-001-130 1600-001-150 1600-001-180 1600-001-190 1600-001-  
240 **1600-004-110** 1600-005-110 1600-005-150 1610-020-110 1610-020-130 1610-  
020-190 1520NE WL/NF YELLOW 1

lang:de score:12 filesize: 277 7 K page\_count: 38 document\_date: 2024-05-22

## [pdf] Price List

Pelican 2 1 2023 Price List xlsx Chris Parker myvendorlink external vfile d vrf s 141727 v 89288 sv 0 i 192

ft b |||

Part No Description BX135-BLK CARGO CASE,MED TRUNK,135L,BLK BX140-BLK  
CARGO CASE,LG ROOF,140L,BLACK 180 1600NF,WL/NF,SILVER 1600-001-190  
1600NF,WL/NF,DESERT TAN 1600-001-240 1600NF,WL/NF,YELLOW **1600-004-110** 1604,WL/WD,BLACK 016000-0050-110 1600TP,WL/TP INSERT,BLACK 1600-005-110 1600EMS,WL/...

lang:de score:11 filesize: 562.98 K page\_count: 40 document date: 2023-04-04