

- › [KORG](#) /
- › [Korg microKORG Compact Analog Modeling Synthesizer User Manual](#)

KORG MICROKORG

Korg microKORG Compact Analog Modeling Synthesizer

Model: MICROKORG

1. INTRODUCTION

The Korg microKORG is a compact analog modeling synthesizer featuring a vocoder, mini microphone, 4-voice polyphony, and a 6-step arpeggiator. It utilizes a dual-oscillator DSP synthesis engine, offering a wide range of waveforms and sound design capabilities. This manual provides essential information for setting up, operating, and maintaining your microKORG instrument.



Figure 1.1: Front view of the Korg microKORG Compact Analog Modeling Synthesizer with its gooseneck microphone attached. The instrument features a 37-key mini-keyboard, various control knobs, and a program selection interface.

2. SETUP

2.1 Unpacking and Initial Inspection

Carefully remove the microKORG from its packaging. Verify that all components are present, including the synthesizer unit,

gooseneck microphone, and power adapter (if included). Inspect the unit for any signs of damage during transit.

2.2 Power Connection

- The microKORG can be powered by a DC 9V power adapter or by 6 AA batteries.
- To use batteries, open the battery compartment on the underside of the unit and insert 6 AA alkaline batteries, ensuring correct polarity.
- To use the power adapter, connect the adapter to the DC 9V input jack on the rear panel and then plug it into a standard AC outlet.

2.3 Audio Connections



Figure 2.1: Rear panel of the Korg microKORG, displaying the DC 9V power input, MIDI IN/OUT/THRU ports, AUDIO IN 1 and 2, OUTPUT (L/MONO, R), and HEADPHONES jack.

- **Output:** Connect the OUTPUT L/MONO and R jacks to an amplifier, mixer, or audio interface using standard 1/4-inch TS cables. For mono output, use the L/MONO jack.
- **Headphones:** Connect stereo headphones to the HEADPHONES jack for private monitoring.
- **Audio Input:** The microKORG features AUDIO IN 1 and AUDIO IN 2.
 - AUDIO IN 1, 2 (LINE): Use these 1/4-inch jacks for connecting line-level audio sources.
 - AUDIO IN 2 (MIC): This 1/4-inch jack can also be used for a microphone input.
- **Microphone:** Attach the included gooseneck microphone to the dedicated MIC input for vocoder functions. Ensure the Level switch is set appropriately for LINE or MIC input.

2.4 MIDI Connections

The microKORG includes MIDI IN, OUT, and THRU ports for integration with other MIDI devices. Connect MIDI OUT of a master controller to microKORG's MIDI IN, and microKORG's MIDI OUT to other devices or a computer interface as needed.

3. OPERATING INSTRUCTIONS

3.1 Basic Controls Overview



Figure 3.1: Detailed top-down view of the Korg microKORG's control surface, highlighting the Program Select dial, Edit Select knobs, and various parameter controls for synthesis and effects.

The microKORG features an intuitive interface with dedicated knobs and buttons for sound editing and performance. The main controls are organized into sections for Volume, Program Select, Arpeggiator, Octave Shift, Pitch/Mod wheels, and Edit Select.

3.2 Program Selection



Figure 3.2: Close-up of the microKORG's central control panel, showing the Program Select rotary switch, the digital display, and the Edit Select 1 and 2 knobs with their corresponding parameter lists.

Use the large **PROGRAM SELECT** dial to choose between different sound categories such as D'n'B/Breaks, HipHop/Vintage, Retro, Electronica, Techno/House, Trance, and Vocoder. Once a category is selected, use the numbered buttons (1-8) below the display to select a specific program within that category. The digital display will show the program number.

3.3 Sound Engine and Synthesis

The microKORG's XMT Sound Engine is based on a dual-oscillator DSP synthesis architecture. Oscillator 1 provides 71 waveforms, including traditional analog waves (Saw, Pulse, Sine, Noise) and unique options like Vox wave and Cross wave. It also includes 64 DWGS waveforms from the Korg DW-8000, allowing for a broad range of imitative sounds such as bells, electric pianos, and guitars.

- **Oscillator Modulation:** Ring and sync modulation can be applied from Oscillator 2 to create complex timbres.
- **Filters:** Four filter modes are available: -12 dB (2-pole) low pass, high pass, band pass, and a -24 dB (4-pole) low pass setting. All include resonance control.
- **Envelopes and LFOs:** Two ADSR envelope generators and two MIDI-syncable LFOs are provided for shaping

sounds.

- **Virtual Patch Matrix:** This feature allows for advanced modulation routing, such as controlling filter cutoff or pulse width with the Mod wheel, or using an LFO to control panning or amplifier level.

3.4 Vocoder Function

The built-in vocoder allows for unique vocal effects and robotic voice transformations. Connect the included gooseneck microphone to the MIC input. Select a vocoder program using the PROGRAM SELECT dial. Adjust vocoder parameters using the EDIT SELECT knobs to modify timbre, formant, and other characteristics of the vocal sound.

3.5 Arpeggiator

The microKORG includes a 6-step arpeggiator. Activate it using the ARPEGGIATOR ON/OFF button. Adjust the tempo using the TEMPO knob and select different arpeggiator patterns and settings via the EDIT SELECT parameters.

3.6 Octave Shift

Use the OCTAVE SHIFT UP and DOWN buttons to transpose the keyboard's pitch range by octaves.

4. MAINTENANCE

4.1 Cleaning

Wipe the unit with a soft, dry cloth. For stubborn dirt, use a slightly damp cloth and then dry thoroughly. Avoid abrasive cleaners, solvents, or waxes, as these can damage the finish.

4.2 Storage

Store the microKORG in a cool, dry place away from direct sunlight, extreme temperatures, and high humidity. If storing for an extended period, remove the batteries to prevent leakage.

4.3 Battery Replacement

When the battery indicator (if present) shows low power, or if the unit behaves erratically when running on batteries, replace all 6 AA batteries with new ones. Ensure the unit is powered off before replacing batteries.

5. TROUBLESHOOTING

- **No Sound:**
 - Check volume knob position.
 - Verify audio cable connections to amplifier/mixer.
 - Ensure headphones are properly connected if used.
 - Check selected program and its parameters (e.g., filter cutoff, amplifier envelope).
- **No Power:**
 - If using AC adapter, ensure it is securely connected and the outlet is functional.
 - If using batteries, check battery level and polarity, or replace with new batteries.
- **MIDI Not Responding:**
 - Verify MIDI cable connections (IN to OUT, OUT to IN).
 - Check MIDI channel settings on both the microKORG and the external device.
 - Ensure MIDI functionality is enabled in the microKORG's global settings (refer to the detailed manual for specific steps).

- **Vocoder Issues:**



- Ensure microphone is securely connected and the input level switch is set to MIC.
- Adjust the input volume for the microphone.
- Check vocoder program settings.

6. SPECIFICATIONS

Feature	Specification
Model Name	microKorg
Item Model Number	MICROKORG
Brand	KORG
Number of Keyboard Keys	37
Size	37-Key
Product Dimensions	26 x 6 x 12 inches
Item Weight	4.84 pounds (2.2 Kilograms)
Body Material	Bass Wood
Finish Type	Painted, Wood
Color	White
Power Source	6 AA batteries (included) or DC 9V power adapter
Battery Type	Alkaline
Connector Type	USB Type B (for MIDI)
Hardware Interface	Unknown
Proficiency Level	All
Manufacturer	Korg USA Inc.

7. WARRANTY AND SUPPORT

For detailed warranty information, technical support, and service inquiries, please refer to the official Korg documentation included with your product or visit the official Korg website. Warranty terms and conditions may vary by region and retailer.

KORG Collection Owner's Manual  E1	KORG microKORG Software Synthesizer Owner's Manual - Features & Operation Guide Discover the KORG microKORG software synthesizer with its official owner's manual. Learn about its analog modeling, vocoder, sound editing, comprehensive parameter guides, and troubleshooting for music production.
 Owner's Manual	KORG microKORG Synthesizer/Vocoder Owner's Manual Explore the KORG microKORG, a compact analog modeling synthesizer and vocoder. This manual details its features, operations, and sound editing capabilities, including 128 programs, a step arpeggiator, and vocoder functions.
 Owner's Manual	Korg MS2000/MS2000R Analog Modeling Synthesizer Owner's Manual Comprehensive owner's manual for the Korg MS2000 and MS2000R analog modeling synthesizers, detailing features, operation, connections, editing, and parameters.
	Korg KingKORG NEO Quick Start Guide: Synthesizer Operations and Features This guide provides essential information for operating the Korg KingKORG NEO synthesizer, covering setup, sound selection, editing parameters, using the vocoder, and basic functions. Learn to connect, play, and customize sounds on your KingKORG NEO.
 Owner's Manual	KORG MS-20 Monophonic Synthesizer Owner's Manual Official owner's manual for the KORG MS-20 monophonic analog synthesizer, detailing its features, functions, controls, and setup for creating unique sounds.
 Editor/Librarian Owner's Manual	Korg multi/poly Editor/Librarian Owner's Manual: Comprehensive Guide to Sound Editing and Management This manual provides detailed instructions for using the Korg multi/poly Editor/Librarian software. Learn how to install, connect, edit sounds, manage performances, set lists, motion sequences, and troubleshoot common issues for your Korg multi/poly analog modeling synthesizer.

Documents - KORG – MICROKORG




[pdf] User Manual Owner's Manual Guide

microKORG X Owner s manual E 1 KORG INC Go Now Musikkhandel no View guide user Url musikkhandel media files 312 USA XL plus OM E1 |||

E1 Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the designa...

lang:en score:48 filesize: 7.72 M page_count: 103 document date: 2015-02-24




[pdf] Guide

Korg MicroKORG Key Contact Strip Repair guide 77141 endocuments cdn ifixit en |||

Korg MicroKORG Key Contact Strip Repair Guide ID: 77141 - Draft: 2018-07-31 Korg MicroKORG Key Contact Strip Repair You press the key, but it makes no noise The first thing to check is the contact strip between the key and the board. As with any mechanical point, it could need cleaning, it may ne...

lang:en score:48 filesize: 1.49 M page_count: 7 document date: 2020-11-26



[pdf] Guide

Korg MicroKORG Key Contact Strip Repair guide 77141 en ifixit s s3 amazonaws

Korg MicroKORG Key Contact Strip Repair Guide ID: 77141 - Draft: 2018-07-31 Korg MicroKORG Key Contact Strip Repair You press the key, but it makes no noise The first thing to check is the contact strip between the key and the board. As with any mechanical point, it could need cleaning, it may ne...

lang:en score:47 filesize: 1.49 M page_count: 7 document date: 2020-11-26




[pdf] User Manual Quick Start Guide Guide

microKORG S Quick Start Guide EFGSJ1 KORG INC Korg microKorg DE EN FR ES JP recordcase de media ac bf fc |||

/// Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic elds Power supply Please connect the desig...

lang:en score:46 filesize: 2.64 M page_count: 22 document date: 2019-05-17



[pdf] Quick Start Guide Guide

Easystart in!!! Korg microKORG XL Quick Start Guide recordcase de media 4f 9d cc

Easystart / CI CJ 4URE XL in STEP : PLUG IT IN Let s get this synth fired up - Insert 6 AA ... O rl_ovsn l 1 l IYIYG --: Inn: 14 r-nun LI O : 1 an um: --: You can go to wwwv.korg.com/microkorgxl to download the USB-MIDI driver, as well as free editor/librarian software for either Ma...

lang:en score:46 filesize: 7.35 M page_count: 2 document date: 2019-05-16



[\[pdf\]](#) User Manual Owner's Manual

microKORG XL Owner's Manual G 1 KORG INC Microkorg XI Pdf i korg 222750 bedienungsanleitung
images thomann.de/pics/atg/atgdata/document/manual/|||
Bedienungsanleitung G1 Vorsichtsmaßnahmen Aufstellungsort Vermeiden Sie das Aufstellen des Geräts an Orten, an denen es direkter Sonneneinstrahlung ausgesetzt ist; hohe Feuchtigkeit oder Extremtemperaturen auftreten können; Staub oder Schmutz in großen Mengen vorhanden sind; das Gerät Erschütterungen...
lang:de score:42 filesize: 7.5 M page_count: 103 document date: 2008-12-04




[\[pdf\]](#) User Manual

microKORG Bedienungsanleitung G 2 KORG INC Manual Korg Microkorg edelmat.de/80/Anleitung
G2 ii Vorsichtsmaßnahmen Aufstellungsort Vermeiden Sie das Aufstellen des Geräts an Orten, an denen es direkter Sonneneinstrahlung ausgesetzt ist; hohe Feuchtigkeit oder Extremtemperaturen auftreten können; Staub oder Schmutz in großen Mengen vorhanden sind; das Gerät Erschütterungen ausgesetzt ...
lang:de score:42 filesize: 7.79 M page_count: 80 document date: 2002-11-14



[\[pdf\]](#) User Manual Owner's Manual

microKORG X Owner's manual E 1 KORG INC Nord Piano 4NOTE If the XL receives a dump request from an external device 500 msec and R DELAY is 1200 delay times will be 250 500 Manual Korg XLmedia
djmania.net/manuales/Manual/|||
E1 Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the designated...
lang:en score:41 filesize: 7.73 M page_count: 103 document date: 2012-08-29



[\[pdf\]](#) User Manual Owner's Manual Specifications

microKORG XL Sound Editor Owner's Manual E 1 KORG INC 9115331 media justmusic.de/shop/assets/sonstiges/|||
microKORG XL Sound Editor Owner's Manual Mac, Mac logo and Mac OS are trademarks of Apple Inc., registered in the U.S. and other countries. Windows XP, Windows Vista and Windows 7 are trademarks of Microsoft Corporation in the U.S. and other countries. All other product and company names are trademarks of their respective holders.
lang:en score:40 filesize: 4.25 M page_count: 26 document date: 2012-09-21



[\[pdf\]](#) User Manual

microKORG S Bedienungsanleitung G 1a KORG INC Korg manual ManualsPlanet korg microkorg.s/manualsplanet/manualPdf/|||
Vielen Dank für den Erwerb des microKORG S Synthesizer/Vocoder. Um den problemlosen Betrieb zu gewährleisten, lesen Sie diese Anleitung bitte sorgfältig und bedienen Sie das Produkt in der richtigen Weise.
Vorweg..... 1 Erk...
lang:de score:40 filesize: 6.16 M page_count: 73 document date: 2019-07-17



[\[pdf\]](#) User Manual Owner's Manual

microKORG Owner s Manual E 1 KORG INC Download ManualKorg Synth Palacesyn057 mcdn shopify files 0580 0031 0428 syn057 m v 1630702388 Korg Microkorg Mk1 S User ManualDownload What To Know Where Buy EquipboardKorg Palacekorg microkorg mk1 manualsyn057 mimages equipboard item manual 48993 korg manualcdn m1059 Manualimages 1630702388musicorama gr manuals 1059 ||| E1 ii Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the de...

lang:en **score:40** filesize: 7.7 M page_count: 80 document date: 2002-08-20



[\[pdf\]](#) User Manual Owner's Manual

microKORG XL Owner s Manual F 2 KORG INC Microkorg XI Pdf i korg OM Fr cdn algam net pub collections documents AE |||

Manuel d utilisation F2 Prcautions Emplacement L utilisation de cet instrument dans les endroits suivants peut en entrainer le mauvais fonctionnement. En plein soleil Endroits trs chauds ou trs humides Endroits sales ou fort poussiéreux Endroits soumis de fortes vibrations A proximite de champs...

lang:fr **score:40** filesize: 7.65 M page_count: 103 document date: 2009-05-14



[\[pdf\]](#) User Manual Owner's Manual

microKORG XL Owner s Manual E 1 KORG INC Korg XL User recordcase de media 2e 77 e8 E1 Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the designa...

lang:en **score:40** filesize: 8.44 M page_count: 103 document date: 2019-05-16



[\[pdf\]](#) User Manual Owner's Manual Instructions Declaration of Conformity Catalog

microKORG Owner s Manual E 1 KORG INC 39 Sweetwater manual are only for explanatory purposes They may not necessary match what appears in the display of your Knob positions and parameters parameter values appearing this p 16 following approximations There be slight discrepancies between knob Thank you purchasing Korg synthesizer vocoder To ensure trouble free enjoyment please read carefully use product correctly iii * Company names formats etc trademarks or registered their respective owners Precautions Location Using Printing conventions Knobs keys printed BOLD TYPE on panel Parameters enclosed Display indications The numerical various microkorg doc home httpd data media 633652918397600000 87412 1471435 instructions sweetwater store c3 zzounds 1125bd7d36fce07f8e150f741ee3e9b1 im static thomann de pics atg atgdata document es junco uk 395777 01U i korg Support bhphotovideo lit files 80 images aadl org catalog guides E1 ii Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the de...


lang:en **score:39** filesize: 7.7 M page_count: 80 document date: 2002-08-20

lang:en score:39 filesize: 126.6 K page_count: 5 document date: 2019-05-16

lang:en score:39 filesize: 2.62 M page_count: 22 document date: 2016-08-26

lang:en score:39 filesize: 6.24 M page count: 73 document date: 2019-05-17

lang:es score:38 filesize: 5.03 M page count: 73 document date: 2017-05-12



[\[pdf\]](#) User Manual Parts List Diagram

output asami Korg MicroKorg Service Manual bee mif pg gda pl ciasteczkowypotwor pro audio

Service Manual microKORG CONTENTS 1 Block Diagram: Page 2-4 2 Circuit

Diagram: Page 5-10 3 Test Mode: Page 11 4 Parts List: Page 12-13 1st Edition

Issued date: November 22nd, 2002 Issued by: KORG INC. microKORG Test Mode

How to start the test mode: Auto Mode 1 3 PO...

lang:en score:38 filesize: 920.6 K page_count: 13 document date: 2002-11-26



[\[pdf\]](#) User Manual

microKORG Reference Manual Ru 3live ru 80 upload iblock 648

Korg microKORG / Korg , -- A T Trade. . Korg A T Trade, A T Trade , . A T Trade, Inc. ,

/ microKORG, Korg -- A T Trade. 095 242-5325. / . 128 . . . , . . . Korg microKORG. 1 .

...

lang:i-klnglon score:38 filesize: 6.75 M page_count: 68 document date: 2007-04-04



[\[pdf\]](#) User Manual Owner's Manual

microKORG XL Owner s Manual E 1 KORG INC XL 000303932ML02 asset conrad media10 add 160267

c1 en |||

E1 Precautions Location Using the unit in the following locations can result in a

malfunfion. In diref sunlfht Locations of extreme temperature or humidity

Excessively dusty or dirty locations Locations of excessive vibration Close to

magnetic fields Power supply Please connect the designa...

lang:en score:38 filesize: 7.38 M page_count: 103 document date: 2013-02-04



[\[pdf\]](#) User Manual

microKORG XL Bedienungsanleitung G 1 KORG INC Microkorg XI Manual Pdf Owner s i korg

e5b5822bef2e904a520b730ad59f9f59 response content disposition inline filename* UTF 8 plus OM G1

cdn us support files |||


Bedienungsanleitung G1 Vorsichtsmanahmen Aufstellungsort Vermeiden Sie das

Aufstellen des Gerts an Orten, an denen es direkter Sonneneinstrahlung ausgesetzt

ist; hohe Feuchtigkeit oder Extremtemperaturen auftre- ten knnen; Staub oder

Schmutz in groen Mengen vorhanden sind; das Gert Erschttteru...

lang:de score:38 filesize: 7.21 M page_count: 103 document date: 2012-08-29



[pdf] User Manual

microKORG S Manual de usuario 1 KORG INC OM S1 cdn korg us support files

e7a139e078316be65f4d23e568eedf4 response content disposition inline filename type application |||

Gracias por adquirir el sintetizador y vocoder Korg micro KORG S. Para disfrutar sin problemas, por favor lea este manual cuidadosamente y utilice el producto correctamente. Introduccin 1 Explica las opciones del microKORG S y los nombre y...

lang:es score:35 filesize: 7.2 M page_count: 73 document date: 2016-08-26



[pdf] User Manual

KORG stellt das Sondermodell microKORG Crystal vor proaudio de news recording 27997 korg

sondermodell microkorg crystal |||

KORG stellt das Sondermodell microKORG Crystal vor Dienstag, 09. Mai 2023 09:52

KORG microKORG Crystal Wohl kaum ein Synthesizer-Fan weltweit hatte ihn nicht

bereits einmal in den Fingern, und nicht wenige hat sein herrlich knarziger und

durchsetzungsfhiger Sound nie wieder losgelassen die Rede is...

lang:de score:35 filesize: 409.69 K page_count: 2 document date: 2023-05-28



[pdf] User Manual

Korg Sp 170 Manual Pdf SP Owner s korg 50thcat13 low bonstudiov2 azureedge net assets docs |||


Magazine 2013 50th anniversary issue www.korg.co.jp www.korg.com

www.korg.co.uk Magazine 2 0 1 3 5 0 th a n n i v e r s a r y i s s u e Message from

Korg 3 50 years of Korg

Timeline 3

lang:tl score:35 filesize: 9.93 M page_count: 13 document date: 2015-02-24



[pdf] User Manual

KORG stellt das Sondermodell microKORG Crystal vor proaudio de news recording 27997 korg

sondermodell microkorg crystal tmpl component |||

KORG stellt das Sondermodell microKORG Crystal vor Dienstag, 09. Mai 2023 09:52

KORG microKORG Crystal Wohl kaum ein Synthesizer-Fan weltweit hatte ihn nicht

bereits einmal in den Fingern, und nicht wenige hat sein herrlich knarziger und

durchsetzungsfhiger Sound nie wieder losgelassen die Rede is...

lang:de score:34 filesize: 409.69 K page_count: 2 document date: 2023-05-14

[\[pdf\]](#) User Manual Owner's Manual

microKORG X Owner s manual E 1 KORG INC 39 Manual read this carefully and use the product as directed Main features Synthesizer functionality featuring MMT analog modeling The XL provides a broad range of oscillator algorithms including sawtooth waves square typical synthe sizers well formant waveforms noise PCM DWGS Data handling Unexpected malfunctions can result in loss memory contents Please be sure to save important data on an external filer storage device Korg cannot accept any responsibility 2 Performance editing with three knobs By turning control parameters such filter cutoff reso nance amp EG attack usa microkorg xl plus om e1 USA OM E1 korg synthesizer vocoder microxlplus b h photo 211239 user im static thomann de pics atg atgdata document i Support cdn us support files fd770527ffdfd6be5f62b7b2e5f09a6a response content disposition inline filename* UTF 8 type application manuals img

E1 Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the designa...

lang:en **score:32** filesize: 7.73 M page_count: 103 document date: 2012-08-29



[\[pdf\]](#) User Manual

Inicio Rápido de microKORG español Traducido por La Oreja Digital SLL Descargar manual uso Sintetizador Vocoder Korg Microkorg Mk1 Nuevo Garantía Casa Libertella 73497 KORG MICROKORG MK1 qloud ar SITES IMG casa libertella 03 2020 ||| microKORG Inicio Rpido Inicio Rpido Dial de categoria de PROGRAMA Volumen GENERAL ARPEGIADOR Botn PROGRAMA A/B Seccin EDIT SELECT CONTROL a TIEMPO REAL / Edicin Matriz de EDICIN Botones de OCTAVA Botones de NUMERO DE PROGRAMA Diales EDIT SELECT 1 y 2 Indicador de VALOR ORIGINAL Caractersticas...

lang:es **score:32** filesize: 601.67 K page_count: 5 document date: 2004-03-11



[\[pdf\]](#) User Manual Owner's Manual

microKORG XL Owner s Manual E 1 KORG INC XL Owner 39 American Musical Keep this manual After reading please keep it for later refer ence Keeping foreign matter out of your equipment Never set any container with liquid in near equip ment If gets into the could cause a breakdown fire or electrical shock Be careful not to let metal objects get Connect OUTPUT L MONO R jacks input mixer powered monitor speakers you make connections KOR MICROKORGXL microkorg xl om e1 633989730160880000 home httpd data media 8 aman OM E1 americanmusical ItemFiles i korg support Support c3 zzounds 80 832cb875ce60f6951b1b98cdf0fdaa4 services

E1 Precautions Location Using the unit in the following locations can result in a malfunction. In direct sunlight Locations of extreme temperature or humidity Excessively dusty or dirty locations Locations of excessive vibration Close to magnetic fields Power supply Please connect the designa...

lang:en **score:32** filesize: 8.34 M page_count: 103 document date: 2008-12-04



[\[pdf\]](#) User Manual Owner's Manual

microKORG S Owner s Manual E 1a KORG INC Introduction 1 Explains the features of and names functions each part Main Features Front rear cdn korg us support files

f6ae284a6b46fd1b8d5e8cef32967438 response content disposition inline filename* UTF 8 OM E1a type application |||

Thank you for purchasing the Korg microKORG S synthe sizer/ vocoder. To ensure trouble-free enjoyment, please read this manual carefully and use the product correctly. Introduction 1 Explains the features of the microKORG S...

lang:en **score:31** filesize: 6.16 M page_count: 73 document date: 2019-07-17



[\[pdf\]](#)

KORG Collection microKORG J 1 INC cdn korg jp support files 2bf586f093039e214b2fa68174f14105 response content disposition inline filename* UTF 8 KC4 microKORG OM J1 type application |||

KORG Collection J 1 6
.....6
..... 7

lang:it **score:31** filesize: 1.51 M page_count: 81 document date: 2022-11-22



[\[pdf\]](#)

microKORG Bedienungsanleitung G 2 KORG INC Korg microKorg Deutsch MikroKorg Analog Modeling Synthesizer A S22052 klangfarbe files Shop Artikel 22052 |||

G2 ii Vorsichtsmanahmen Aufstellungsort Vermeiden Sie das Aufstellen des Gerts an Orten, an denen es direkter Sonneneinstrahlung ausgesetzt ist; hohe Feuchtigkeit oder Extremtemperaturen auftreten kn- nen; Staub oder Schmutz in groen Mengen vorhanden sind; das Gert Erschutterungen ausgesetzt ...

lang:de **score:31** filesize: 7.79 M page_count: 80 document date: 2006-07-20

[\[pdf\]](#) User Manual Owner's Manual Guide Declaration of Conformity

microKORGEZStart malcolmd Important Owner s Manual references EasyStart synthmanuals cdn petech korg Sweetwater Korg KORG SHIFT This key has multiple functions You ll find more information on this beginning page 59 in the VOLUME knob sets level of output signal microKORG 2 A Quick Overview Keys Knobs and Switches PROGRAM NUMBER These keys are used to select programs EDIT SELECT ARPEG they function as step off for arpeggiator selects musical genre or program banks 10 80 SIDE B switches between 5 Main Features Perfect use with laptop computers live electronica keyboardists much more! Same dual oscillator DSP synthesis engine MS 2000 71 waveforms choose from! 8 band Vocoder a built Microphone formant Listening Demo Songs Selecting Playing Programs 3 Editing using Performance microkorg doc easystart microkorgeasystart EN Start Guide 665208 633652921281750000 home httpd data media e sweetwater store manuals easy start documents 6 us support files

dc625161edea12101dfc2973245258e6 response content disposition inline filename* UTF type application i Support c3 zzounds e794643f76ea514b87f5342103200e1b Micro MicroKorg Easy korgmicrokorgquickstartguide archive org synthmanual micro quick guide |||

EasyStart microKORG Main Features Perfect for use with laptop computers, live electronica rigs, DJ s, non-keyboardists and much more Same dual-oscillator DSP synthesis engine as the MS-2000, with 71 waveforms to choose from 8-band Vocoder with a built-in Microphone, and formant freezing / s...

lang:en **score:31** filesize: 123.66 K page_count: 5 document date: 2002-10-04



[\[pdf\]](#) User Manual

T minisynths Uli Minisynths Korg MicroKorg Serie und R3 im Praxistest Musikhaus Thomann mm48838 kb201106056 thomann de prod review 29517 |||

056 test minisynths im live-einsatz text: Jan Hering, foto, Jan Hering, Archiv Minisynths im Praxistest Alles, was in den Rucksack passt Klein, leicht und robust sollen sie sein: Synthis, die man mal eben im Rucksack verstauen kann, um damit zur Probe, zum Gig oder zur Jam-Session mit den Kumpel...

lang:de **score:30** filesize: 3.38 M page_count: 3 document date: 2011-12-06

[\[pdf\]](#) User Manual

emar Navod KORG MicroKorg XL plus dwn alza cz manual 88410 Uživatelský manuál music park czKorg MS 20 50 10 atd vstoupila na trh v r 1978 a vybavila EM 1 TAP 2 3 4 5 7 8 9 11 12 13 14 15 16 MIDI zvukový generátormusic files produkty subory |||

Uzivatel'sk manu'l Upozorn'n Um'stn Pouz'ijete-li n'stroj v n'sleduj'cch m'stech, m'ze dojt k po'skozen. Na p'mm slunecnm sv'tle V m'stech s extr'mn teplotou nebo vlhkost Na plis spinavch a prasnch m'stech Kde dochz k silnm otesm V blzkosti magnetickho pole Napjen Zapojte vyhraz'en AC adaptr do z'suvky se sprv...

lang:en **score:30** filesize: 3.39 M page_count: 101 document date: 2013-09-23





[\[pdf\]](#) User Manual

Manual de Usuario microKORG La Oreja Digital SLL ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ Korg Conserve este manual Después leer por favor consérvelo Evitar el vertido líquidos o que se introduzcan objetos No coma ni ponga contenidos con líquido encima cerca del equipo Si entra en la unidad puede averiarse incendiarse causar un cortocircuito Tenga cuidado no dejar metálicos usuario Sintetizador modelado DSP y vocoder alta calidad · 128 programas desde los clásicos analógicos al dance contemporáneo e 633652919466150000 i korg Support 80

Manual de usuario Manual de usuario E1 . Sintetizador por modelado DSP y vocoder de alta calidad. 128 programas, desde los clasicos analgicos al dance contemporaneo. Sonidos agrupados por gnero musical para gestionarlos ms rpidamente. Edicin y rpida y fcil gracias a cinco potencimetros de edicin...

lang:es **score:30** filesize: 6.85 M page_count: 79 document date: 2003-03-03




[\[pdf\]](#)

microKORG Manuel d utilisation F 2 KORG INC Descarga Korg Microkorg Mode emploi » Compre en línea la Tienda para DJs de Recordcase recordcase media 6f ca 87 |||

F2 ii Prcautions Manipulation des donnees Emplacement L utilisation de cet instrument dans les endroits suivants peut en entrainer le mauvais fonctionnement. En plein soleil Endroits trs chauds ou trs humides Endroits sales ou fort poussiéreux Endroits soumis de fortes vibrations A proximite...

lang:fr **score:29** filesize: 7.69 M page_count: 80 document date: 2019-05-16



[\[pdf\]](#)

microKORG S Voice Name List EFGSCJ 1 KORG INC Korg microKorg Liste recordcase de media 13 50 88

microKORG S Voice Name List SYNTHESIZER/VOCODER EFGSCJ1 BANK No. MIDI Name TRANCE A.11 0 Pump Stab A.12 1 Plucky Synth A.13 2 UniArpo A.14 3 Complicados A.15 4 Growler A.16 5 Heroic Lead A.17 6 AMxPM Synth A.18 7 ClaviPhone TECHNO/HOUSE A.21 8 TriStep Jag ...

lang:de **score:29** filesize: 374.88 K page_count: 4 document date: 2019-05-17



[KORG microKORG Synthesizer/Vocoder Bedienungsanleitung](#)

Die offizielle Bedienungsanleitung für den KORG microKORG Synthesizer/Vocoder. Enthält detaillierte Informationen zu Funktionen, Anschlüssen, Bedienung und Wartung.

lang:de **score:29** filesize: 7.78 M page_count: 80 document date: 2019-05-16



[\[pdf\]](#)

microKORG XL Manuel d utilisation F 1 KORG INC cdn korg us support files

308f50810282d66f98072d44a23f9cc6 response content disposition inline filename* UTF 8 plus OM F1 type application |||

Manuel d utilisation F1 Prcautions Emplacement L utilisation de cet instrument dans les endroits suivants peut en entrainer le mauvais fonctionnement. En plein soleil Endroits trs chauds ou trs humides Endroits sales ou fort poussiéreux Endroits soumis de fortes vibrations A proximite de champs...

lang:fr **score:29** filesize: 7.21 M page_count: 103 document date: 2012-08-29

[\[pdf\]](#) User Manual Owner's Manual

microKORG S Owner's Manual E 1 KORG INC Thank you for purchasing the Korg synthesizer Juno
Records jp juno co uk Conventions in this manual Display indications The numerical values of various
parameters appearing are only explanatory purposes They may not necessary match what appears
display your Knob positions and parameter p 16 following vocoder To ensure trouble free enjoyment
please read carefully use product HEADPHONES jacks Connect a pair headphones to jack 4 stereo filer
or other device For transmis sion procedure refer iv correctly Demo son 624268 01U imagescdn
Thank you for purchasing the Korg microKORG S synthesizer/ vocoder. To ensure
trouble-free enjoyment, please read this manual carefully and use the product
correctly. Introduction 1 Explains the
features of the microKORG S...

lang:en score:29 filesize: 6.18 M page_count: 73 document date: 2016-08-26

