

rolls VP29

rolls VP29 Phono Preamp Instruction Manual

Model: VP29

Brand: rolls

1. INTRODUCTION

The rolls VP29 Phono Preamp is designed to amplify the RIAA equalized signal from a turntable to a standard line level. This allows turntables, which typically output a low-level, RIAA-equalized signal, to be connected to audio systems or receivers that lack a dedicated phono input. The VP29 ensures proper signal amplification and equalization for accurate audio reproduction from vinyl records.

2. FEATURES

- **RIAA Equalization:** Provides accurate RIAA equalization for vinyl playback.
- **Input/Output Connectivity:** Features RCA stereo inputs and outputs for standard audio connections.
- **Additional Output:** Includes a 1/4" TRS stereo output for versatile connectivity options.
- **Power Adapter:** Comes with a dedicated power adapter for immediate use.
- **Signal Amplification:** Converts low-level phono signals to line-level signals compatible with most audio equipment.

3. PACKAGE CONTENTS

Upon opening the package, please verify that all items are present:

- rolls VP29 Phono Preamp
- Power Adapter (12-16 VDC)

4. SETUP AND CONNECTIONS

Follow these steps to properly connect your rolls VP29 Phono Preamp to your audio system.

4.1 Front/Top Panel Overview




Figure 1: Front/Top Panel of the rolls VP29 Phono Preamp

This image displays the top panel of the rolls VP29, showing the power input, RCA stereo input (labeled R and L), RCA stereo output (labeled R and L), and a 1/4 inch stereo output (labeled L R). The unit is red with white text.

4.2 Rear Panel Connections



Figure 2: Rear Panel Connections of the rolls VP29 Phono Preamp

This image shows the rear panel of the rolls VP29. From left to right, it features the 1/4 inch TRS output jack, the RCA stereo input jacks (red for right, white for left), the RCA stereo output jacks (red for right, white for left), a ground terminal, and the power adapter input jack.

4.3 Connection Procedure

1. **Connect Turntable:** Connect the RCA output cables from your turntable to the **INPUT (RCA L/R)** jacks on the rolls VP29. Ensure the red cable connects to the 'R' (Right) input and the white/black cable connects to the 'L' (Left) input.
2. **Ground Connection:** If your turntable has a separate ground wire, connect it to the **Ground Terminal** on the rear panel of the VP29. This helps reduce hum and noise.
3. **Connect to Audio System:** Connect the **OUTPUT (RCA L/R)** jacks of the VP29 to an available line-level input on your amplifier, receiver, or powered speakers. Use an input labeled 'AUX', 'CD', 'Tuner', or 'Line In' (**do not use a 'Phono' input** on your receiver, as this would result in double amplification and incorrect equalization). Alternatively, use the **1/4" TRS Output** to connect to compatible equipment.
4. **Power Connection:** Connect the provided power adapter to the **PWR INPUT (12-16 VDC)** jack on the VP29. Then, plug the power adapter into a standard electrical outlet.

Note: If your turntable has a built-in phono preamp, ensure it is switched off or bypassed before connecting to the rolls VP29. Using two phono preamps in series can lead to distorted audio.

5. OPERATION

Once all connections are securely made and the VP29 is powered on, you can begin playing your vinyl records. The VP29 operates automatically, providing the necessary amplification and RIAA equalization. There are no user-adjustable controls on the unit.

1. Place a record on your turntable.
2. Lower the tonearm onto the record.
3. Adjust the volume on your connected amplifier or receiver to your desired listening level.

6. SPECIFICATIONS

The following are the technical specifications for the rolls VP29 Phono Preamp:

- **Model:** VP29
- **Input:** RCA Stereo (L/R)
- **Output:** RCA Stereo (L/R), 1/4" TRS Stereo
- **Equalization:** RIAA
- **Power Input:** 12-16 VDC (Power Adapter Included)
- **Compatible Devices:** Turntables with phono output and audio systems or speakers with line level input
- **Product Dimensions:** Approximately 5 x 5 x 5 inches (12.7 x 12.7 x 12.7 cm)
- **Item Weight:** Approximately 0.8 ounces (22.7 grams)
- **Color:** Red

6.1 Dimensions Reference




Figure 3: rolls VP29 Phono Preamp Dimensions

This image provides a visual reference for the compact size of the rolls VP29, indicating a dimension of approximately 2.8 inches or 7 cm, likely referring to its height or width.

7. TROUBLESHOOTING

If you encounter issues with your rolls VP29 Phono Preamp, refer to the following common problems and solutions:

- **No Sound:**
 - Ensure the power adapter is securely connected to the VP29 and a working electrical outlet.
 - Verify all RCA and 1/4" TRS cables are correctly and firmly connected to both the turntable, VP29, and your audio system.
 - Check that your audio system is set to the correct input source (e.g., AUX, CD, Line In).
 - Confirm your turntable's built-in preamp (if any) is bypassed or switched off.
- **Hum or Buzzing Noise:**
 - Ensure the turntable's ground wire is connected to the VP29's ground terminal.

- Check for loose cable connections.
- Move the VP29 and associated cables away from power cords, transformers, or other electronic devices that may cause interference.
- Test with different RCA cables to rule out faulty cabling.
- **Distorted or Overly Loud Sound:**
 - Ensure you are not connecting the VP29 to a 'Phono' input on your receiver, as this will result in double amplification. Connect to a 'Line In' type input.
 - Verify your turntable's output is a standard phono level and not already line-level.

8. MAINTENANCE

The rolls VP29 Phono Preamp requires minimal maintenance. To ensure its longevity and optimal performance:

- Keep the unit clean by wiping it with a soft, dry cloth. Avoid using liquid cleaners or solvents.
- Do not expose the unit to excessive moisture, extreme temperatures, or direct sunlight.
- Ensure proper ventilation and avoid blocking any potential vents (though the VP29 is passively cooled).
- Disconnect power when the unit is not in use for extended periods.


9. WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries regarding your rolls VP29 Phono Preamp, please refer to the official rolls website or contact their customer service department. Specific warranty terms and conditions may vary by region and purchase date.

rolls Official Website: www.rolls.com

© 2023 rolls. All rights reserved.

Related Documents - VP29

	Rolls PM60 Personal Monitor Mic Preamp - Specifications and Connection Guide Detailed specifications and connection guide for the Rolls PM60 Personal Monitor Mic Preamp, designed for studio, live, and broadcast use. Learn about its features, inputs, outputs, and how to connect it.
	ROLLS PA202 Mini 20 + 20 Watt Power Amplifier Quick Start Guide This guide provides essential information for setting up and operating the ROLLS PA202, a compact 20+20 watt Class D stereo power amplifier. Learn about bridge/stereo modes, connections, panel controls, limiter function, and technical specifications.

[\[pdf\]](#) User Manual Owner's Manual Instructions Warranty

vp29man David Rolls VP29 Phono Preamp Parts Express OWNERS MANUAL PWR INPUT OUTPUT 12 16 VDC R L PHONO PREAMP LIMITED WARRANTY This product is warranted to the original consumer purchaser be free from defects in materials and workmanship under normal installation use service for a period of one 1 year date purchase as shown 245 035 rolls vp29 manual 41688 parts express pedocs manuals

LIMITED WARRANTY This product is warranted to the original consumer purchaser to be free from defect ... an implied warranty lasts, so the above limitation may not apply to you. IN NO EVENT SHALL WE BE **VP29** Phono Preamp LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS OR A...

lang:en score:35 filesize: 72.32 K page_count: 2 document date: 2020-02-07

[\[pdf\]](#) User Manual Instructions Warranty

vp29man Eric Mangum VP29 Manual Rolls Phono Preamplifier RCA Inputs Output 1 4 TRS Full Compass Systems 5177 VP29Manual fullcompass common files |||

LIMITED WARRANTY This product is warranted to the original consumer purchaser to be free from defect ... an implied warranty lasts, so the above limitation may not apply to you. IN NO EVENT SHALL WE BE **VP29** Phono Preamp LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS ...

lang:en score:33 filesize: 167.41 K page_count: 2 document date: 2003-11-03

[\[pdf\]](#) User Manual Owner's Manual Specifications Declaration of Conformity

vp29 man 2018 ai Rolls10 pwr with RIAA Equalization PHONO PREAMP 1 This owners manual DC jack for connection to the included power supply GROUND CONNECTOR Connects Ground of phonograph OUTPUT Stereo RCA jacks an amplifier or preamplifier INPUT Power indicator 9 15 Volts tip negative 3 5mm stereo output VP29 rolls doc manuals Manual Rolls Corporation Phono Preamp Converts signals Line Level Works well magnetic phono pickups and 8 outputs players require special equalization lo INPUT: Stereo RCA jacks for connection to the phonograph OUTPUT: Stereo RCA jacks for connection to an amplifier or preamplifier 3.5mm stereo output **VP29** Phono Preamp - Converts RIAA Phono signals to Line Level - Works well with magnetic phono pickups - Stereo RCA and 1/8 outputs Phono players re...



lang:en score:33 filesize: 96.13 K page_count: 1 document date: 2018-10-02

[\[pdf\]](#) User Manual Warranty

vp29mancard Rolls Machine Bellari VP29 manual music hall audio Thank you for your purchase of the Phono Preamp The is designed to amplify an RIAA equalized phono signal a Hi Fi level and it works musichallaudio s

Thank you for your purchase of the Rolls**VP29** Phono Preamp. The **VP29** is designed to amplify an RIAA equalized phono signal to a Hi-Fi level signal, and it works well with magnetic pickups. INSPECTION 1. Unpack and Inspect the **VP29** package Your **VP29** was carefully packed at the factory in a protectiv...

lang:en score:32 filesize: 643.58 K page_count: 1 document date: 2004-11-04





[pdf] Specifications Warranty

vp29mancard 2009 ai Graphics vp29 phono preampSPECIFICATIONS I O Connectors RCA 1 8 TRS Stereo Input Sensitivity 35 dBV gain @ 1kHz 47k Ohms Z Capacitance 5pf cable capacitance71 FYq gmaSm media amazon images 71 gmaS |||

VP29 PHONO PREAMP **VP29 PHONO PREAMP** - Home - Studio - Broadcast ... anywhere you need clean RIAA EQ to professional line level conversion. Thank you for your purchase of the Rolls **VP29** Phono Preamp. The **VP29** is designed to amplify an RIAA equalized phono signal to a Hi-Fi level signal, and it works...

lang:en **score:20** filesize: 144.16 K page_count: 1 document date: 2012-01-27



[pdf] Instructions Warranty

vp29man David Rolls rolls 80 data

LIMITED WARRANTY This product is warranted to the original consumer purchaser to be free from defect ... an implied warranty lasts, so the above limitation may not apply to you. IN NO EVENT SHALL WE BE **VP29** Phono Preamp **LIABLEFORANYSPECIAL,INCIDEN- TAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS OR A...**

lang:en **score:19** filesize: 77.92 K page_count: 2 document date: 1999-11-03



[pdf] User Manual

MicroBoards Technology CWL 6200 User manual 1208087 archive org manualzz id order/info: 18004268434 www.bswusa.com Tascam CD01U Series Single-Rack-Space CD Players The Tasca ... nd PCcompatible Audacity software to digitize your LPs. AT-LP120-USB List 299.95 299.00 Rolls **VP29** Turntable Preamp The Rolls **VP29** is a great low-priced turntable preamp with RCA I/O and stereo ...


lang:en **score:18** filesize: 3.14 M page_count: 15 document date: 2011-01-05



Television Servicing Magazine - August 1993 Issue 514

Explore the August 1993 issue of Television magazine, Vol. 43, No. 10, Issue 514, featuring articles on TV fault finding, VCR upgrades, PC servicing, and test reports on desoldering tools. Includes a comprehensive catalogue of electronic components, video heads, and service kits for various brands like Samsung, Amstrad, Hitachi, and more, distributed by Grandata Ltd.

lang:en **score:18** filesize: 13.48 M page_count: 128 document date: 2018-04-12



[pdf] Accessories

FL2K1 Rolls Bellari axesbroc rolls 80 data

ACCESSORIES MX41 4 CHANNEL MIXER MIXERS 4 Input to 1 Output MX44 MINIMIX IV 1/4 Hi Z Jacks ... AMP XLR and 1/4 Inputs and Outputs 30 V Phantom Power AC adapter included Clip Indication The **VP29** converts an RIAA equalized signal from a turntable to a line-level 4 dB ref. full frequency ...

lang:en **score:17** filesize: 1.32 M page_count: 4 document date: 2002-08-08




[pdf] User Manual

1Rack CD Players For The Ultra Pro! Marantz rc 2000 User Manual eBook Downloads BSW 2010 85 100 players recorders bswusa assets |||

order/info: 18004268434 www.bswusa.com 1Rack CD Players For The Ultra Pro Tascam CD01U Series Si ... ple and convenient. Dual-well player/recorder. TAPELINKUSB List 299.00 LowestPrice only 199 Rolls **VP29** Turntable Preamp The Rolls **VP29** is a great low-priced turntable preamp with RCA I/O and stereo ...

lang:en **score:16** filesize: 2.99 M page_count: 16 document date: 2010-01-05



[pdf] Accessories

Axespage Eric axespage rolls 80 data

ACCESSORIES MATCHBOX PHANTOM DB25 OUT INPUT DIRECT BOX ADB2 OUTPUT IN ATTENUATOR GROUND LIF ... o external power or batteries required Miscellaneous Problem Solvers MS20 MIC SPLITTER /COMBINER **VP29** PHONO PREAMP The MS20 takes a low impedance signal such as a microphone, and sends it to two s...

lang:en **score:16** filesize: 334.12 K page_count: 4 document date: 1998-06-10



[BSW 2011 Broadcast Equipment Catalog - Audio Consoles, Microphones, Studio Gear](#)

Explore the BSW 2011 Catalog, a comprehensive resource for broadcast and recording studio equipment. Featuring a wide selection of audio consoles, microphones, mixers, processors, and studio furnishings from top brands like Audioarts and Wheatstone, BSW offers professional solutions for radio stations, production houses, and live sound applications.

lang:en **score:15** filesize: 63.7 M page_count: 236 document date: 2011-01-06




[\[pdf\] Decleration of Conformity Catalog](#)

catalog rolls 80 doc Catalog Rolls Corporation Real Sound Co |||

PROFESSIONAL AUDIO PRODUCTS SPSRprlinNgG20129017 www.rolls.com
MIXERS RM65b HexMix - 6: XLR and 1 ... onsumer audio, the SL33b keeps the levels maintained for a more comfortable listening environment. **VP29** Phono Preamp The **VP29** is a simple yet integral part of the vintage home audio enthusiast. It s...

lang:en **score:14** filesize: 3.13 M page_count: 24 document date: 2019-02-26



[\[pdf\] Specifications](#)

filbroch2k4 Eric Mangum cat rolls 80 data

MIXERS RM65b HexMix The RM65b, one of our most popular mixers, is a rack-mount mixer with a consol ... nals, and back. Standard RJ11 Telephone Input Transformer Isolation Dual RCA plugs on 14 cable **VP29** Phono Preamp The **VP29** is a simple yet integral part of the vintage home-audio enthusiast. It s...

lang:en **score:14** filesize: 438.49 K page_count: 12 document date: 2004-03-02

Kopul STUDIO AND BROADCAST CABLES

Premium Performance 3000 Series

Studio Sile 1000 Series

Performance 2000 Series

Pro Audio Accessories

Offering a vast selection of audio accessories and solutions designed by professionals, for professionals.

Professional Audio Equipment Catalog: Microphones, Cables, Interfaces, and More

A comprehensive catalog showcasing a wide range of professional audio gear, including microphones, cables, audio interfaces, studio monitors, accessories, and software from leading brands.

lang:en score:14 filesize: 28.83 M page_count: 91 document date: 2014-10-26

Rolls P/N	Description of Goods	Unit Classification	Quantity Of Origin
MA17	Audio Frequency Oscillator	0010.00.00	USA
MA18	Audio Frequency Oscillator	0010.00.00	USA
MA19	Audio Frequency Oscillator	0010.00.00	USA
MA20	Audio Frequency Oscillator	0010.00.00	USA
MA21	Audio Frequency Oscillator	0010.00.00	USA
MA22	Audio Frequency Oscillator	0010.00.00	USA
MA23	Audio Frequency Oscillator	0010.00.00	USA
MA24	Audio Frequency Oscillator	0010.00.00	USA
MA25	Audio Frequency Oscillator	0010.00.00	USA
MA26	Audio Frequency Oscillator	0010.00.00	USA
MA27	Audio Frequency Oscillator	0010.00.00	USA
MA28	Audio Frequency Oscillator	0010.00.00	USA
MA29	Audio Frequency Oscillator	0010.00.00	USA
MA30	Audio Frequency Oscillator	0010.00.00	USA
MA31	Audio Frequency Oscillator	0010.00.00	USA
MA32	Audio Frequency Oscillator	0010.00.00	USA
MA33	Audio Frequency Oscillator	0010.00.00	USA
MA34	Audio Frequency Oscillator	0010.00.00	USA
MA35	Audio Frequency Oscillator	0010.00.00	USA
MA36	Audio Frequency Oscillator	0010.00.00	USA
MA37	Audio Frequency Oscillator	0010.00.00	USA
MA38	Audio Frequency Oscillator	0010.00.00	USA
MA39	Audio Frequency Oscillator	0010.00.00	USA
MA40	Audio Frequency Oscillator	0010.00.00	USA
MA41	Audio Frequency Oscillator	0010.00.00	USA
MA42	Audio Frequency Oscillator	0010.00.00	USA
MA43	Audio Frequency Oscillator	0010.00.00	USA
MA44	Audio Frequency Oscillator	0010.00.00	USA
MA45	Audio Frequency Oscillator	0010.00.00	USA
MA46	Audio Frequency Oscillator	0010.00.00	USA
MA47	Audio Frequency Oscillator	0010.00.00	USA
MA48	Audio Frequency Oscillator	0010.00.00	USA
MA49	Audio Frequency Oscillator	0010.00.00	USA
MA50	Audio Frequency Oscillator	0010.00.00	USA
MA51	Audio Frequency Oscillator	0010.00.00	USA
MA52	Audio Frequency Oscillator	0010.00.00	USA
MA53	Audio Frequency Oscillator	0010.00.00	USA
MA54	Audio Frequency Oscillator	0010.00.00	USA
MA55	Audio Frequency Oscillator	0010.00.00	USA
MA56	Audio Frequency Oscillator	0010.00.00	USA
MA57	Audio Frequency Oscillator	0010.00.00	USA
MA58	Audio Frequency Oscillator	0010.00.00	USA
MA59	Audio Frequency Oscillator	0010.00.00	USA
MA60	Audio Frequency Oscillator	0010.00.00	USA
MA61	Audio Frequency Oscillator	0010.00.00	USA
MA62	Audio Frequency Oscillator	0010.00.00	USA
MA63	Audio Frequency Oscillator	0010.00.00	USA
MA64	Audio Frequency Oscillator	0010.00.00	USA
MA65	Audio Frequency Oscillator	0010.00.00	USA
MA66	Audio Frequency Oscillator	0010.00.00	USA
MA67	Audio Frequency Oscillator	0010.00.00	USA
MA68	Audio Frequency Oscillator	0010.00.00	USA
MA69	Audio Frequency Oscillator	0010.00.00	USA
MA70	Audio Frequency Oscillator	0010.00.00	USA
MA71	Audio Frequency Oscillator	0010.00.00	USA
MA72	Audio Frequency Oscillator	0010.00.00	USA
MA73	Audio Frequency Oscillator	0010.00.00	USA
MA74	Audio Frequency Oscillator	0010.00.00	USA
MA75	Audio Frequency Oscillator	0010.00.00	USA
MA76	Audio Frequency Oscillator	0010.00.00	USA
MA77	Audio Frequency Oscillator	0010.00.00	USA
MA78	Audio Frequency Oscillator	0010.00.00	USA
MA79	Audio Frequency Oscillator	0010.00.00	USA
MA80	Audio Frequency Oscillator	0010.00.00	USA
MA81	Audio Frequency Oscillator	0010.00.00	USA
MA82	Audio Frequency Oscillator	0010.00.00	USA
MA83	Audio Frequency Oscillator	0010.00.00	USA
MA84	Audio Frequency Oscillator	0010.00.00	USA
MA85	Audio Frequency Oscillator	0010.00.00	USA
MA86	Audio Frequency Oscillator	0010.00.00	USA
MA87	Audio Frequency Oscillator	0010.00.00	USA
MA88	Audio Frequency Oscillator	0010.00.00	USA
MA89	Audio Frequency Oscillator	0010.00.00	USA
MA90	Audio Frequency Oscillator	0010.00.00	USA
MA91	Audio Frequency Oscillator	0010.00.00	USA
MA92	Audio Frequency Oscillator	0010.00.00	USA
MA93	Audio Frequency Oscillator	0010.00.00	USA
MA94	Audio Frequency Oscillator	0010.00.00	USA
MA95	Audio Frequency Oscillator	0010.00.00	USA
MA96	Audio Frequency Oscillator	0010.00.00	USA
MA97	Audio Frequency Oscillator	0010.00.00	USA
MA98	Audio Frequency Oscillator	0010.00.00	USA
MA99	Audio Frequency Oscillator	0010.00.00	USA
MA100	Audio Frequency Oscillator	0010.00.00	USA

[pdf]

Certificate of Origin rolls xls Compaq Owner A PHPSESSID 3fcb2a723ebaedc8385e3571ec5ae9cc

Rolls P/N BC17 HR155 HA540 MA254 MA251 MA2152 MA2355 MA1705 PA71PLUS RA200 RA235 RA2100b RA170 RA63b PA202 PM351 PS16 RA102 SLC19 SX21 SX45 **VP29** HR72 HR73 HA43 Pro RA62c RA53b PM50s PM55 PM52 HA204 RP220 RP562 RP583 RP533 RA163 VP130 VP530 MS111 PI9 RP8 XLF112 XLM113 ABC904 MP128 CS1000 CT1 OS10 RPM...

lang:es score:14 filesize: 15.66 K page_count: 2 document date: 2010-11-11

ROLLS VP29 Phono Preamp

OWNERS MANUAL

VP29 Phono Preamp

Converts RIAA Phono signals to Line Level


Phono preamp requires special attention to the quality of the recording on tape. The VP29 preamp will amplify the signal and then, and it is the user's responsibility to ensure the quality of the recording.

[pdf] Instructions Warranty

vp29man Eric Mangum home httpd data media c c3 zzounds 80 cbfef1c0aed68784ad1e66b0cccec063d

LIMITED WARRANTY This product is warranted to the original consumer purchaser to be free from defect ... an implied warranty lasts, so the above limitation may not apply to you. IN NO EVENT SHALL WE BE **VP29** Phono Preamp LIABLE FOR ANY SPECIAL, INCIDENT- TAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS ...

lang:en score:14 filesize: 83.6 K page_count: 2 document date: 2003-02-03



[\[pdf\]](#) User Manual Datasheet

ST7789VW SPEC V1 0 brian tsai rhydoLABZ combination with the LABC or manual brightness setting display is too dark It must affect to image quality degradation CABC minimum st7789vw datasheet wiki amperka ru media products pimoroni raspberry pi pirate audio headphone amp Any instruction can be sent in any order driver The MSB transmitted first serial interface initialized when CSX high In this state SCL clock 1571860977 cdn learn adafruit assets 000 082 882 original waveshare w upload a ad ST7789

Datasheet ae

ST7789VW Datasheet Sitronix reserves the right to change the contents in this document without prior ... VP9 VP10 VP11 VP12 VP13 VP14 VP15 VP16 VP17 VP18 VP19 VP20 VP21 VP22 VP23 VP24 VP25 VP26 VP27 VP28 **VP29** VP30 VP31 VP32 VP33 VP34 VP35 VP36 VP37 VP38 VP39 VP40 VP41 VP42 VP43 VP44 VP45 VP46 VP47 VP48 ...

lang:i-klngon **score:14** filesize: 2.99 M page_count: 317 document date: 2017-11-25



[\[pdf\]](#) Installation Guide Borchure Catalog

2013catalog indd Graphics professional audio products AV iQ 12 dB Octave roll off Mono Sub Output 50Hz 2 5kHz range The SX45 is a unique stereo frequency dividing processor designed for install or sound Rolls catalog cdn docs av iq brochure |||

PROFESSIONAL AUDIO PRODUCTS JANUARY 2013 www.rolls.com MIXERS RM65b HexMix - 6: XLR and 1/4 Inpu ... o 1/4 unbalanced Outputs - Two Headphone Outs 1/4 and 3.5mm - Pan control for each channel The **VP29** is a simple yet integral part of the vintage home audio enthusiast. It s circuitry is designed...

lang:en **score:13** filesize: 2.59 M page_count: 20 document date: 2013-01-02



[\[pdf\]](#) Specifications

Rolls VP 29 datenblatt rolls vp29 images static thomann de pics atg atgdata document specs |||

VP-29 Phono-Vorverstrker Phono-Vorverstrker mit RIAA-Entzerrung Der VP-29 ist oft das wichtige und entscheidende „Missing Link beim Anschluss eines Plattenspielers an einen hochpegeligen, linearen Verstrkereingang. Vorwiegend fr Tonabnehmer mit bewegten Magneten „Moving Magnet Einfacher Anschlu...

lang:de **score:13** filesize: 159.4 K page_count: 1 document date: 2011-08-08




[\[pdf\]](#) Catalog

Parts Express 2015 Catalog Pg 255 parts express catalog

Pro Audio Signal Processing ART AV DIRECT Multi-Input Audio/Video Direct Box Stereo RCA, 1/8 1/ ... List Price 100.00 118.00 Price Each 65.22 75.86 We offer a 45-day money back guarantee Rolls **VP29** Phono Preamp The **VP29** uses standard RIAA equalization and amplifies a turntable s output to a s...

lang:en score:12 filesize: 260.97 K page_count: 1 document date: 2014-11-24



[\[pdf\]](#) User Manual Catalog

Astra Zaffira 1998 to 2000 diesel Hayness service manual 2001 clara nz docs hardware Opel ||| Vauxhall Astra and Zafira Diesel Service and Repair Manual Martynn Randall and A K Legg LAE MIMI EDC MSA 15M indirect injection system incorporating an electronically controlled **VP29** distributor fuel injection pump. Low pressure turbocharger and intercooler fitted to all models...

lang:en score:11 filesize: 37.41 M page_count: 337 document date: 2009-09-24



[PRO AUDIO Large Diaphragm Microphones - BandH.com](#)

Explore a wide range of large diaphragm microphones from top brands like AKG, Audio-Technica, Behringer, Rode, Shure, and more. Find the perfect microphone for vocals, instruments, and studio recording.


lang:en score:11 filesize: 11.88 M page_count: 88 document date: 2013-04-30



[PRO AUDIO Microphones and Accessories Catalog](#)

Comprehensive catalog of PRO AUDIO microphones, including large diaphragm, small diaphragm, USB, and handheld models, alongside essential accessories, preamps, compressors, audio interfaces, and music production software from leading brands.

lang:en score:10 filesize: 14.18 M page_count: 88 document date: 2011-10-24



[\[pdf\] Specifications](#)

fibroch2k4 Eric Mangum mixers CCI Solutions Each unit features 1 4 RCA and XLR inputs as well 8 3 5mm headphone earphone outputs inserts for direct channel access stereo or mono signal ROL PB23 shop ccisolutions StoreFront.jsp |||

MIXERS RM65b HexMix The RM65b, one of our most popular mixers, is a rack-mount mixer with a consol ... nals, and back. Standard RJ11 Telephone Input Transformer Isolation Dual RCA plugs on 14 cable **VP29** Phono Preamp The **VP29** is a simple yet integral part of the vintage home-audio enthusiast. It s...

lang:en score:10 filesize: 442.51 K page_count: 12 document date: 2003-10-06



[\[pdf\] User Manual Price List Label](#)

prATICAL 2 giorni fa — trated manual and large scale plans Please state major studio 3 D film productions will become Fortunate owners of double beam oscilloscopes can Practical Television 1953 12 worldradiohistory UK 50s |||

-AN IMPROVED SLOT AERIAL r7;.,zoN, -.. pRATICAL TELEABION AND TELEVISION TIMES A NE iN NE S Voi. ... , 0Q70, 57.4G, 6V6G, or KTG1 ... 3716 1E5. 1S5, 1T4. 154 or1354or3V4 TP2, H1,231171 , **VP29** PENT, lur 2 61iQ258GA.6tG i,147G2,5ZO5Q7o0,r a - . 25Z6G . . 37, 6 12K8GT. 12E7GT, 12Q7...

lang:en score:10 filesize: 4.09 M page_count: 52 document date: 2015-05-02



[\[pdf\]](#) User Manual

AUDIO PROFESIONAL AT2021 de diafragma pequeño para capturar Respuesta dbx clásica y control manual total sobre las o mediante el modo aprendizaje sencillo AudioProfesional bhphotovideo

FrameWork Product Resources spmonthly winter2013 Nov

364 AUDIO PROFESIONAL Micrófonos de diafragma grande www.BandH.com 0800-

222-0045 Argentina001-866-80 ... or p/auriculares BEPP400 19.99 Pyle-Pro PP999

Preamplificador p/auriculares PYPP999 15.42 Rolls **VP29** Preamplificador para

auriculares RO**VP29** 46.95 Efectos de sonido y CD de muestra Sound Ideas M...

lang:es **score:10** filesize: 13.32 M page_count: 88 document date: 2013-10-18



[\[pdf\]](#) User Manual

AUDIO PROFESIONAL B H AT2021 Se usa para captura general de instrumentos voces gabinetes

amplificadores Respuesta dbx clásica y control manual total sobre las características AudioProfesional

bhphotovideo FrameWork Product Resources spmonthly winter2013


356 AUDIO PROFESIONAL Micrófonos de diafragma grande www.BandH.com 0800-

222-0045 Argentina001-866-80 ... p/auriculares BEPP400 19.99 Pyle-Pro PP999

Preamplificador para auriculares PYPP999 Con. Rolls **VP29** Preamplificador para

auriculares RO**VP29** 48.95 Efectos de sonido y CD de muestra Sound Ideas M...

lang:es **score:10** filesize: 13.42 M page_count: 88 document date: 2012-12-18



[Catálogo de Equipos de Audio Profesional: Micrófonos, Interfaces y Accesorios](#)

Explore un extenso catálogo de equipos de audio profesional, incluyendo una amplia gama de micrófonos, preamplificadores, interfaces de audio, cables y accesorios de marcas líderes como Auray, Kopul, Polsen, AKG, Audio-Technica, Shure y más.

lang:es **score:10** filesize: 29.33 M page_count: 99 document date: 2015-05-22



[Pro Audio Equipment Catalog: Microphones, Accessories & More](#)

Discover a vast selection of professional audio gear, including microphones,

accessories, stands, mixers, software, and more from top brands like Kopul, Auray,

Shure, RØDE, and Sennheiser.

lang:en **score:9** filesize: 12.11 M page_count: 51 document date: 2015-10-07



[\[pdf\]](#) User Manual

Soportes AT2021 Se usa para captura general de instrumentos voces gabinetes amplificadores y más manipulación manual las funciones DAW los 14 Audio Profesional static bhphotovideo FrameWork Product Resources smmonthly summer2014

Cables de estudio y transmisin Comprometidos para preservar la ms pura seal con cobre de alto grado, ... acompacto PYPP555 ..17.95 Pyle-Pro PP999 Preamplificador de fono PYPP99912.26 Rolls **VP29** Preamplificador de fono **ROVP29**49.95 SM Pro Audio XP200 Preamplificador ...


lang:es score:9 filesize: 22.24 M page_count: 90 document date: 2014-05-29



[Pro Audio Microphones and Accessories Catalog](#)

Explore a comprehensive catalog of professional audio equipment, featuring a wide array of microphones (large diaphragm, dynamic, ribbon, tube) and accessories from leading brands like AKG, Shure, Sennheiser, and Rode. Includes audio interfaces, preamps, software, and more for studio and live sound applications.

lang:en score:9 filesize: 14.36 M page_count: 88 document date: 2012-04-18



[Television Magazine - July 1994 Issue: PC Building, TV/VCR Repair, Electronics Components](#)

Dive into the July 1994 issue of Television magazine, featuring a guide to building a personal computer, detailed articles on TV and VCR fault finding, satellite TV, and extensive parts listings from Grand Data Ltd. and Willow Vale Electronics. Discover industry news and technical insights from Reed Business Publishing.

lang:en score:9 filesize: 15.11 M page_count: 144 document date: 2018-04-12

The New Standard



The SMH Series

Senal SMH headphones are being featured in the industry press and on radio and television as the new standard in the studio. They are used for monitoring, recording, engineering, and broadcasting and provide a wide variety of sound reproduction capabilities. The available and complete line of headphones is listed in the table.

you don't have to pick them up, you can continue working and the headphones will be there when you need them. We have already reported the benefits to work with and the benefits to production. Your headphones will allow the studio and control room when you listen to the music.

SMH-1200
The SMH-1200 is a professional studio monitor. It is designed for use in the studio and for monitoring. It has a wide frequency response and a high level of detail. It is available in a variety of colors and is priced at \$129.95.

SMH-1000
The SMH-1000 is a professional studio monitor. It is designed for use in the studio and for monitoring. It has a wide frequency response and a high level of detail. It is available in a variety of colors and is priced at \$109.95.

SMH-500
The SMH-500 is a professional studio monitor. It is designed for use in the studio and for monitoring. It has a wide frequency response and a high level of detail. It is available in a variety of colors and is priced at \$59.95.

SCS-500X
Professional Condenser Microphone
The SCS-500X is a professional condenser microphone. It is designed for use in the studio and for monitoring. It has a wide frequency response and a high level of detail. It is available in a variety of colors and is priced at \$599.95.

SCS-98
Stereo Microphone
The SCS-98 is a professional stereo microphone. It is designed for use in the studio and for monitoring. It has a wide frequency response and a high level of detail. It is available in a variety of colors and is priced at \$149.95.

Professional Audio
www.senallimited.com

[Senal Professional Audio Equipment Catalog & Headphones Guide](#)

Explore the comprehensive range of Senal SMH headphones and professional audio equipment, including microphones, preamps, interfaces, and accessories, designed for musicians, engineers, and broadcasters.

lang:en score:9 filesize: 17.25 M page_count: 53 document date: 2016-04-12