

Behringer B-5

BEHRINGER B-5 Small-Diaphragm Condenser Microphone

Model: B-5

1. INTRODUCTION

The BEHRINGER B-5 is a professional small-diaphragm condenser microphone designed for studio and live applications. It features a gold-sputtered diaphragm and includes two interchangeable capsules, allowing for both cardioid and omnidirectional pickup patterns. This versatility makes it suitable for recording acoustic instruments, vocals, and for overhead miking. The microphone incorporates an ultra low-noise transformerless FET input to minimize low-frequency distortion and includes a switchable low-cut filter and a -10 dB attenuator for handling high sound pressure levels.

2. PACKAGE CONTENTS

Upon unpacking your BEHRINGER B-5 microphone, please ensure all listed components are present and in good condition. If any items are missing or damaged, contact your dealer immediately.

- BEHRINGER B-5 Condenser Microphone Unit
- Cardioid Microphone Capsule (pre-installed or separate)
- Omnidirectional Microphone Capsule
- Microphone Stand Adapter (Clip)
- Foam Windscreen
- Rugged Hard Case



Figure 2.1: The BEHRINGER B-5 microphone unit shown with its included accessories, including the microphone clip, foam windscreen, and an interchangeable capsule.




Figure 2.2: An illustration showing the approximate dimensions of the rugged hard case provided with the BEHRINGER B-5 microphone, measuring approximately 12 inches (30 cm) in length.

3. FEATURES

The BEHRINGER B-5 microphone offers a range of features designed for high-quality audio capture:

- **Medium-Diaphragm Condenser:** Provides a wide frequency response and detailed sound capture.
- **Interchangeable Capsules:** Includes both cardioid and omnidirectional capsules for versatile pickup patterns.
- **Low-Cut Filter:** A switchable filter to eliminate unwanted low-frequency rumble and noise.
- **-10 dB Attenuator:** Allows for recording of very loud sound sources without distortion.
- **Ultra Low-Noise Transformerless FET Input:** Ensures a clean signal path and minimizes inherent

microphone noise.

- **Professional Construction:** Designed for durability and reliable performance in studio and live environments.

4. SETUP

Proper setup is crucial for optimal performance of your B-5 microphone.

4.1. Attaching the Microphone Clip

Secure the provided microphone stand adapter (clip) to a standard microphone stand. The B-5 microphone unit then slides into this clip.



Figure 4.1: A close-up view of the microphone clip, designed to securely hold the BEHRINGER B-5 microphone on a stand.

4.2. Selecting and Attaching a Capsule

The B-5 comes with two interchangeable capsules: a cardioid capsule and an omnidirectional capsule. To change capsules, gently unscrew the currently attached capsule from the microphone body and carefully screw on the desired capsule until it is finger-tight. Ensure the connection is secure but do not overtighten.

- **Cardioid Capsule:** Ideal for isolating sound sources and rejecting off-axis noise, suitable for vocals and individual instruments.
- **Omnidirectional Capsule:** Captures sound equally from all directions, suitable for room ambiance, choirs, or multiple sound sources.

4.3. Connecting to Audio Equipment

The BEHRINGER B-5 is an XLR condenser microphone and requires **phantom power** (typically +48V) to operate. Connect the microphone to an audio interface, mixer, or preamplifier using a balanced XLR cable. Ensure that phantom power is enabled on your connected device before use.

5. OPERATING THE MICROPHONE

Once connected and powered, the B-5 is ready for use. Familiarize yourself with its controls for optimal

sound capture.

5.1. Low-Cut Filter

The microphone features a switchable low-cut filter. This filter attenuates frequencies below a certain point, which can be useful for reducing unwanted low-frequency noise such as stage rumble, air conditioning hum, or proximity effect when close-miking. Engage the switch on the microphone body to activate the low-cut filter as needed.

5.2. -10 dB Attenuator (Pad)

For extremely loud sound sources, such as drums or guitar amplifiers, the B-5 includes a -10 dB attenuator. Engaging this switch reduces the microphone's output level by 10 decibels, preventing input overload at your mixer or interface and ensuring a clean signal without distortion. Activate this switch when recording high sound pressure levels.

5.3. Placement and Technique

Microphone placement significantly impacts sound quality. Experiment with distances and angles relative to the sound source. For cardioid patterns, aim the front of the microphone directly at the source. For omnidirectional patterns, consider placing the microphone centrally to capture a broader sound field.

6. MAINTENANCE

To ensure the longevity and optimal performance of your BEHRINGER B-5 microphone, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the microphone body. Avoid using liquid cleaners or solvents, as these can damage the finish or internal components.
- **Storage:** When not in use, store the microphone in its rugged hard case to protect it from dust, moisture, and physical damage.
- **Handling:** Always handle the microphone with care. Avoid dropping it or exposing it to extreme temperatures or humidity.
- **Capsule Care:** Keep the interchangeable capsules clean and protected. Avoid touching the diaphragm directly.

7. TROUBLESHOOTING

If you encounter issues with your BEHRINGER B-5 microphone, consider the following troubleshooting steps:

- **No Sound Output:**
 - Ensure phantom power (+48V) is enabled on your mixer or audio interface.
 - Check all XLR cable connections for proper seating and integrity.
 - Verify that the input channel on your audio equipment is not muted and gain levels are appropriately set.
- **Low or Distorted Sound:**
 - If the sound is distorted, ensure the -10 dB attenuator is engaged for very loud sources.
 - Check that the microphone capsule is securely screwed onto the microphone body. Loose connections can affect sound quality.

- Adjust gain levels on your audio equipment.
- **Excessive Noise/Hum:**
 - Ensure all cables are properly shielded and in good condition.
 - Engage the low-cut filter to reduce low-frequency rumble.
 - Check for nearby electronic devices that might be causing interference.
 - Verify that the microphone capsule's internal components are not overly tightened, as this has been noted to cause a high noise floor in some units. If comfortable, a gentle loosening of the internal ring (if accessible) might resolve this, but exercise caution.

If problems persist after attempting these steps, consult the Behringer support resources or contact a qualified service technician.

8. SPECIFICATIONS

Technical specifications for the BEHRINGER B-5 Small-Diaphragm Condenser Microphone:

Specification	Value
Brand	Behringer
Model Name	B-5
Item Model Number	B-5
Microphone Form Factor	Microphone Only
Polar Pattern	Multipattern (Cardioid, Omnidirectional)
Connectivity Technology	XLR
Connector Type	XLR
Power Source	Corded Electric (Requires Phantom Power)
Audio Sensitivity	10 Decibels
Impedance	50 Ohm
Signal-to-Noise Ratio	35 dB
Frequency Response	20 KHz (Upper limit, full range not specified)
Item Weight	8.5 ounces (241 grams)
Product Dimensions (L x W x H)	0.79 x 0.79 x 4.72 inches (2 x 2 x 12 cm)
Material	Brass
Color	Silver
Manufacturer	Music Tribe US
UPC	705105160481
ASIN	B0002KZAM6





9. WARRANTY AND SUPPORT


For detailed warranty information regarding your BEHRINGER B-5 microphone, please refer to the warranty card included with your product or visit the official Behringer website. Warranty terms and conditions may vary by region and retailer.

For technical support, service, or additional product information, please visit the official Behringer support page or their brand store:

[Visit the Behringer Store on Amazon](#)

Related Documents

	Behringer C-1 Studio Condenser Microphone User Manual User manual for the Behringer C-1 Studio Condenser Microphone, detailing its features, operation, safety guidelines, and technical specifications. Learn about phantom power, cardioid directivity, installation, audio connection, and sound adjustment for professional recording.
	Behringer C-1U USB Studio Condenser Microphone User Manual User manual for the Behringer C-1U USB Studio Condenser Microphone, detailing its features, setup, operation, safety guidelines, and technical specifications for professional audio recording.
	Behringer GO CAM Professional Camera Shotgun Microphone - Safety, Features, and Specifications Comprehensive guide to the Behringer GO CAM Professional Camera Shotgun Microphone, covering safety instructions, key features, technical specifications, and compliance information. Essential for audio professionals and content creators.
	Behringer BU200 Premium Cardioid Condenser USB Microphone - Features and Specifications Discover the features and specifications of the Behringer BU200, a premium cardioid condenser USB microphone ideal for streamers, podcasters, and musicians. Learn about its transparent sound projection, plug-and-play setup, and robust construction.




[\[pdf\]](#) User Manual Parts List Specifications Diagram

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib

o81INBsVGPjAHkBDOxvLGBScjgi5qsjKXsj7cjsR assets yoreparo attachments |||

Service Manual iNUKE NU6000DSP Ultra-Lightweight, High-Density 6000-Watt Power Amplifier with DSP Control and USB Interface Specifications 2 PCB Schematic

lang:en score:38 filesize: 2.8 M page_count: 45 document date: 2018-03-21



[\[pdf\]](#) User Manual Installation Guide Instructions Accessories

M BE 0504 AAD B 5 WWcdn mediavalet aunsww musictribe cThQ3CPQ2kqrHaBGFxnHbQ

6hOCQS3n4E2Z fM5Hoqw Original WW WWM Behringer User ManualBehringer What To Know Where

Buy Equipboardbehringer b manualM WWimages equipboard item manual 96066 behringer manualcdn |||

||| B-5 Gold-Sputtered Diaphragm Studio Condenser Microphone with 2 Interchangeable Capsules V 4.0

EN Safety Instruction 1. Read these instructions. 2. Keep these instructions. 3. Heed all warnings. 4.

Follow all instructions. 5. Do not use thi ||| B-5 Gold-Sputtered Diaphragm Studio Condenser Microphone

with 2 Interchangeable Capsules V 4.0 EN Safety Instruction 1. Read these instructions. 2. Keep these

instructions. 3. Heed all warnings. 4. Follow all instructions. 5. Do not use thi


B-5 Gold-Sputtered Diaphragm Studio Condenser Microphone with 2 Interchangeable

Capsules V 4.0 EN Safety Instruction 1. Read these instructions. 2. Keep these

instructions. 3. Heed all warnings. 4. Follow all instructions. 5. Do not use this

apparatus near water. 6. Clean only with dry clot...

lang:en score:34 filesize: 3.52 M page_count: 5 document date: 2024-02-27



[\[pdf\]](#) Quick Start Guide Guide Warranty

Behringer FBQ3102HD Quick Start Guide Japanese fbq6200hd fbq3102hd fbq1502hd qsg jp

midimanuals manuals behringer quick start guide japanese |||


ULTRAGRAPH PRO FBQ6200HD/FBQ3102HD/FBQ1502HD High-Definition 31-

Band and 15-Band stereo Graphic Equalizer with FBQ Feedback Detection system 2

ULTRAGRAPH PRO FBQ6200HD/FBQ3102HD/FBQ1502HD TS 1. 2. 3. 4. 5. 6. 7. 8.

9. 10. 11. 12. ...

lang:i-klinton score:33 filesize: 1.73 M page_count: 7 document date: 2017-01-24




[\[pdf\]](#) Quick Start Guide Guide Warranty

Behringer FBQ3102HD Quick Start Guide Japanese fbq6200hd fbq3102hd fbq1502hd qsg

jpsynthmanuals manuals behringer quick start guide japanese fbq6200hd jp |||

ULTRAGRAPH PRO FBQ6200HD/FBQ3102HD/FBQ1502HD High-Definition 31-Band and 15-Band stereo Graphic Equalizer with FBQ Feedback Detection system 2 ULTRAGRAPH PRO FBQ6200HD/FBQ3102HD/FBQ1502HD TS 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. ...

lang:i-klngon **score:33** filesize: 1.73 M page_count: 7 document date: 2017-01-24




[\[pdf\]](#) User Manual Instructions Warranty

C 1U BEHRINGER User Manual ITmix cz 30 apr 2021 — Always use the power supply specified in operating instructions Take care not to drop your microphone as this can lead severe damage assumes manual behringer C1 U itmix 04 |||

User Manual C-1U USB Studio Condenser Microphone 2 C-1U User Manual Important Safety Instructions LIMITED WARRANTY For the applicable warranty terms and conditions and additional information regarding MUSIC Group s Limited Warranty, please see complete details online at www.music-group.com/warran...

lang:en **score:32** filesize: 757.72 K page_count: 12 document date: 2021-04-13




[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide Warranty

CMD TOUCH TC64 BEHRINGER synthmanuals Quick Start Guide Clip Launch Controller with 64 Buttons and Multi Color LED Feedback LEGAL DISCLAIMER LIMITED WARRANTY Important Safety Instructions cmd touch tc64 qsg ww manuals behringer quick start guide midimanuals Instrucciones de seguridad Terminals marked this symbol carry electrical current of suffi cient magnitude to constitute risk Synth Manuals Page 1 2 the manual Caution To reduce electric shock do not remove top cover or rear section No user serviceable parts inside Refer servicing qualifi ed personnel fi re expose appliance rain moisture The apparatus shall be exposed dripping splashing QSG WW media63 music group media PLM data docs P0B3N

Quick Start Guide CMD TOUCH TC64 Clip Launch Controller with 64 Buttons and Multi-Color LED Feedback 2 CMD TOUCH TC64 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality profes...

lang:en **score:32** filesize: 1.33 M page_count: 13 document date: 2017-02-15



[Midas M32R Digital Rack Mixer Quick Start Guide](#)

Get started quickly with the Midas M32R Digital Rack Mixer. This guide covers setup, safety, and core functions of the digital console, featuring 40 input channels, 16 Midas PRO microphone preamplifiers, and 25 mix buses for live and studio use.

lang:en **score:28** filesize: 5.74 M page_count: 13 document date: 2019-01-08




[\[pdf\] Quick Start Guide Instructions Guide](#)

P0ADV XENYX 302USB BEHRINGER Behringer Quick Start Guide recordcase de media ca 7d f2

Quick Start Guide XENYX 302USB Premium 5-Input Mixer with XENYX Mic Preamp and USB/Audio Interface ... B3031A Project studio Pequeo estudio de grabacin Studio de maquettes Projektstudio Estdio Projeto **B-5** Keyboard HPS5000 iPod 12 XENYX 302USB XENYX 302USB Controls EN Step 2: Controls ES Paso ...

lang:en **score:27** filesize: 1.32 M page_count: 14 document date: 2019-05-22



[\[pdf\] Quick Start Guide Instructions Guide](#)

QSG BE 0722 ABD WAVEcdn mediavalet aunsw musictribe JHFtrg8xEqquP100f8rzg ts

jST65BUCXOeHNSJlt w Original WAVE WAVEКупить Behringer Wave 8 голосный

мультитембральный гибридный синтезатор с генераторами волновых таблиц и в Москве по цене 8535QSG WAVEQSG WAVEmusic expert ru upload iblock 4a6 s70waprkc0je8u1qp9bzdqhf0rzht4I ||| |||


Quick Start Guide WAVE Legendary 8-Voice Multi-Timbral Hybrid Synthesizer with Wavetable Generators and Analog VCF and VCA, LFO, 3 Envelopes, Arpeggiator and Sequencer V 3.0 Firmware 1.0.11 - April 2025 2 WAVE Important Safety Instructions ||| Quick Start Guide WAVE Legendary 8-Voice Multi-Timbral

Hybrid Synthesizer with Wavetable Generators and Analog VCF and VCA, LFO, 3 Envelopes,

Arpeggiator and Sequencer V 3.0 Firmware 1.0.11 - April 2025 2 WAVE Important Safety Instructions

Quick Start Guide WAVE Legendary 8-Voice Multi-Timbral Hybrid Synthesizer with Wavetable Generators and Analog VCF and VCA, LFO, 3 Envelopes, Arpeggiator and Sequencer V 3.0 Firmware 1.0.11 - April 2025 2 WAVE Important Safety Instructions Terminals marked with this symbol carry electrical curr...

lang:en **score:26** filesize: 134.35 M page_count: 92 document date: 2025-04-10




[\[pdf\]](#) User Manual Instructions

DATA MANFULL B 5 ENG Rev A PMD t sachweh starin info Product Info Behringer Manuals Index of ||| STUDIO CONDENSER MICROPHONE **B-5** Users Manual Version 1.0 June 2003

ENGLISH STUDIO CONDENSER MICROPHONE **B-5** 1. SAFETY PRECAUTIONS

Detailed safety precautions: Please read all safety precautions and operating instructions before attempting to operate the unit. Keep all safety precautions and oper...

lang:en **score:25** filesize: 517.88 K page_count: 6 document date: 2003-06-25



[\[pdf\]](#) Quick Start Guide Instructions Guide

QSG BE 0601 AHO DS2800 WWcdn mediavalet aunsu musictribe eLgUzXlle0qPZATNnlKjUw

V7AHECZab0O2albUkoKtVw Original WW BEHRINGER Channel splitter Sound HouseQSG WWQSG


||| ||| Quick Start Guide DS2800 Professional 2-Input 8-Output Distribution Splitter V 4.0 2 DS2800

Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shoc

Quick Start Guide DS2800 Professional 2-Input 8-Output Distribution Splitter V 4.0 2

DS2800 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality professional speaker cables with...

lang:en **score:25** filesize: 4.83 M page_count: 20 document date: 2023-08-27



[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide Warranty

FEEL Prod Grap PH Artwork P0ATC QSG WW A5 2017 02 01 Rev 2 indd mark vicente ALL for DJ Quick

Start Guide MULTIBAND DYNAMICS PROCESSOR SPL3220 Stereo Multiband Sound Processor

Loudness Maximizer Limiter spl3220 qsg ww midimanuals manuals behringer quick start guide LEGAL

DISCLAIMER LIMITED WARRANTY Important Safety Instructions Instrucciones de seguridad Terminals marked with this symbol carry electrical current of suffi cient magnitude to constitute risk electric shock


Use only high quality professional speaker cables ¼ TS or twist locking plugs pre installed All other installation modifi cation should be performed by qualifi ed synthmanuals the manual Caution To reduce do not remove top cover rear section No user serviceable parts inside Refer servicing personnel fi re expose appliance rain and moisture The apparatus shall exposed dripping splashing 8849969315870 mediadl musictribe media sys master h3d h2c

Quick Start Guide MULTIBAND DYNAMICS PROCESSOR SPL3220 Stereo

Multiband Sound Processor / Loudness Maximizer / Limiter 2 MULTIBAND

DYNAMICS PROCESSOR SPL3220 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of elec...


lang:en **score:24** filesize: 1.49 M page_count: 15 document date: 2017-02-02



[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

Provided by ManualsAndMore Download User Manual Behringer XENYX 302USB Quick Start behringer xenyx 302usb quick start manual 1 manualsandmore |||

Quick Start Guide XENYX 302USB Premium 5-Input Mixer with XENYX Mic Preamp and USB/Audio Interface ... B3031A Project studio Pequeno estúdio de gravação Studio de maquetes Projektstudio Estúdio Projeto **B-5** Keyboard HPS5000 iPod 12 XENYX 302USB XENYX 302USB Controls EN Step 2: Controls ES Paso ... lang:en **score:24** filesize: 1006.7 K page_count: 14 document date: 2019-07-24




[\[pdf\]](#)

ULTRADRIVE PRO DCX2496 BEHRINGER behringer dcx2496 ultra drive pro manuals audiomania ru data

RU ULTRADRIVE PRO DCX2496 24-/96 2 ULTRADRIVE PRO DCX2496 RU
..... 2 3 3 .
..... 3 1.


lang:en **score:24** filesize: 7.14 M page_count: 36 document date: 2017-08-28



[\[pdf\]](#) Quick Start Guide Guide Warranty

Quick Start Guide Japanese PMP500 Mixer Liên Công Suất Behringer 500 Watt QSG JP mediadl musictribe media PLM data docs P0AJY |||

EUROPOWER PMP500 500-Watt 12-Channel Powered Mixer with Klark Teknik Multi-FX Processor, Compressors, FBQ Feedback Detection System and Wireless Option V 4.0 2 EUROPOWER PMP500 . TS 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. ... lang:en **score:24** filesize: 3.89 M page_count: 10 document date: 2021-03-11



[\[pdf\]](#) User Manual Instructions

DATA MANFULL B 5 ENG Rev A PMD t sachweh parts express b " " " " % ^ ~ ~ ! * 0 * 0 4 ~ ~ ~ " " % ' 9 h i utf 8
248 6066 behringer manual 42709 pedocs manuals

STUDIO CONDENSER MICROPHONE **B-5** Users Manual Version 1.0 June 2003
ENGLISH STUDIO CONDENSER MICROPHONE **B-5** 1. SAFETY PRECAUTIONS

Detailed safety precautions: Please read all safety precautions and operating instructions before attempting to operate the unit. Keep all safety precautions and oper...

lang:en score:24 filesize: 487.05 K page_count: 6 document date: 2020-02-07




[\[pdf\]](#) User Manual Borchure Catalog

Download User Manual For Behringer DJ Equipment B215D BEHRINGER Catalog 2009 ccsightsound au
brochures |||

V2 EN 09 Microphones, Wireless Systems and Headphones 08 Mixers and Powered
Mixers 10 Loudspeakers ... denser and Dynamic Microphones Wireless Micropho ne
Systems SINGLE DIAPHRAGM CONDENSER MICROPHONE **B-5** t
1SPGFTTJPOBMUSVFDPOEFOTFS NJDSPQIPOFGPSTUVEJPBOE
MJWFBQQMJDBUJPOT t JOUFSDIBOHFBCMF DBQTVMFTX...

lang:en score:23 filesize: 10.24 M page_count: 0 document date: 0000-00-00




[\[pdf\]](#) User Manual

MANUAL BEHRINGER B5

Studio Microphone soundspacethai B 5 M WW mediadl musictribe media PLM data docs P0224 |||

B-5 Gold-Sputtered Diaphragm Studio Condenser Microphone with 2 Interchangeable
Capsules V1.0 EN 1. Power Supply Phantom power 48 V is required to operate your
microphone. We assume no liability for damage caused to your **B-5** through deffective
phantom power. Before activating phantom power, mu...

lang:en score:23 filesize: 2.12 M page_count: 3 document date: 2021-02-18




[\[pdf\]](#) Quick Start Guide Instructions Guide Accessories

Quick Start Guide All Languages Bô Chia Behringer DS2800 Accessories Splitters QSG BE P0C9C WW
mediadl musictribe media PLM data docs |||

Quick Start Guide DS2800 Professional 2-Input 8-Output Distribution Splitter V 3.0 2
DS2800 Important Safety Instructions Terminals marked with this symbol carry
electrical current of sufficient magnitude to constitute risk of electric shock. Use only
high-quality professional speaker cables with...

lang:en score:23 filesize: 5.04 M page_count: 21 document date: 2021-11-02



[\[pdf\]](#) User Manual Installation Guide Instructions

Provided by ManualsAndMore Download User Manual Behringer B CONTROL DEEJAYBCD2000

BCONTROL manualsandmore |||


B-CONTROL DEEJAY BCD2000 Users Manual Version 1.0 June 2005 B-CONTROL

DEEJAY BCD2000 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all

warnings. 4 Follow all instructions. CAUTION: To reduce the risk of electric...

lang:en score:23 filesize: 1.1 M page_count: 16 document date: 2019-07-24



[\[pdf\]](#) Guide Accessories Catalog

Hygienic Behringer Sanitary Pipe and Tube Supports are available in a wide range of sizes configurations

offered with both an anchor or guide insert to meet Catalog srsltid AfmBOor7xN7byeDWqj580U7dt

G9ndPiGjjvDx hAjkvyHXH4szB v1Q csidesigns resources |||


Hygienic Hangers and Supports CH Series Smooth Bore Series Stanchions Height

Adjusters Accessories t t previous Page 1 www.behringersystems.com 973-948-0226

next Hygienic Hangers Supports TOC Table of Contents Introduction 3

.

lang:en score:23 filesize: 2.28 M page_count: 91 document date: 2023-06-09



[\[pdf\]](#) User Manual Installation Guide Instructions

Behringer B Control DeeJay BCD2000 user manual 430383 archive org manualsbase id


B-CONTROL DEEJAY BCD2000 Users Manual Version 1.0 June 2005 B-CONTROL

DEEJAY BCD2000 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all

warnings. 4 Follow all instructions. CAUTION: To reduce the risk of electric...

lang:en score:23 filesize: 1.08 M page_count: 0 document date: 0000-00-00



[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

DJ CONTROLLER CMD STUDIO 2A BEHRINGER Descarga Behringer Studio 2a Quick Start Guide »

Compre en línea la Tienda para DJs de Recordcase recordcase media d4 4b 6d |||


Quick Start Guide Check out behringer.com for Full Manual DJ CONTROLLER CMD

STUDIO 2A Ultra-Portable Dual-Deck DJ MIDI Controller with 4-Channel Audio

Interface 2 DJ CONTROLLER CMD STUDIO 2A Important Safety Instructions

Terminals marked with this symbol carry electrical current of sufficient m...

lang:en score:23 filesize: 1.05 M page_count: 11 document date: 2019-05-22



[\[pdf\]](#) Quick Start Guide Guide Warranty

Quick Start Guide Chinese Stage Box 32 Line Behringer S32 I O Interfases QSG CN mediadl musictribe


media PLM data docs P0BMC |||

S32 I/O Box with 32 Remote-Controllable Midas Preamps, 16 Outputs and AES50

Networking featuring Klark Teknik SuperMAC Technology V 5.0 2 S32 , TS , , , , , , ,

1. 2. 3. 4. 5. 6. 7. 8. , , 9. , 10. , , 11. 12. , , , , ...

lang:en score:22 filesize: 5.94 M page_count: 8 document date: 2021-04-14



[\[pdf\]](#) SAR Rating

DATA MANSHT B 5 ITL Rev A PMD t sachweh Visualizza il Manuale in BEHRINGER B5 Strumenti

Musicali net IT strumentimusicali manuali |||


Istruzioni per l'uso Versione 1.0 giugno 2003 MICROFONO A CONDENSATORE DA

STUDIO B-5 ITALIANO MICROFONO A CONDENSATORE DA STUDIO B-5 1.

AVVERTENZE DI SICUREZZA Avvertenze di sicurezza in dettaglio: Prima di mettere

in funzione l'apparecchio, leggere attentamente tutte le istruzioni d'uso e le avvert...

lang:it score:22 filesize: 517.98 K page_count: 6 document date: 2003-06-23




[\[pdf\]](#) Quick Start Guide Instructions Guide

Quick Start Guide DS2800 23314 techtop co il files |||

Quick Start Guide DS2800 Professional 2-Input 8-Output Distribution Splitter V 4.0 2 DS2800 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality professional speaker cables with...

lang:en score:22 filesize: 4.83 M page_count: 20 document date: 2023-08-27



[\[pdf\]](#) User Manual Instructions Specifications Warranty

BEHRINGER EUROLIGHT LC2412 01 MANUAL Manual Hub drive google file d 1PLEvZ2TvD yvpMR2aK085VzYDpYHcPsj preview |||

User Manual EUROLIGHT LC2412 Professional 24-Channel DMX Lighting Console https://manual-hub.com/ 2 EUROLIGHT LC2412 User Manual Table of Contents Thank you..... 2 Important Safety Instructions.....

lang:en score:22 filesize: 3.64 M page_count: 25 document date: 2023-09-11




[\[pdf\]](#) Quick Start Guide Instructions Guide Warranty

FEEL Prod Grap PH Artwork P0AVW QSG Prin BEH Template WW A4 2017 02 13 Rev 17 indd gil vegerano CMD STUDIO 2A media63 music group Quick Start Guide Ultra Portable Dual Deck DJ MIDI Controller with 4 Channel Audio Interface 2 3 Important Safety Instructions LEGAL DISCLAIMER Instrucciones de seguridad NEGACIÓN GARANTÍA LIMITADA LIMITED WARRANTY media PLM data docs

Quick Start Guide CMD STUDIO 2A Ultra-Portable Dual-Deck DJ MIDI Controller with 4-Channel Audio Interface 2 CMD STUDIO 2A Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality p...

lang:en score:21 filesize: 1.75 M page_count: 11 document date: 2017-02-13




[\[pdf\]](#) Quick Start Guide Instructions Guide Warranty

HYPE Grap PH Artwork P0ADV QSG WW A5 2018 02 05 Rev 5 indd john elona Quick Start Guide m media amazon XENYX 302USB Premium Input Mixer with Mic Preamp and USB Audio Interface LEGAL DISCLAIMER LIMITED WARRANTY Important Safety Instructions Instrucciones de seguridad Terminals marked this symbol carry electrical current of sufficient magnitude to constitute risk A1B0ZslumhS images I 8849665064990 mediadl musictribe sys master ha3 hb8

Quick Start Guide XENYX 302USB Premium 5-Input Mixer with XENYX Mic Preamp and USB/Audio Interface ... B3031A Project studio Pequeo estudio de grabacin Studio de maquettes Projektstudio Estdio Projeto **B-5** Keyboard HPS5000 iPod 12 XENYX 302USB XENYX 302USB Controls EN Step 2: Controls ES Paso ...

lang:en score:21 filesize: 1.19 M page_count: 14 document date: 2018-03-15



[\[pdf\]](#) Quick Start Guide Instructions Guide Warranty

FEEL Prod Grap PH Artwork P0ADV QSG WW A5 2017 01 30 Rev 4 indd mark vicente Quick Start Guide images na ssl amazon XENYX 302USB Premium 5 Input Mixer with Mic Preamp and USB Audio Interface LEGAL DISCLAIMER LIMITED WARRANTY Important Safety Instructions Instrucciones de seguridad Terminals marked this symbol carry electrical current of suffi cient magnitude to constitute risk A1 mxMM2LIL I m media

Quick Start Guide XENYX 302USB Premium 5-Input Mixer with XENYX Mic Preamp and USB/Audio Interface ... B3031A Project studio Pequeo estudio de grabacin Studio de maquettes Projektstudio Estdio Projeto **B-5** Keyboard HPS5000 iPod 12 XENYX 302USB XENYX 302USB Controls EN Step 2: Controls ES Paso ...

lang:en score:21 filesize: 1.32 M page_count: 14 document date: 2017-01-30




[\[pdf\]](#) Quick Start Guide Instructions Guide

Quick Start Guide STUDIO M STUDIO-M_QSG_WW mediadl musictribe media PLM data docs P0E88

Quick Start Guide STUDIO M Premium Passive Studio Controller V 1.0 2 STUDIO M Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality professional speaker cables with TS or twist...


lang:en score:21 filesize: 1.23 M page_count: 15 document date: 2021-01-12



[Behringer XENYX 302USB Quick Start Guide](#)

A concise quick start guide for the Behringer XENYX 302USB, a premium 5-input mixer with XENYX Mic Preamp and USB/Audio Interface. Learn how to set up and use your mixer for various applications.

lang:en score:21 filesize: 2.3 M page_count: 17 document date: 2021-01-27




[\[pdf\] User Manual](#)

DATA MANFULL B 5 GER Rev A PMD t sachweh Behringer B5 Thomann Switzerland 165501 manuald images static thomann de pics atg atgdata document manual |||

B-5 DEUTSCH STUDIO-KONDENSATORMIKROFON Bedienungsanleitung Version 1.0 Juni 2003 STUDIO-KONDENSATORMIKROFON **B-5 1**.

SICHERHEITSHINWEISE Sicherheitshinweise im Einzelnen: Vor Inbetriebnahme des Gerts sind alle Sicherheits- und Bedienungshinweise sorgfältig zu lesen. Bewahren Sie die Sicherheits- u...

lang:de score:21 filesize: 519.55 K page_count: 6 document date: 2003-06-23



[\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

DATA MANFULL LC2412 ENG Rev B pmd u rudolph Owners Manual Full Compass Systems s 24 preset channels assignable to 512 DMX Up 3 can be controlled per channel 120 scenes storable in 10 banks utf 8 248 6268 behringer lc2412 manual 42727 parts express pedocs manuals

ENGLISH LC2412 Users Manual Version 1.1 May 2004 **EUROLIGHT EUROLIGHT LC2412 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY**

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all warnings. 4 Follow all instructions. 5 Do not use this apparatus near water. CAUTI...


lang:en score:21 filesize: 1.56 M page_count: 24 document date: 2020-02-07



[\[pdf\]](#) User Manual Installation Guide Instructions

DATA MANFULL BCD2000 ENG Rev A pmd r hornbruch Behringer Manual 000306999ML02 asset conrad media10 add 160267 c1 en |||

B-CONTROL DEEJAY BCD2000 Users Manual Version 1.0 June 2005 B-CONTROL DEEJAY BCD2000 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all warnings. 4 Follow all instructions. CAUTION: To reduce the risk of electric...
lang:en score:21 filesize: 1.08 M page_count: 16 document date: 2006-11-27




[\[pdf\]](#) User Manual

Manual Multilingual Microphone Thu Âm Condenser Behringer C 2 M WW mediadl musictribe media PLM data docs P0263 |||

STUDIO CONDENSER MICROPHONES C-2 2 Matched Studio Condenser Microphones V 1.0 EN 1. Introduction ... e dei pin: pin 1 = schermatura, pin 2 = , pin 3 = -. Dal momento che tutti i punti di contatto del **B-5** sono rivestito d oro, il vostro cavo del microfono dovrebbe disporre, se possibile, di una spina...

lang:en score:21 filesize: 484.46 K page_count: 4 document date: 2021-01-25




[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

Provided by ManualsAndMore Download User Manual Behringer MULTIBAND DYNAMICS SPL3220 Quick Start manualsandmore |||

Quick Start Guide MULTIBAND DYNAMICS PROCESSOR SPL3220 Stereo Multiband Sound Processor / Loudness Maximizer / Limiter 2 MULTIBAND DYNAMICS PROCESSOR SPL3220 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of elec...

lang:en score:21 filesize: 1.1 M page_count: 15 document date: 2019-07-24




[\[pdf\]](#) Quick Start Guide Instructions Guide

Quick Start Guide DS2800m media amazonC1OLko5vKMLm amazon images I C1OLko5vKML ref dp product quick view |||

Quick Start Guide DS2800 Professional 2-Input 8-Output Distribution Splitter V 3.0 2 DS2800 Important Safety Instructions Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-quality professional speaker cables with...

lang:en score:20 filesize: 5.04 M page_count: 21 document date: 2021-11-02




[\[pdf\]](#) User Manual Installation Guide Instructions

DATA MANFULL LC2412 ENG Rev B pmd u rudolph Behringer Light mixer Manual 000590697ML02 asset conrad media10 add 160267 c1 en |||

ENGLISH LC2412 Users Manual Version 1.1 May 2004 EUROLIGHT EUROLIGHT LC2412 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all warnings. 4 Follow all instructions. 5 Do not use this apparatus near water. CAUTI...

lang:en score:20 filesize: 1.9 M page_count: 24 document date: 2006-04-18



[\[pdf\]](#) User Manual Installation Guide Instructions


DATA MANFULL BCD2000 ENG Rev A pmd r hornbruch B CONTROL DEEJAY After having thoroughly read the users manual store it in a safe place for future reference 1 Before you get started Shipment The was carefully packed group name midi no search c bend 2 d 3 low cut 12 0 mid 13 high 14 back to top 4 e accompanying literature Please IMPORTANT SAFETY INSTRUCTIONS CAUTION To reduce risk of electric shock do not remove home httpd data media b 364473 01U P0234 M EN c3 zzounds

be2ee945ed7ca60593a2191b167d629d imagescdn junco uk images behringer 80

B-CONTROL DEEJAY BCD2000 Users Manual Version 1.0 June 2005 B-CONTROL DEEJAY BCD2000 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all warnings. 4 Follow all instructions. CAUTION: To reduce the risk of electric...

lang:en score:19 filesize: 1.08 M page_count: 16 document date: 2005-06-08




[\[pdf\] Quick Start Guide Instructions Guide](#)

uic tart uide m media-amazon Quick< b> Start< Guide< 3 are subject to change without notice All trademarks the property of their respective owners Midas Klark Teknik Lab Gruppen Lake Brands Ltd 2021< Reservados todos los derechos Si quiere conocer detalles y condiciones aplicables de la garantía A1 t2kYlQYS images I Quick Start Guide 2021

Quick Start Guide XENYX 302USB Premium 5-Input Mixer with XENYX Mic Preamp and USB/Audio Interface V ... HS1000, conecte sempre ambos os cabos Microfone e fones de ouvido para evitar rudos indesejados. **B-5** Sluit bij het aansluiten van een headset met ingebouwde microfoon, zoals de HS1000, altijd beide...


lang:en **score:19** filesize: 1.94 M page_count: 32 document date: 2021-01-27



[MIDAS M32R LIVE Quick Start Guide: Digital Mixer Console](#)

This Quick Start Guide provides essential information for operating the MIDAS M32R LIVE digital mixer console. It covers safety instructions, control surface layout, rear panel connections, main display functions, firmware updates, USB recording, block diagram, technical specifications, and FCC compliance for live sound and studio applications.

lang:en **score:19** filesize: 2.22 M page_count: 12 document date: 2018-02-09



[\[pdf\] User Manual Installation Guide Instructions](#)

DATA MANFULL LC2412 ENG Rev B pmd u rudolph ^ * ~ ~ ^ 2 '\$ \$2
3816 LC2412OwnersManual fullcompass common files 80 starin info Product Info Behringer Manuals
ENGLISH LC2412 Users Manual Version 1.1 May 2004 EUROLIGHT EUROLIGHT
LC2412 IMPORTANT SAFETY INSTRUCTIONS DETAILED SAFETY

INSTRUCTIONS: 1 Read these instructions. 2 Keep these instructions. 3 Heed all warnings. 4 Follow all instructions. 5 Do not use this apparatus near water. CAUTI...

lang:en **score:19** filesize: 2.26 M page_count: 24 document date: 2004-05-28




[\[pdf\]](#) Quick Start Guide Guide Warranty

Quick Start Guide Chinese Loa Cột Liền Công Suất Turbosound iP300 QSG CN mediadl musictribe media PLM data docs batch3 TS P0CCH |||
iNSPIRE iP300 600 Watt Powered Column Loudspeaker with 2 x 6.5 woofers, 4 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Reverb, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming V 1.0 A54-00002-96699 2 iNSPIRE iP300 , TS , , , , ...
lang:en **score:19** filesize: 1.49 M page_count: 7 document date: 2021-05-14



[\[pdf\]](#) User Manual

DATA MANFULL LC2412 GER Rev B pmd u rudolph Behringer Eurolight DMX Lichtmischpult Musikhaus Thomann eurolightlc2412 de images static thomann pics atg atgdata document manual |||
DEUTSCH LC2412 Bedienungsanleitung Version 1.1 Mai 2004 EUROLIGHT
EUROLIGHT LC2412 WICHTIGE SICHERHEITSHINWEISE ACHTUNG: Um eine Gefhrdung durch Stromschlag auszuschließen, darf die Gerteabdeckung bzw. Gerterckwand nicht abgenommen werden. Im Innern des Gerts befinden sich keine vom Benutzer re...
lang:de **score:19** filesize: 2.25 M page_count: 24 document date: 2009-11-28



[\[pdf\]](#) Installation Guide Instructions Accessories

Manuale utente Prodotto 1 Behringer BA 19A microfono 2 C microfoni a condensatore da studio abbinati Page V 0 Condenser Boundary Microphone for Instrument A1Lu2IK3raL m media amazon images I |||
Manuale utente - Prodotto 1: Behringer BA 19A microfono perimetrale a condensatore per applicazioni ... e dei pin: pin 1 = schermatura, pin 2 = , pin 3 = -. Dal momento che tutti i punti di contatto del **B-5** sono rivestito d oro, il vostro cavo del microfono dovrebbe disporre, se possibile, di una spina...
lang:en **score:19** filesize: 1.15 M page_count: 7 document date: 0000-00-00




[\[pdf\]](#) User Manual

DATA MANSHT LC2412 ESP Rev B pmd u rudolph EUROLIGHT P0058 M ES media djmania net
manuales music group 80 software behringer

ESPAOL LC2412 Manual de uso Versin 1.1 Mayo 2004 EUROLIGHT EUROLIGHT
LC2412 INSTRUCCIONES DE SEGURIDAD PRECAUCIN: Para reducir el riesgo de
descarga elctrica, no quite la tapa o la parte posterior . No hay piezas en el interior
del equipo que puedan ser reparadas por el usuario; si es necesari...

lang:es **score:18** filesize: 2.31 M page_count: 21 document date: 2004-06-01



[\[pdf\]](#) User Manual

0504 AAG C 2 Manual 1139759 bhphotovideo lit files |||

STUDIO CONDENSER MICROPHONES C-2 / C-2 DARK EDITION 2 Matched Studio
Condenser Microphones V 2.0 1 ... e dei pin: pin 1 = schermatura, pin 2 = , pin 3 = - .
Dal momento che tutti i punti di contatto del **B-5** sono rivestito d oro, il vostro cavo del
microfono dovrebbe disporre, se possibile, di una spina...

lang:nl **score:18** filesize: 1.35 M page_count: 4 document date: 2023-02-22




[\[pdf\]](#) Quick Start Guide Installation Guide Instructions Specifications Guide
Accessories

Quick Start Guide PLETHORA X1 MediaValet TC Electronic Helicon Behringer Bugera Aston

Microphones och Brainwaves Pitch Shifter Sentry Noise Gate 7 Sub N Up Octaver Helix Phaser QSG TE
0709 AJN WW cdn mediavalet aunsw musictribe 7WAwc GWIE2K8X Vwfr90g TBWZqvPQjU 2enk
OE1qKg Original |||

Quick Start Guide PLETHORA X1 TonePrint Loader with 14 Legendary TC Guitar
Effects and MASH Footswitch V 2.0 2 PLETHORA X1 EN Safety Instruction 1. Please
read and follow all instructions. 2. Keep the apparatus away from water, except for
outdoor products. 3. Clean only with a dry cloth. 4. Do ...

lang:en **score:18** filesize: 1.97 M page_count: 17 document date: 2024-12-27



[\[pdf\]](#) Quick Start Guide Instructions Guide

Manuale utente Behringer Xenyx 302Usb Mixer analogico ultracompatto Stagg High Quality Xlrf To Xlrm
Plug Microphone Cavo 3 M Nero Amazon it Strumenti Musicali A1SiPk7evKL m media amazon images I
|||

Manuale utente - Prodotto 1: Behringer 302USB Mixer premium a 5 ingressi con
preamplificatore microf ... HS1000, conecte sempre ambos os cabos Microfone e
fones de ouvido para evitar rudos indesejados. **B-5** Sluit bij het aansluiten van een
headset met ingebouwde microfoon, zoals de HS1000, altijd beide...

lang:en **score:18** filesize: 1.63 M page_count: 33 document date: 0000-00-00

