

Linksys PAP2

Linksys PAP2 Phone Adapter User Manual

Model: PAP2

1. INTRODUCTION

The Linksys PAP2 Phone Adapter is designed to convert your existing cable or DSL Internet connection into a functional phone line. This device allows you to connect standard analog telephones or fax machines to a Voice over Internet Protocol (VoIP) service, enabling you to make and receive calls over the internet. Each of the two phone jacks operates independently, supporting separate phone service and numbers.

2. PACKAGE CONTENTS

Upon opening the Linksys PAP2 Phone Adapter package, verify that all components are present. A typical package includes:

- Linksys PAP2 Phone Adapter unit
- Power Adapter
- Ethernet Cable
- Telephone Cable
- Quick Installation Guide (not included in this manual)



Image 2.1: Front view of the Linksys PAP2 Phone Adapter retail box. The box indicates it is an 'Internet Phone Service Start-Up Kit' and highlights features such as 'No Contracts' and 'Keep Your Current Number'.

3. PRODUCT OVERVIEW

The Linksys PAP2 Phone Adapter is a compact device designed for easy integration into your home network. It features multiple ports and LED indicators to monitor its status and connectivity.

3.1 Device Layout



Image 3.1: Front-side view of the Linksys PAP2 Phone Adapter. The device is silver and gray with a blue label indicating

'Linksys Phone Adapter with 2 Ports for Voice-over-IP'. LED indicators are visible on the top right, and ports are located on the rear (not visible in this image).

3.2 Ports and Indicators

The PAP2 unit typically includes the following ports and LED indicators:

- **Power Port:** Connects to the included power adapter.
- **Internet Port:** Connects to your router or modem for internet access.
- **Ethernet Port:** (Optional) Connects to a computer or other network device.
- **Phone 1 Port:** Connects to your first analog telephone or fax machine.
- **Phone 2 Port:** Connects to your second analog telephone or fax machine.
- **Power LED:** Indicates power status.
- **Internet LED:** Indicates internet connectivity.
- **Phone 1 LED:** Indicates status for Phone 1 line (e.g., active call, ringing).
- **Phone 2 LED:** Indicates status for Phone 2 line (e.g., active call, ringing).



Image 3.2: Rear view of the Linksys PAP2 Phone Adapter box, showing a 'Product View - Connections' diagram. This diagram illustrates how to connect standard phones, a wireless or wired router, a cable/DSL modem, and the internet to the PAP2 device.

4. SETUP INSTRUCTIONS

Follow these steps to set up your Linksys PAP2 Phone Adapter:

1. **Connect to Your Network:** Plug one end of the Ethernet cable into the 'Internet' port on the PAP2 adapter. Connect the other end of the Ethernet cable to an available LAN port on your router or gateway.
2. **Connect Your Phones:** Plug your analog telephone(s) or fax machine(s) into the 'Phone 1' and/or 'Phone 2' ports on the PAP2 adapter using standard telephone cables.
3. **Connect Power:** Plug the power adapter into the 'Power' port on the PAP2 adapter, then plug the power adapter into an electrical outlet.
4. **Verify Status:** Once powered on, observe the LED indicators. The 'Power' LED should be solid green. The 'Internet' LED should also be solid green, indicating a successful network connection. The 'Phone 1' and 'Phone 2' LEDs will illuminate when a phone is off-hook or during an active call.
5. **Service Activation:** Contact your chosen VoIP service provider (e.g., Vonage) to activate your service and configure the adapter. You will typically need to provide the MAC address of your PAP2 adapter, which can be found on a label on the bottom of the device.

5. OPERATING INSTRUCTIONS

Once the Linksys PAP2 Phone Adapter is set up and your VoIP service is active, operating your phone lines is similar to using traditional telephone service.

- **Making a Call:** Pick up the handset of your connected phone. You should hear a dial tone. Dial the desired phone number.
- **Receiving a Call:** When your phone rings, pick up the handset to answer the call.

- **Independent Lines:** Each phone port (Phone 1 and Phone 2) operates independently. You can have two separate conversations simultaneously using two different phones connected to the adapter, each with its own phone number if configured by your service provider.
- **Fax Machines:** If connecting a fax machine, ensure your VoIP service provider supports fax over IP (FoIP) and follow their specific instructions for optimal performance.

6. FEATURES

The Linksys PAP2 Phone Adapter, in conjunction with a compatible VoIP service, offers a range of features to enhance your communication experience. These features are typically managed through your service provider's online portal.

- **Voicemail:** Receive and manage voice messages.
- **Caller ID with Name:** View the name and number of incoming callers.
- **Call Waiting:** Be notified of incoming calls while on another call.
- **Call Forwarding:** Redirect incoming calls to another number.
- **Call Transfer:** Transfer an active call to another party.
- **Three-Way Calling:** Conduct a conference call with two other parties.
- **Call Hunt:** Distribute incoming calls to a group of numbers.
- **Repeat Dialing:** Automatically redial the last number called.
- **Call ID Block (*67):** Block your caller ID for outgoing calls.
- **Call Return:** Dial the number of the last incoming call.
- **International Call Block:** Restrict international calls.
- **Online Management:** Access and configure service settings via a web interface provided by your VoIP service provider.

7. TROUBLESHOOTING

If you encounter issues with your Linksys PAP2 Phone Adapter, consider the following troubleshooting steps:

- **No Dial Tone:**
 - Ensure the PAP2 adapter is powered on and the 'Power' LED is solid green.
 - Check that the Ethernet cable is securely connected to the 'Internet' port on the PAP2 and to your router/modem. The 'Internet' LED should be solid green.
 - Verify that your analog phone is correctly plugged into the 'Phone 1' or 'Phone 2' port.
 - Restart the PAP2 adapter by unplugging the power adapter, waiting 10 seconds, and plugging it back in.
 - Confirm your internet connection is active and stable.
- **Poor Call Quality (Echo, Static, Dropped Calls):**
 - Call quality is highly dependent on your internet connection. Ensure you have sufficient bandwidth and a stable connection.
 - Minimize other internet activities (e.g., large downloads, streaming) during calls.
 - If using a wireless router, ensure the PAP2 is connected via Ethernet for a more stable connection.
 - Contact your VoIP service provider; they may need to adjust settings or troubleshoot your

service.

- **Cannot Make/Receive Calls:**

- Ensure your VoIP service subscription is active and in good standing.
- Verify that the PAP2 adapter has been properly activated with your service provider using its MAC address.
- Check for any service outages with your internet service provider or VoIP service provider.

For persistent issues, consult your VoIP service provider's support resources or the Linksys support website.

8. SPECIFICATIONS

Feature	Specification
Model Number	PAP2
Product Dimensions (L x W x H)	3.98 x 3.98 x 0.59 inches
Item Weight	5 ounces (0.31 Pounds)
Color	Gray
Material	Plastic
Power Source	Adapter
Dialer Type	Tone Dialing
Answering System Type	Digital (via VoIP service)
Compatible Devices	Analog Phones, Fax Machines, VoIP Services

9. MAINTENANCE

The Linksys PAP2 Phone Adapter requires minimal maintenance to ensure optimal performance and longevity.

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the device. Avoid using liquid cleaners or aerosols, as they may damage the unit.
- **Environment:** Place the adapter in a well-ventilated area, away from direct sunlight, heat sources, and moisture. Ensure that the ventilation openings are not blocked.
- **Power Cycle:** If the device becomes unresponsive or experiences minor issues, perform a power cycle by disconnecting the power adapter for 10 seconds and then reconnecting it.

10. WARRANTY AND SUPPORT

The Linksys PAP2 Phone Adapter typically comes with a **One-Year Limited Warranty** from the date of purchase. Please retain your proof of purchase for warranty claims.

For technical support, warranty information, or to access additional resources, please refer to the following:

- **Linksys Website:** www.linksys.com


- **Support Email:** support@linksys.com
- **Service Provider Support:** For issues related to your VoIP service, contact your specific service provider (e.g., Vonage) directly.




Image 10.1: Bottom view of the Linksys PAP2 Phone Adapter box. This section displays the UPC (0745883559435), Serial Number (S/N FH900F223542), MAC ID (0016B66E9F19), and confirms a 'One-Year Limited Warranty'. It also provides the Linksys website and support email address.

Related Documents - PAP2

	<p>Linksys CIT200 Cordless Internet Telephony Kit User Guide</p> <p>User guide for the Linksys CIT200 Cordless Internet Telephony Kit, detailing setup, features, and troubleshooting for Skype-enabled internet calls via broadband. Learn to use your cordless VoIP phone with this comprehensive manual.</p>
	<p>Linksys SPA8000 8-Port Telephony Gateway Quick Installation Guide</p> <p>This guide provides quick installation instructions for the Linksys SPA8000 8-Port Telephony Gateway, covering setup, configuration, and important regulatory information.</p>
	<p>Linksys EA6100 Wi-Fi Router Quick Start Guide</p> <p>Step-by-step instructions for setting up and customizing your Linksys EA6100 Wi-Fi Router, including network connection, wireless setup, and troubleshooting tips.</p>
	<p>Linksys RT042 Broadband Router with QoS User Guide</p> <p>Comprehensive user guide for the Linksys RT042 Broadband Router with Quality of Service (QoS). Learn how to connect, set up, configure, and troubleshoot your network device for optimal internet sharing and performance.</p>
	<p>Linksys EA7300 Troubleshooting Guide</p> <p>Find solutions to common issues with your Linksys EA7300 Wi-Fi router, including resetting defaults, connectivity problems, and slow performance.</p>

	<p>How to Identify Nodes in Linksys Velop System Using the Linksys App</p> <p>Learn how to easily identify your Linksys Velop nodes within your home network using the intuitive Linksys app. This guide provides step-by-step instructions for locating and managing your mesh Wi-Fi system components.</p>
---	--

Documents - Linksys – PAP2




[\[pdf\]](#) User Manual Guide

Provided by ManualsAndMore Download User Manual Linksys PAP2 linksys pap2 user manual 2 manualsandmore |||

User Manual Linksys **PAP2** Broadband Phone Service Linhagrattuita grupo csdata www.linhagrattuita.com.br csdata brasil Ltda. / Tel. 55 81 3422 1714 / Fax. 55 81 3422 1984 / VoIP 2031 Web: www.linhagrattuita.com.br / E-Mail: voip.linhagrattuita.com.br / CNPJ: 07.196.259/0001-07 Linksys **PAP2** User Manual...

lang:en score:48 filesize: 1.31 M page_count: 17 document date: 2019-07-24



[\[pdf\]](#) User Manual Installation Guide Guide

Provided by ManualsAndMore Download User Manual Linksys PAP2 Installation linksys pap2 installation manual 1 manualsandmore |||

PAP2 Phone Adapter Installation Guide OUTBOUND CALLING Version 1.0

DocVersion: **PAP2**-IG-v1-0-042805 All Rights Reserved Copyright 2005 The use, disclosure, modification, transfer, or transmittal of this work for any purpose, in any form, or by any means, without the written permission of the copyr...

lang:en score:48 filesize: 233.31 K page_count: 10 document date: 2019-07-23



[\[pdf\]](#) Installation Guide Guide Declaration of Conformity Configuration Guide

Microsoft Word Freshtel VoIP Linksys PAP2 04 03 2009 doc gary ng LINKSYS CONFIGURATION GUIDE FIP PAP 2 freshtel net sites files

LINKSYS **PAP2** CONFIGURATION GUIDE Minimum Requirements Active Freshtel Internet Phone account o http://www.freshtel.net Broadband Internet Connection o 256/64 kbps minimum Broadband Modem/Router o Must have an Ethernet port to connect to the **PAP2**. Analogue Telephone with RJ-11 line Desktop or Co...

lang:en score:43 filesize: 1.84 M page_count: 14 document date: 2010-04-14



[\[pdf\]](#) User Manual Installation Guide Documentation Guide Declaration of Conformity Microsoft Word PAP2 Install Guide 050605 doc Pinkerton This manual is furnished for informational use only and the manufacturer distributor or service provider assumes no responsibility any errors inaccuracies that may appear ciscoPAP2 UserManual logmeincdn azureedge net jivemedia library resources sites 6 2018 04

PLEASE READ This user manual is from the manufacturer -- Jive Communications may not support some features discussed in this document. Please see our online documentation or contact us for a complete list of supported features. Thanks for choosing Jive **PAP2** Phone Adapter Installation Guide OUTBOU...

lang:en score:41 filesize: 255.6 K page_count: 11 document date: 2007-01-31




[\[pdf\]](#) User Manual Specifications Guide

Book Template book junelee Linksys Phone Adapter with 2 Ports for Voice over IP PAP2 NA User Guide generalmanual 000073264 archive org

A Division of Cisco Systems, Inc. Phone Adapter with 2 Ports for Voice-over-IP WIRED Model No. **PAP2-NA** User Guide Phone Adapter with 2 Ports for Voice-over-IP Copyright and Trademarks Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Sy...

lang:en score:39 filesize: 1.45 M page_count: 33 document date: 2004-06-29




[\[pdf\]](#) User Manual Guide

Provided by ManualsAndMore Download User Manual Linksys PAP2T NA Administrator s PAP2TNA Administrators manualsandmore |||

All Rights Reserved. Copyright 2007 The use, disclosure, modification, transfer, or transmittal of ... provider assumes no responsibility for any errors or inaccuracies that may appear herein. Linksys **PAP2** Devices Administrator s Guide Table of Contents 1 WELCOME

lang:en score:34 filesize: 439.2 K page_count: 11 document date: 2019-07-23



[\[pdf\]](#) Guide

SPA 2000 Installation and Administration Guide Marketing Brown Rhoderick rhodbro@cisco Sherman Scholten 52813864 PAP2admin docshare01 docshare tips files 5281 888voip 80 linksys

Linksys **PAP2** and RT31P2 PHONE ADAPTER Administration Guide August 2004 2004 Linksys Proprietary See Copyright Notice on Page 2 1 Disclaimer Please Read: This document contains implementation examples and techniques using Linksys and, in some instances, other company s technology and products...

lang:en score:34 filesize: 1.4 M page_count: 117 document date: 2004-09-09



[\[pdf\]](#) Specifications Guide

2005 Spring PG US qxd dkwang pkt guide spring linksys 80 products images

www.linksys.com 121 Theory Drive Irvine, CA 92617 U. S. A. Specifications are subject to change with ... ireless-B and G The SRX Breakthrough 5 Easy Steps to VoIP Linksys Phone Adapter for Voice-over-IP **PAP2** 3-Port Broadband Router with 2 Phone Port RT31P2 3 Activate Vonage Internet Phone Service onl...

lang:en score:33 filesize: 1.53 M page_count: 53 document date: 2005-02-22



[\[pdf\]](#) User Manual Guide Configuration Guide Label

Configuration Guide 0112757e 2106 4df8 b592 7d5597a22062 archive org manualsonline id |||

Steps to configure Linksys - **PAP2** Analog Telephone Adaptor Configuration Guide Overview This guide shows how to configure Linksys **PAP2** Analog Telephone Adaptor ATA so you can use the Owtalk service. But first you must be an Owtalk subscriber. Linksys ATA can be available in preconfigured mode, l...

lang:en score:33 filesize: 401.33 K page_count: 5 document date: 2007-05-21



[\[pdf\]](#) Specifications Guide

Book Template book junelee Phone Adapter with 2 Ports for Voice over IP User Guide Thank you choosing the Linksys This will allow to make phone or fax calls using your broadband connection How does do this Plug into network router gateway and then connect phones machines PAP2 NA user guide rev B web ug voipmechanic documents www fr linksys 80 servlet Satellite blobcol urldata blobheadername1 Content Type blobheadername2 Disposition blobheadervalue1 application blobheadervalue2 inline filename blobkey id blobtable MungoBlobs blobwhere 1130771194244 ssbinay true lid 6044203822B02

A Division of Cisco Systems, Inc. Phone Adapter with 2 Ports for Voice-over-IP VoIP Model No. **PAP2-NA** User Guide Phone Adapter with 2 Ports for Voice-over-IP Copyright and Trademarks Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Sys...

lang:en score:32 filesize: 397.67 K page_count: 33 document date: 2005-01-13



[\[pdf\]](#) Quick Start Guide Guide

1 johnsonm Linksys PAP2 Setup Voip mynetfone au media support linksys pap2

VoIP Setup Guide for Linksys **PAP2** 1. Connect a telephone handset to the Phone 1 port Check the IP Address of the phone adapter: 2. Press **** i.e. press the star key four times 3. Wait until you hear response Linksys configuration menu--please enter the option followed by the # hash key or hang up... 4. Enter 1109 5. The IP address will be read out - please note it down 6. Open your web browser (e.g. Internet Explorer, Mozilla Firefox, Google Chrome, etc) 7. Enter the IP address that you noted down in step 5 in the address bar 8. On the top right side of the window, click on Admin Login 9. Click on (hash) to subdomain) to the left of the Admin Login

lang:en score:32 filesize: 371.24 K page_count: 3 document date: 2011-11-16

[pdf] Instructions Specifications Guide

Book Template book Ibeason 802 11g Bridge for Phone Adapters headset User Guide WBP54G UG EN Headset the instructions in this to help you set up and connect as run Setup Wizard These should be all need get most out of Wireless G 11b an IEEE wireless networking standard that specifies a maximum data transfer rate 11Mbps operating frequency 2.4GHz V20 B web LB 200801 images guide sharepoint Linksys SPAphone www fr linksys servlet Satellite blobcol urldata blobheadname1 Content Type blobheadname2 Disposition blobheadvalue1 application blobheadvalue2 inline filename blobkey id blobtable MungoBlobs blobwhere 1193779457767 sbinary true lid 5637814567B02

A Division of Cisco Systems, Inc. 2.4GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA1001, SPA2000, SPA2002, SPA3000, SPA2100, SPA841, SPA842, SPA941, SPA942, and SPA9000 . Whe... lang:en score:32 filesize: 2.59 M page_count: 52 document date: 2008-01-30



[pdf] Datasheet

PAP2 DS Rev B fm junelee pap2 ds linksys datasheet newsroom cisco 80 dlls 2004 mynetfone au media support datasheets

Feature-rich telephone service through your Internet connection The Linksys Phone Adapter enables ... Waiting, Voicemail, etc. Phone Adapter with 2 Ports Product Data WIRED for Voice-over-IP Model No. **PAP2** Phone Adapter with 2 Ports for Voice-over-IP Features Two voice ports RJ-11 for analog ph...

lang:en score:32 filesize: 69.29 K page_count: 2 document date: 2004-08-10



[pdf] Specifications

PAP2 DS Rev B fm junelee Linksys SPA2102 Specification Sheet imctv Phone

Feature-rich telephone service through your Internet connection The Linksys Phone Adapter enables ... Waiting, Voicemail, etc. Phone Adapter with 2 Ports Product Data WIRED for Voice-over-IP Model No. **PAP2** Phone Adapter with 2 Ports for Voice-over-IP Features Two voice ports RJ-11 for analog ph...

lang:en score:31 filesize: 68.32 K page_count: 2 document date: 2012-05-02



[\[pdf\] User Manual](#)

Manual instalao Linksys PAP2 18 User Clube do Hardware Entretanto se você tiver acesso a um ponto de rede em DHCP esta configuração pode ser feita diretamente na interface web ATA PAP2T siga o passo 7 instalação clubedohardware br applications core file attachment id 179242 |||

Manual instalao BVC Linksys ATA Adaptador de Terminal Analgico Este manual destina-se ao cliente q ... ite a linha de comando referente ao modelo de seu ATA.

Ateno: Verifique o modelo de seu ATA, se for **PAP2** siga o passo abaixo se for **PAP2T** siga o passo 7. 6. Caso seu modelo seja o**PAP2**, digite ou copi...

lang:pt score:31 filesize: 412.33 K page_count: 11 document date: 2009-09-06



[\[pdf\] Datasheet](#)

PAP2 ds 40616A fm bewalter Linksys phone adapter datasheet newsroom cisco 80 dills 2004

Feature-rich telephone service through your Internet connection The Linksys Phone Adapter enables ... Waiting, Voicemail, etc. Phone Adapter with 2 Ports Product Data WIRED for Voice-over-IP Model No. **PAP2** Phone Adapter with 2 Ports for Voice-over-IP Features Two voice ports RJ11 for analog pho...

lang:en score:30 filesize: 75.18 K page_count: 2 document date: 2004-06-16




[\[pdf\] Specifications Guide](#)

2004 Fall PG US qxd dkwang pkt guide fall linksys 80 products images newsroom cisco dills

www.linksys.com 121 Theory Drive Irvine, CA 92612 Specifications are subject to change without notic ... rsal Plug-and-Play UPnP 54 RT31P2 Broadband Router with 2 Phone Ports BEFSR41 Broadband Router **PAP2** Phone Adapter with VoIP Phone Adapter with 2 Ports for Voice-over-IP Enables feature-rich tel...

lang:en score:30 filesize: 3.13 M page_count: 47 document date: 2004-09-20




[\[pdf\]](#) User Manual

Linksys Adapter PAP2 Installation Manual Linksys Manuals Manualios linksys pap2 installation manual 6 cdn3 manualios view 984570 |||

...

lang:en score:30 filesize: 223.5 K page_count: 6 document date: 2019-05-20




[\[pdf\]](#) User Manual Specifications Guide

manual fen home pl pub Produccenci Linksys Sterowniki linksys wbp54g

A Division of Cisco Systems, Inc. 2,4 GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA1001, SPA2000, SPA2002, SPA3000, SPA2100, SPA841, SPA842, SPA941, SPA942, and SPA9000 . Whe...

lang:en score:29 filesize: 6.06 M page_count: 55 document date: 2006-03-06



[\[pdf\]](#) User Manual Guide Configuration Guide

Provided by ManualsAndMore Download User Manual VBUZZER Linksys ATA PAP2T NA Configuration PAP2TNA manualsandmore |||

Linksys ATA **PAP2**, **PAP2T-NA** Configuration Guide Copyright VBuzzerTM, 2017 Find the IP Address 1. Lift the handset of the phone connected to your ATA, Dial **** to initiate the IVR Menu 2. Wait to be instructed to enter your command. 3. Dial 110# and the IP address will be played to you Manual Confi...

lang:en score:29 filesize: 410.56 K page_count: 6 document date: 2019-07-24



[\[pdf\]](#) Specifications Guide

Cisco WBP54G Wireless G Bridge for Phone Adapters User Guide lbeason wbp54gv2 user cisco 80 c dam en us td docs voice ip comm csbpva wbp54g guide |||

A Division of Cisco Systems, Inc. 2.4GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA1001, SPA2000, SPA2002, SPA3000, SPA2100, SPA841, SPA842, SPA941, SPA942, and SPA9000 . Whe...

lang:en score:29 filesize: 2.61 M page_count: 52 document date: 2008-01-30




[\[pdf\]](#) User Manual Warranty

Microsoft PowerPoint LVS9000Overview v6 WEB ppt amontill Linksys LVS 9000 user manual 584322 archive org manualsbase id

LVS 9000 Overview 2006 Cisco Systems, Inc. All Rights Reserved. Linksys/Cisco Proprietary All Co ... 2 Amp Low Cost Products Supported SPA1001, SPA2000, SPA2002, SPA2100, SPA3000 SPA2102, SPA3102 **PAP2**, **PAP2T** SPA901, SPA921, SPA941 SPA9000 2006 Cisco Systems, Inc. All Rights Reserved. Linksys...

lang:en score:28 filesize: 2.54 M page_count: 63 document date: 2006-04-11




[pdf]

Linksys PAP2 Configuration Donald Phone Adapter with 2 Ports for Voice Over IP Firmware Version 5.1.6 LS Advanced View switch to basic view User Login Info System SIP Provisioning Regional Line dsreports r0 1358233~5f9d28534bdaa281830630d31e94f632 |||

Linksys **PAP2** Configuration <http://192.168.100.109/admin/advanced> Voice Phone Adapter with 2 Ports for Voice-Over-IP Info System SIP Provisioning Regional Line 1 Line 2 User 1 User 2 Advanced View switch to basic view System Configuration Internet Connection Type Optional Network Configuration i...

lang:en score:28 filesize: 713.32 K page_count: 13 document date: 2008-10-10



[pdf] Declaration of Conformity

Microsoft Word PAP2 konfigurace doc pleticha Nejjednodušší volání přes Internet SIPY základní nastavení Linksys a PAP2T sipy.cz |||

Nejjednodušší volání přes Internet SIPY základní nastavení Linksys **PAP2** a **PAP2T** Tento dokument obsahuje stručný návod pro zprovoznění hlavních funkcí služby Sipy na telefonním adaptéru Linksys **PAP2 T**. Slouží pouze jako pomůcka pro bleskovou konfiguraci. Kompletní informace naleznete ve výrobci dodávaném manuálu. Kroky...


lang:hr score:27 filesize: 151.74 K page_count: 4 document date: 2006-10-24



[pdf] Guide

PRESENTATION TITLE SIZE 40 NCTA edited animations on Kurt's sessions Guide for Creating Powerpoint Presentations Cisco Systems Inc dtagliaf@cisco Dana Tagliafico dtagliaf cdcont 0900aecd80396dae 0900aecd80399ed7 cisco 80 application en us guest netsol ns457 c664 ns633 Making Next Generation Networks a Reality Voice Data Video Wireless The Leader in IP Network ... y Line Residential Voice / Video Tel over PCMM Analog Phone IP Video SIP Phone SoftPhone Linksys **PAP2** ATA Cisco IP Phone Any Broadband Access Cisco IP Phone Linksys NAT FW Linksys Cable Modem I...

lang:en score:27 filesize: 1.24 M page_count: 19 document date: 2005-04-03



[pdf] User Manual

▷ Linksys PAP2 T Manual Adapter Operation and User's 51 pages Guidessimo linksys pap2 t operation user manual cdn2 guidessimo view 546265 |||

...


lang:en score:27 filesize: 1.28 M page_count: 51 document date: 2016-02-02



[\[pdf\]](#) Specifications Guide

Cisco WBP54G Wireless G Bridge for Phone Adapters User Guide Ibeason 97c953ea e135 422e b1af 06b180892a16 stream manualsonline 9 |||

A Division of Cisco Systems, Inc. 2.4GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA1001, SPA2000, SPA2002, SPA3000, SPA2100, SPA841, SPA842, SPA941, SPA942, and SPA9000 . Whe... lang:en score:26 filesize: 2.59 M page_count: 52 document date: 2008-01-30




[\[pdf\]](#)

Linksys PAP2 Configuration Stephan Monette Firmware Version 5 1 6 LS Voice Phone Adapter with 2 Ports for Over IP Advanced View switch to basic view User Login Info System SIP Provisioning Regional Line dsreports r0 1620359~6db07df3b52297876f786c90af3aae61 |||

Linksys **PAP2** Configuration http://192.168.20.178/admin/advanced Voice Phone Adapter with 2 Ports for Voice-Over-IP Info System SIP Provisioning Regional Line 1 Line 2 User 1 User 2 Advanced View switch to basic view SIP Parameters Max Forward: 70 Max Auth: 2 SIP Server Name: VERSION SI...

lang:en score:26 filesize: 282.25 K page_count: 2 document date: 2010-12-03




[\[pdf\]](#) User Manual Guide

Provided by ManualsAndMore Download User Manual tera byte VoIP phone terabyte manualsandmore |||

VoIP Services User Guide Table of Contents Overview of Services 3 Service Numbers 4 Line Serv ... for residential and business customers. Some services are only available to customers with Linksys **PAP2-NA** and RT31P2-NA devices, while others are available to all customers. If you need more informa...


lang:en score:26 filesize: 1.64 M page_count: 16 document date: 2019-07-23



[\[pdf\]](#) User Manual Specifications Guide

Book Template book junelee Users Manual LINKSYS LLC WBP54G Wireless G Bridge for Phone Adapters Q87 Q87WBP54G wbp54g

A Division of Cisco Systems, Inc. 2.4GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA-1001, SPA-2000, SPA-2002, SPA-3000, SPA-2100, SPA-841, SPA-842, SPA-941, SPA-942, and SPA-... lang:en score:25 filesize: 784.09 K page_count: 37 document date: 2005-09-02



[\[pdf\]](#) User Manual Specifications Guide

Book Template book junelee Manual LINKSYS LLC WBP54GV2 Wireless G Bridge for Phone Adapters Q87 Q87WBP54GV2 wbp54gv2

A Division of Cisco Systems, Inc. 2.4GHz 802.11g Wireless-G Bridge for Phone Adapters WIRELESS ... can add wireless connectivity to your Linksys phone adapter or IP phone compatible model numbers: **PAP2**, SPA1001, SPA2000, SPA2002, SPA3000, SPA2100, SPA841, SPA842, SPA941, SPA942, and SPA9000 . Whe... lang:en score:25 filesize: 2.46 M page_count: 50 document date: 2005-12-13



[\[pdf\]](#) Release Notes

Release Notes for Cisco PAP2 and PAP2T Version 5 1 6 Systems Inc RN V5 cisco c dam en us td docs voice ip comm csbvpva pap2t release notes |||

Release Notes for -- Linksys **PAP2/PAP2T 5.1.6 PAP2** -- 2 Port FXS, 1 Ethernet Interface **PAP2T** -- 2 Port FXS, 1 Ethernet Interface Copyright C 2007 by Linksys, a Division of Cisco Systems, Inc. All Rights Reserved. * * * * * **IMPORTANT** * * * * * Use of Proprie...

lang:en score:23 filesize: 20.88 K page_count: 2 document date: 2008-11-14




[\[pdf\]](#) Installation Guide Instructions Troubleshooting Guide Guide

PAP2 V2 QI Rev NC fm junelee 1 Connect the Phone Adapter vonage A Pick up telephone and check for a dial tone If you don t hear one consult troubleshooting section of this installation guide B Dial phone number Vonage supports 7 10 11 digit PAP2V2 QuickStartGuide www2 support files |||

1 Connect the Phone Adapter Package Contents Phone Adapter with 2 Ports for Voice-over-IP Power A ... s in the U.S. and certain other countries. Copyright 2006 Cisco Systems, Inc. All rights reserved. **PAP2_V2-QI-60421NC JL ...**

lang:en score:21 filesize: 131.34 K page_count: 2 document date: 2006-04-21



[\[pdf\]](#) User Manual Quick Start Guide Specifications

User NanoPBX Manual Index of docs allo |||


COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE AT WWW.ALLO.COM 1

Table of Contents 1.INTRODUCTIO ...

..... 38 9.3 LINKSYS **PAP2**

ATA.....

lang:i-klngon score:21 filesize: 1.96 M page_count: 40 document date: 2010-12-09



[\[pdf\]](#) User Manual Quick Start Guide Specifications

User NanoPBX Manual 112310 Index of docs allo |||

COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE AT WWW.ALLO.COM 1


Tables of Contents 1. INTRODUCT ... TEROPERABILITY 39 9.1 X-LITE

CONFIGURATIONS 39 9.2 SNOM IP PHONE CONFIGURATION 39 9.3 LINKSYS

PAP2 ATA 39 10. APPENDIX C: GLOSSARY OF TERMS 39 COPYRIGHT 2009-

2010 ALLO.COM - VISIT US ONLINE ...

lang:i-klngon score:20 filesize: 1.46 M page_count: 41 document date: 2010-10-14




[\[pdf\]](#) User Manual Quick Start Guide Specifications

User NanoPBX Manual 082610 Index of docs allo |||

COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE AT WWW.ALLO.COM 1

Tables of Contents 1. INTRODUCT ... TEROPERABILITY 38 9.1 X-LITE CONFIGURATIONS 38 9.2 SNOM IP PHONE CONFIGURATION 38 9.3 LINKSYS **PAP2** ATA 38 10. APPENDIX C: GLOSSARY OF TERMS 38 COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE ...

lang:i-klngon **score:20** filesize: 1.46 M page_count: 40 document date: 2010-06-28




[\[pdf\]](#) Instructions

Linksys PAP2T Configuration with VirtualPBX LinksysPAP2TConfiguration virtualpbx 2016 01 |||

Linksys **PAP2T** Configuration with VirtualPBX The Linksys **PAP2T** is an inexpensive ATA device that connects to the internet and registers with your Virtual PBX extension, allowing you to use any analog phone plugged into the phone port on the back of the ATA device. The instructions below are based on ...

lang:en **score:20** filesize: 2.25 M page_count: 8 document date: 2014-11-06




[\[pdf\]](#) Guide

4PGdev45 mif ctsadmin p gen cisco 80 en US docs voice ip comm bts 4 5 protocol guide |||

1 C H A P T E R Provisioning SIP Devices and SIP Subscribers Revised: October 21, 2008, OL-5351-10 T ... ne 7905 Cisco IP Phone 7912 Cisco IP Phone 7940 Cisco IP Phone 7960 Cisco LINKSYS Phone Adapter **PAP2** The chapter also demonstrates how to provision SIP subscribers on Cisco devices in to the Cisco...

lang:en **score:20** filesize: 574.37 K page_count: 26 document date: 2008-10-21



[\[pdf\]](#) Guide

Radio Guide 2006 06 worldradiohistory Archive All BC Engineering |||

Radio Technology for Engineers and Managers Ensuring Safety with Personal RFR Monitors June 2006 I ... range of ports; the usual ones being ports 5060-5080. If you buy a two-line ATA such as the Linksys **PAP2**, you will find line two already set up to work on port 5061. Codec information is just that --...

lang:en score:20 filesize: 5.68 M page_count: 48 document date: 2022-01-01




[\[pdf\]](#) Troubleshooting Guide Specifications Guide

Book book bewalter Phone Adapter Vonage with 2 Ports for Voice over IP List of Figures Figure 1 Back Panel 3 Front 4 Connect the to Your Network and Telephone 5 PAP2 UserGuide www2 vonage support files

A Division of Cisco Systems, Inc. Phone Adapter with 2 Ports for Voice-over-IP VoIP Installation and Troubleshooting Guide Model No. **PAP2** Phone Adapter with 2 Ports for Voice-over-IP Copyright and Trademarks Specifications are subject to change without notice. Linksys is a registered trademark o...

lang:en score:20 filesize: 352.3 K page_count: 46 document date: 2004-10-11



[\[pdf\]](#) User Manual Quick Start Guide Specifications

109 HOME User nano2 user manual 8774e4voip

COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE AT WWW.ALLO.COM 1

Tables of Contents 1. INTRODUCT ... TEROPERABILITY 58 6.1 X-LITE

CONFIGURATIONS 58 6.2 SNOM IP PHONE CONFIGURATION 58 6.3 LINKSYS

PAP2 ATA 58 COPYRIGHT 2009-2010 ALLO.COM - VISIT US ONLINE AT

WWW.ALLO.COM 3 7. APPENDIX C: GLO...

lang:i-klingson score:19 filesize: 2.5 M page_count: 60 document date: 2012-11-26



[pdf] Guide

Radio Guide 2006 05 worldradiohistory Archive All BC Engineering |||

Radio Technology for Engineers and Managers May 2006 Moving Ahead with Digital Solid State FM Tra ... <http://www.nch.com.au/tallc/> . ATA Units: My favorite units are made by Sipura, though the Linksys **PAP2-NA** is similar to the Sipura 2002. Try www.store.voxilla.com; www.voiphardware.com; www.voipsupp...

lang:en score:19 filesize: 6.25 M page_count: 56 document date: 2022-01-01




[pdf] User Manual Quick Start Guide

18 Nirmal Kumar Version 2 0 Nano2 allo manuale ezdirect it file 1086 nano2 |||

Version 2.0 User Manual NANO 2 Version 2.5 Table of Contents 1. Introduction n 55 6.3. Linksys **PAP2** ATA

lang:en score:18 filesize: 3.92 M page_count: 62 document date: 2013-03-25



[pdf]

Linksys PAP2 Configuration Sean Cisco CommunityThe is a phone adapter with 2 ports for Voice Over IP firmware version 5 1 6 LS83490 PAP2T Regional 16MAR11community cisco kxiwq67737 attachments 5706 discussions smb voice systems 58266 83490 16MAR11 |||

Voice Phone Adapter with 2 Ports for Voice-Over-IP Info System SIP Provisioning Regional Line 1 Lin ... Frequency: Hook Flash Timer Max: Reorder Delay: Call Back Retry Intvl: Firmware Version: 5.1.6 LS **PAP2** User Login Vertical Service Activation Codes Call Back Delay: Interdigit Long Timer: CPC Del...

lang:de score:18 filesize: 203.58 K page_count: 3 document date: 2011-03-16

SPEED UP THE PROCESS Now you can go to www.web-rebates.com/vonage/von0652 to pre-qualify.

VONAGE

50 Mail-in rebate

Qualify for a \$50 mail-in rebate when you purchase a Linksys PAP2/Linksys PAPv2 at participating retailers between April 2, 2006 and July 15, 2006.

Subate only valid on new service activations not existing accounts

LINKSYS
A Division of Cisco Systems, Inc.

Follow these instructions to qualify for the \$50 rebate:

1. Purchase a Linksys PAP2/Linksys PAPv2 between April 2, 2006 and July 15, 2006 at participating retailer.
2. Activate the program on April 2, 2006 at purchase. See www.web-rebates.com for more details.
3. Complete the rebate form and mail to:
4. Mail to:

Mail to: Dept. 4058
10000 W. 16th St.
P.O. Box 200
Dallas, TX 75220-0200

Qualifying M/C Address: www.linksys.com

Please PRINT clearly:

Vonage Account # _____
Qualifying M/C Address _____
Name _____
Address _____
City _____ State _____ Zip Code _____
Phone Number _____ Email _____
Signature _____ Date _____

Check the status of your rebate at www.web-rebates.com/vonage

[pdf] Instructions Label

VON 0652 ai JONEST1 100017101169 V58600360 ec1 images amazon 80 G 01 00 10 17 11 g
 SPEED UP THE PROCESS Now you can go to www.web-rebates.com/vonage/von0652 to pre-qualify. 50 Mail-in rebate Qualify for a 50 mail-in rebate when you purchase a Linksys **PAP2**/Linksys PAPv2 at participating retailers between April 2, 2006 and July 15, 2006. Rebate only valid on new service activa...
 lang:en score:17 filesize: 79.32 K page_count: 1 document date: 2006-02-21



[pdf] Diagram

diagram multi service voip voipsupply 80
 MULTI-SERVICE VoIP: INTERNET Wireless Access Laptop with the ability to access the internet w/ wir ... either a DSL or Cable Modem that both provide much higher speeds than traditional dial-up Linksys **PAP2-NA** Linksys **PAP2-NA** 2 Port VoIP Gateway SIP FXS Adapter Uniden TRU8888 Expandable Up To 10 ...
 lang:tl score:17 filesize: 2.42 M page_count: 1 document date: 2006-02-22

VONAGE

What is Vonage?

Vonage is an all-inclusive home phone service that replaces your current landline service. By using Vonage over Internet (PAPv2) or Cable (PAP2) you can save up to \$10 per month. Best of all, you can keep your current phone number when you are paying right now for phone service.

What do I need to get Vonage?

1. A broadband Internet Service (or Cable and/or DSL)
2. A valid card with US billing and shipping address
3. Any Vonage phone adapter

Below are three phone adapters currently being offered in stores. They are the Linksys PAP2, the WRT54GP2 and the RT31P2.

The Linksys WRT54GP2 is a 2-port 802.11g wireless gateway. It has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN. It also has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN. It also has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN.

The Linksys PAP2 is a 2-port 802.11g wireless gateway. It has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN. It also has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN.

The Linksys RT31P2 is a 2-port 802.11g wireless gateway. It has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN. It also has a 2-port 802.11g wireless LAN and a 2-port 10/100 Ethernet LAN.

How much does Vonage cost?

Vonage offers Calling plans for both home and business use:

Plan Name	Monthly Fee	Usage
Basic Plan	\$14.95	Unlimited local and national, unlimited long distance
Business Plan	\$24.95	Unlimited local and national, unlimited long distance

Business Plans with a Free Fax Line!

Business Plan with a Free Fax Line! (Unlimited Calls to US and Canada, 1000 Fax Lines)

Business Plan with a Free Fax Line! (Unlimited Calls to US and Canada, 1000 Fax Lines)

All Vonage Calling plans include these features:

- No Annual Contract
- Caller ID
- Call Waiting
- Unlimited
- 2 Way Calling
- Call Forwarding
- Call Forwarding
- Call Forwarding
- Call Forwarding

Vonage is Easy to Install and use!

[pdf]

vonage info staples sbd img rebates |||

----- ... hone

adapter Below are three phone adapters currently being offered in-stores. They are the Linksys **PAP2**, the WRT54GP2 and the RT31P2. The Linksys **PAP2** is a standalone phone adapter. This device has 1...

lang:en score:17 filesize: 384.04 K page_count: 1 document date: 2005-03-16