

[Manuals.plus](#) /

> [nextzett](#) /

> nextzett 96110515 Klima-Cleaner Air Conditioner Cleaner - 10 fl oz 10 Fl Oz (Pack of 1)

## nextzett 96110515

# nextzett Klima-Cleaner Air Conditioner Cleaner Instruction Manual

Model: 96110515

## PRODUCT OVERVIEW

The nextzett Klima-Cleaner is a professional air conditioner cleaner designed to effectively eliminate odors originating from the evaporator core of your vehicle's air conditioning system. It targets and removes dust, pollen, and nicotine film buildup, promoting cleaner, fresher air and improved cooling efficiency.

### Key Features:

- Evaporator Cleaner Eliminates Air Conditioning Odors At The Source With Results That Lasts For Months
- Removes Pollen, Dust And Nicotine Film
- Water-Based And Free Of Caustic Chemicals Since It'S For Use In A Vehicle'S Cabin Area. Klima Cleaner Pro Is Also Free Of Synthetic Fragrances That Can Cause An Allergic Reaction With Some Users. We Only Use Natural Fragrances
- Helps Improve The Cooling Efficiency And Performance Of Your Air Conditioner

## SAFETY INFORMATION

**WARNING: Contents under pressure. Highly flammable.**

Keep out of reach of children. Avoid contact with eyes and skin. Use in a well-ventilated area. Do not puncture or incinerate container. Do not expose to temperatures above 120°F (49°C). Read all instructions and warnings on the product label before use.

## PRODUCT COMPONENTS

The nextzett Klima-Cleaner comes in an aerosol can and includes a flexible application tube for precise delivery of the cleaning foam.



Image: nextzett Klima-Cleaner Air Conditioner Cleaner can.



Image: nextzett Klima-Cleaner can with the flexible application tube.

## APPLICATION INSTRUCTIONS

### 1. Preparation:

- Ensure your vehicle is parked in a well-ventilated area, preferably outdoors.
- Turn off the vehicle's engine and ensure the air conditioning system is off.
- Locate the air conditioner blower fan. For optimal access to the evaporator core, it is recommended to remove

the blower fan. Alternatively, the product can be applied through the evaporator drain tube located underneath the vehicle.

- Shake the Klima-Cleaner can well before use.
- Attach the flexible application tube securely to the spray nozzle on the can.



Image: Visual representation of evaporator cleaning action.

## 2. Application through Evaporator Drain Tube:

- Identify the evaporator drain tube, usually found on the driver's side underneath the vehicle. Running the AC for a few minutes can help locate it by observing condensation dripping.
- Carefully insert the flexible application tube into the drain hole as far as possible. The rounded tip of the tube is designed to prevent damage.
- Press the spray button to release the entire contents of the can into the system. You may observe foam coming out of the drain hole as the evaporator fills.

## 3. Application through Blower Fan Opening (Recommended):

- After removing the blower fan, insert the application tube directly into the intake vent leading to the evaporator.
- Spray the entire contents of the can onto the evaporator core.

Video: Official nextzett demonstration of Klima-Cleaner application.

This video demonstrates the process of applying nextzett Klima-Cleaner, showing how the foam expands and cleans the evaporator core.

## 4. Post-Application:

- After applying the cleaner, remove the tube and allow the foam to work for approximately 20 minutes. During this time, the foam will liquefy and drain out of the system.
- After 20 minutes, turn on the vehicle's cabin fan to full power for a few minutes to dry out the system and

circulate fresh air.

## MAINTENANCE

---

For best results and to maintain a clean and odor-free air conditioning system, apply nextzett Klima-Cleaner every 3-6 months. Regularly replacing your cabin/pollen air filters is also recommended to prevent buildup.

## TROUBLESHOOTING

---

### Persistent Odor:

If odors persist after initial application, it may indicate a severe buildup or an issue requiring professional attention. Re-application may be necessary, or consult a certified mechanic.

### Foam Leakage:

It is normal for some foam or liquid to leak from the application area or drain tube. Ensure to wipe up any excess product from surfaces to prevent staining.

### Difficulty Inserting Tube:

The application tube has a rounded tip to prevent damage. If you encounter resistance, apply gentle pressure and rotate the tube to guide it past any obstructions.

## SPECIFICATIONS

---

<b>Brand</b>	nextzett
<b>Item Model Number</b>	96110515
<b>Product Dimensions</b>	2.25 x 2.25 x 8 inches
<b>Item Weight</b>	10 Ounces
<b>Material Feature</b>	Biodegradable Warning
<b>Color</b>	Clear
<b>Power Source</b>	Aerosol
<b>Included Components</b>	Spray tube and direct spray attachment

For further assistance, please refer to the product packaging or contact nextzett customer support.

