

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Pfister](#) /
- › [Pfister 192100 Waste and Overflow Replacement Part Instruction Manual](#)

Pfister 192100

Pfister 192100 Waste and Overflow Replacement Part Instruction Manual

Model: 192100 | Brand: Pfister

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of the Pfister 192100 Chrome Waste and Overflow Replacement Part. Please read these instructions carefully before beginning installation to ensure proper function and longevity of the product.

SAFETY INFORMATION

- Always turn off the main water supply before attempting any plumbing work.
- Wear appropriate personal protective equipment, such as safety glasses and gloves.
- If you are unsure about any step, consult a qualified plumber.
- Keep small parts away from children.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Waste and overflow assembly
- Metal plate (Polished Chrome finish)
- Gaskets and fasteners

TOOLS REQUIRED

The following tools are typically required for installation:

- Adjustable wrench
- Screwdriver (Phillips or flathead, depending on fasteners)
- Plumber's putty or silicone sealant
- Rag or towel

INSTALLATION INSTRUCTIONS

Follow these steps to install the Pfister 192100 Waste and Overflow Replacement Part:

1. **Prepare the Area:** Ensure the bathtub is clean and free of debris around the drain and overflow openings. Turn off the water supply to the tub.
2. **Apply Sealant:** Apply a bead of plumber's putty or silicone sealant around the underside of the drain flange (the part that goes into the tub drain opening).
3. **Install Drain Shoe:** Insert the drain shoe assembly through the tub drain opening from above. From below the tub, attach the rubber gasket and friction washer, then tighten the locknut onto the drain shoe. Use an adjustable wrench to secure it firmly, but do not overtighten.
4. **Connect Overflow Pipe:** Attach the overflow pipe to the overflow opening on the tub. Ensure the gasket is properly seated between the tub and the overflow plate.
5. **Assemble Overflow Plate:** Secure the overflow plate to the tub using the provided screws. Make sure the plate is aligned correctly.
6. **Connect Waste and Overflow Pipes:** Connect the drain shoe assembly to the overflow pipe using the provided slip nuts and washers. Ensure all connections are hand-tightened, then use an adjustable wrench for a final snug fit.
7. **Test for Leaks:** Turn on the water supply and fill the tub. Check all connections for leaks. If leaks are present, tighten the connections slightly until the leak stops.



Figure 1: Exploded diagram of the Pfister 192100 Waste and Overflow assembly. This illustration shows the individual components and their relative positions for installation.

OPERATING INSTRUCTIONS

The Pfister 192100 Waste and Overflow is a passive component designed to manage water levels in your

bathtub. The drain stopper (if included with your tub) controls the primary drainage, while the overflow opening prevents the tub from overflowing by diverting excess water into the drain system.

MAINTENANCE

To maintain the appearance and function of your Pfister 192100 Waste and Overflow:

- **Cleaning:** Clean the chrome finish regularly with a soft cloth and mild soap and water. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Drain Maintenance:** Periodically remove any hair or debris from the drain and overflow openings to prevent clogs.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Leak at drain or overflow connection	Loose connections or improperly seated gaskets.	Tighten connections. Ensure gaskets are correctly positioned and not damaged. Apply plumber's putty or sealant if necessary.
Slow draining	Clog in the drain or waste pipe.	Remove the drain stopper and clear any visible debris. Use a drain snake or a chemical drain cleaner (follow product instructions carefully).

SPECIFICATIONS

Model Number	192100
Brand	Pfister
Material	Brass
Exterior Finish	Chrome
Product Dimensions (L x W x H)	13.7 x 6.8 x 2.8 inches
Inlet Connection Size	0.5 Inches
Outlet Connection Size	0.5 Inches
UPC	038877405116

WARRANTY INFORMATION

Pfister products are backed by a Limited Lifetime Warranty. For specific details regarding your product's warranty coverage, please refer to the official Pfister website or contact customer support.

SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please visit the official Pfister website or contact their customer service department. Contact information can typically be found on the product packaging or the manufacturer's website.

You can also visit the [Pfister Store on Amazon](#) for more products and information.