

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TRIPP LITE](#) /

› [Tripp Lite High Speed HDMI Cable P568-016 User Manual](#)

TRIPP LITE P568-016

Tripp Lite High Speed HDMI Cable

MODEL: P568-016 (16 FT. STANDARD)

Introduction

The Tripp Lite P568-016 High Speed HDMI Cable is designed for connecting digital display devices, such as DTVs, Plasma displays, LCD TVs, and projectors, to digital source devices like Digital Set-Top boxes, Blu-Ray players, and AV receivers. This cable ensures the transmission of high-definition video and multi-channel audio signals through a single connection.


This manual provides instructions for the proper setup, operation, and maintenance of your HDMI cable to ensure optimal performance and longevity.

Features


- **16-foot Length:** Provides ample reach for connecting devices.
- **High-Speed Performance:** Supports data transfer speeds up to 18 Gbps, enabling advanced HDMI features.
- **4K x 2K Resolution Support:** Capable of transmitting video resolutions up to 3840 x 2160, including 1080p.
- **Digital Video with Audio (M/M):** Male-to-male connectors for direct connection between devices.
- **Gold-Plated Connectors:** Ensures optimal signal transfer and corrosion resistance.
- **Flexible PVC Jacket:** Provides durability and ease of installation.
- **Molded Strain Relief:** Enhances cable durability at the connector points.

HDMI Gold Digital Video Cable—16 ft.

Tripp Lite Model: P568-016



Flexible PVC jacket Molded strain relief



Gold-plated connectors

Tripp Lite has a policy of continuous improvement. Product features are subject to change without notice. Photos and illustrations may differ slightly from actual products.

Figure 1: Key features of the Tripp Lite HDMI cable.

Setup Instructions

Follow these steps to properly connect your Tripp Lite High Speed HDMI Cable:

1. **Identify Ports:** Locate the HDMI output port on your source device (e.g., Blu-Ray player, computer) and the HDMI input port on your display device (e.g., TV, projector). Both ports should be clearly labeled HDMI.
2. **Connect Source:** Gently insert one end of the Tripp Lite HDMI cable into the HDMI output port of your source device. Ensure the connector is fully seated.
3. **Connect Display:** Gently insert the other end of the Tripp Lite HDMI cable into the HDMI input port of your display device. Ensure the connector is fully seated.
4. **Power On Devices:** Turn on both your source device and your display device.
5. **Select Input:** On your display device, use the remote control or on-screen menu to select the correct HDMI input source that corresponds to the port you used.



Figure 2: Tripp Lite High Speed HDMI Cable.



Figure 3: Close-up of HDMI connectors.

Operating Instructions

Once the cable is properly connected and the correct input is selected on your display device, the Tripp Lite High Speed HDMI Cable operates automatically. It transmits both video and audio signals digitally between your connected devices. No additional configuration is typically required for the cable itself.

Ensure that your source device is playing content and your display device is set to the appropriate HDMI input. The cable will facilitate the high-quality transfer of signals.

Maintenance

To ensure the longevity and optimal performance of your HDMI cable, follow these simple maintenance guidelines:

- **Handle with Care:** Avoid excessive bending, twisting, or pulling of the cable, especially near the connectors.
- **Keep Clean:** Periodically wipe the cable and connectors with a soft, dry cloth to remove dust and debris. Do not use liquid cleaners directly on the connectors.
- **Proper Storage:** When not in use, coil the cable loosely. Avoid tight coiling or kinking, which can damage internal wires.

- **Avoid Extreme Conditions:** Do not expose the cable to extreme temperatures, direct sunlight for prolonged periods, or excessive moisture.

Troubleshooting

If you experience issues with your HDMI connection, consider the following troubleshooting steps:

Problem	Possible Solution
No video or audio signal	<p>Ensure both ends of the HDMI cable are securely connected to the source and display devices.</p> <p>Verify that the display device is set to the correct HDMI input source.</p> <p>Try restarting both the source and display devices.</p> <p>Test with a different HDMI port on your display device, if available.</p> <p>Test with another known working HDMI cable to rule out device issues.</p>
Poor picture quality or flickering	<p>Ensure the cable is fully inserted and not loose.</p> <p>Check the resolution settings on your source device to ensure they are compatible with your display.</p> <p>Minimize interference by keeping the HDMI cable away from power cables or other electronic devices.</p>
Audio but no video, or vice versa	<p>Confirm that both source and display devices support audio and video transmission over HDMI.</p> <p>Check audio output settings on your source device and audio input settings on your display device.</p>

Specifications

Specification	Detail
Model Name	P568-016
Cable Type	HDMI
Connector Type	HDMI Male-to-Male
Length	16 ft.
Data Transfer Rate	Up to 18 Gbps (10.2 Gigabits Per Second listed in some specifications)
Resolution Support	Up to 3840 x 2160 (4K x 2K), including 1080p
Compatible Devices	DVD Player, Projector, Television, Blu-Ray players, AV receivers
Color	Black
Outer Material	Black plastic
Item Weight	0.55 Pounds (approximately 8.8 ounces)
Product Dimensions	6 x 5.5 x 1.25 inches (packaging/coiled)

Specification	Detail
Specification Met	HDMI 2.0

Warranty Information

This Tripp Lite HDMI cable is backed by a **Lifetime Warranty**. For detailed warranty terms and conditions, please refer to the official Tripp Lite website or contact customer support.

Support

For further assistance, technical support, or product inquiries, please visit the official Tripp Lite website or contact their customer service department. You can find contact information and additional resources on their website:

www.tripplite.com