

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Invicta](#) /

› [Invicta Men's Pro Diver Collection Chronograph Watch Model 0069 Instruction Manual](#)

Invicta 0069

Invicta Men's Pro Diver Collection Chronograph Watch

MODEL: 0069

Introduction

This manual provides essential instructions for the proper use and care of your Invicta Men's Pro Diver Collection Chronograph Watch, Model 0069. This timepiece features a 48mm stainless steel case, a black dial, and chronograph functions, designed for reliability and performance.



Image: Invicta Pro Diver watches, highlighting the collection's design and functionality.

Safety Precautions

Please read and understand all safety instructions before using your watch. Important instructions are categorized and depicted with symbols as follows:

DANGER: Highly likely to cause death or serious injury.

WARNING: Can cause serious injury or death.

CAUTION: Can or will cause minor or moderate injury or damage.

WARNING: INGESTION HAZARD

This product contains a button cell or coin battery. DEATH or serious injury can occur if ingested. A swallowed button cell or coin battery can cause Internal Chemical Burns in as little as 2 hours. Keep new and used batteries OUT OF REACH OF CHILDREN. Seek immediate medical attention if a battery is suspected to be swallowed or inserted inside any part of the body.

WARNING: BATTERY SAFETY

- This product is intended to be opened only by professionals.
- Remove and immediately recycle or dispose of used batteries according to local regulations and keep away from children.
- Do NOT dispose of batteries in household trash or incinerate.
- Even used batteries may cause severe injury or death.
- Non-rechargeable batteries are not to be recharged.
- Do not force discharge, recharge, disassemble, heat above (manufacturer's specified temperature rating) or incinerate. Doing so may result in injury due to venting, leakage or explosion resulting in chemical burns.

Image: Safety warnings regarding button cell batteries and general product handling.

Setup

Setting Time and Date

1. **Pull the Crown:** Gently pull the crown (the knob on the side of the watch) out to the first or second position, depending on your watch model and whether you are setting the date or time.
2. **Adjust Time/Date:** Rotate the crown to set the desired time and date. For date setting, ensure you do not set the date between 9 PM and 3 AM to avoid damaging the movement.
3. **Push the Crown:** Once set, push the crown back into its original position to engage the movement and ensure water resistance.

Band Adjustment

The stainless steel band is adjustable by adding or removing links. This procedure typically requires specialized tools and is best performed by a qualified watch technician to prevent damage to the band or clasp.



Image: Detailed view of the watch bracelet and foldover safety clasp, illustrating the high-grade stainless steel construction.

Operating Your Watch

Crown Operation

The watch features a push/pull crown for setting the time and date. Ensure the crown is fully pushed in to maintain the watch's water resistance.

Uni-directional Rotating Bezel

The uni-directional rotating bezel can be used for functional tracking of elapsed time, such as dive times or other timed events. Rotate the bezel counter-clockwise to align the marker with the minute hand at the start of your timed event.

Chronograph Functions

The watch is equipped with a Japanese quartz chronograph movement (VD53 Caliber) featuring functional subdials:

- **60-minute subdial:** Measures elapsed time up to 60 minutes.
- **60-second subdial:** Functions as the running second hand for the main time display.
- **24-hour subdial:** Indicates the time in a 24-hour format.

The large central second hand is used for the chronograph timer function. Use the pushers on the side of the case to start, stop, and reset the chronograph.

Image: Exploded view highlighting the crown, unidirectional rotating bezel, 48mm case size, and Flame Fusion crystal.



Image: Illustration of the quartz chronograph movement, detailing the timekeeping subdials and the date display.

Water Resistance

This watch is water resistant to 200 meters (660 feet), making it suitable for professional marine activity

and surface water sports, as well as diving. Always ensure the crown is fully pushed in before exposing the watch to water.



Image: Water resistance chart indicating suitability for various water activities, confirming 200M rating for diving.

Maintenance

Crystal Care

The watch features a Flame Fusion crystal, known for its extra scratch resistance. While durable, avoid unnecessary impacts to maintain its integrity.

Battery Replacement

The watch uses an SR920SW battery. Battery replacement should be performed by a qualified watch technician to ensure proper sealing and maintain water resistance.

General Care

- Avoid exposing the watch to strong magnetic fields, as this can affect timekeeping accuracy.
- Clean the watch regularly with a soft, damp cloth. For stainless steel bands, a mild soap solution can be used, followed by thorough rinsing and drying.
- Avoid extreme temperature changes.

Troubleshooting

- Watch not running:** Check if the crown is fully pushed in. If the watch still does not run, the battery may need replacement.
- Inaccurate timekeeping:** Ensure the watch has not been exposed to strong magnetic fields. If issues persist, professional inspection may be required.
- Chronograph not resetting to zero:** This may indicate a need for calibration, which should be performed by a watch technician.

Specifications

- **Case Material:** Stainless Steel
- **Case Diameter:** 48mm
- **Case Thickness:** 12.5mm
- **Dial:** Black, Luminous hands and hour markers
- **Movement:** Japanese Quartz, VD53 Caliber
- **Battery:** SR920SW (1 Lithium Ion battery included)
- **Band Material:** Stainless Steel
- **Band Length:** 215mm
- **Band Width:** 26mm
- **Crystal:** Flame Fusion
- **Crown:** Push/Pull
- **Bezel:** Uni-directional stainless steel with black and white top ring
- **Functional Subdials:** 60min, 60sec, 24 hour
- **Water Resistance:** 200 meters (660 feet)
- **Watch Weight:** 307 grams
- **Product Dimensions:** 3.54 x 4.49 x 3.86 inches (packaging)
- **Item Model Number:** 0069



Image: Rear view of the watch, displaying the stainless steel case back with engravings for Invicta Pro Diver, 200M water resistance, and model number.

Warranty and Support

Your Invicta watch comes with a standard warranty. You can upgrade to a 3-year extended warranty by registering your watch online.

For warranty registration and to access the full manual, please visit the official Invicta service website:

www.invictawarranty.com

For support inquiries, you may contact Invicta Stores Europe at: support@invictastores.eu



Image: Bottom of the Invicta watch box, showing details for warranty registration and a QR code to scan for the manual.


© Invicta Watch Group. All rights reserved.

Related Documents - 0069

	<p>Invicta Watch Manual and Warranty Guide</p> <p>Explore the official Invicta watch manual and warranty details. This guide covers your 3-year limited warranty, service center information, watch care, and explanations of various watch features and movements.</p>
---	---

	<p>Invicta Watch Warranty and Service Guide</p> <p>Comprehensive guide to Invicta watch warranties, including registration, service procedures, repair pricing, shipping requirements, and policies. Learn how to maintain your Invicta timepiece for optimal performance and longevity.</p>
	<p>Invicta 19289 S1 Rally Watch: Installation and User Guide</p> <p>This document provides installation and operational guidance for the Invicta Men's 19289 S1 Rally Analog Display Japanese Quartz Black Watch. It covers essential setup, features, and maintenance to ensure proper use of the timepiece.</p>
	<p>Invicta Watch Manual and Warranty Guide: Care, Service, and Features</p> <p>Official manual and warranty guide for Invicta watches. Learn about the 3-year warranty, service procedures, watch care, water resistance, and types of movements (Quartz, Automatic, Manual Wind).</p>
	<p>Invicta Watch Manual and Warranty Guide</p> <p>Comprehensive guide to Invicta watches, covering the 3-year warranty, care instructions, water resistance, safety precautions, and explanations of different watch movement types (Quartz, Automatic, Manual) and dial indicators.</p>

Documents - Invicta – 0069



[\[pdf\] User Manual Instructions](#)

MANUAL DE INSTRUCCIONES INVICTA Carrier DI4 2 Instruction manual 7309490 archive org manualzillia id OPERATORS MANUAL JOINTER by INVICTA Model DI-42 INVICTA USA 877 308-6423 - East 800 499-4682 N QTY. 11-28-0023-0 1 NAME Electrical box 2 11-34-0012-0 1 Disjuntor C6A 5SX1-1 3 11-07-0069-0 1 Contactor CWM25 4 8NAE-K205-0 1 Track 5 11-20-0008-0 2 Overload relay RW27D 4 3 ...

lang:en score:45 filesize: 607.41 K page_count: 17 document date: 2013-05-21




[\[pdf\] User Manual Instructions](#)

Provided by ManualsAndMore Download User Manual Invicta DI 32 Operator s DI32 Operators manualsandmore |||

OPERATORS MANUAL JOINTER by INVICTA Model DI-32 INVICTA USA 877 308-6423 East 800 499-4682 - . . . N QTY. 11-28-0023-0 1 NAME Electrical box 2 11-34-0012-0 1 Disjuntor C6A 5SX1-1 3 11-07-**0069**-0 1 Contactor CWM25 4 8NAE-K205-0 1 Track 5 11-20-0008-0 2 Overload relay RW27D 4 3 ...

lang:en score:29 filesize: 791.32 K page_count: 15 document date: 2019-07-23




[INVICTA SFI-80 Band Saw Operator's Manual](#)

Comprehensive operator's manual for the INVICTA SFI-80 Band Saw, detailing operation, safety, maintenance, technical specifications, and replacement parts.

lang:en score:28 filesize: 776.66 K page_count: 18 document date: 2019-07-23






[Maplin 1986 Buyer's Guide to Electronic Components - Price Reductions and Product Catalog](#)

Discover Maplin's 1986 Buyer's Guide, featuring significant price reductions on electronic components. This comprehensive catalog details regional store locations, mail-order services, payment options including Mapcard, and an extensive range of aerials, batteries, and electronic supplies. Essential for hobbyists and professionals seeking quality electronic parts.


lang:en score:17 filesize: 30.14 M page_count: 452 document date: 2023-10-19



[Billboard International Buyer's Guide 1981-1982: Music Industry Directory](#)

A comprehensive directory of the music and recording industry for 1981-1982, featuring extensive listings of record companies, music publishers, wholesalers, services, supplies, accessories, and detailed market data from Billboard.


lang:en score:16 filesize: 39.27 M page_count: 352 document date: 2019-10-07



[Billboard 1982-83 International Buyer's Guide: Music Industry Directory](#)

The Billboard 1982-83 International Buyer's Guide is a definitive industry resource, featuring comprehensive listings of record companies, music publishers, wholesalers, services, and detailed statistics from over 70 countries. Essential for music business professionals navigating the early 1980s market.

lang:en score:16 filesize: 70.05 M page_count: 582 document date: 2019-10-07



[\[pdf\] Catalog](#)

00 catalog cover2 6530new Some Myths Are Real the 2011 collection Invicta Catalog hi cdn invictawatch www catalogs |||

Some Myths Are Real . the 2011 collection 2011 INVICTA WATCH EUROPE Veldweg 6G 5321 JE Hedel the N ... tant: 200 meters Model 0072 Model 0073 Model 0074 175 pro diver Model 0075 Model 0077 Model **0069** Model 0070 Model 0071 pro diver 176 PRO DIVER SCUBA GMT Movement: Professional Swiss quar...

lang:en score:15 filesize: 56.21 M page_count: 181 document date: 2011-04-01

[\[pdf\]](#) User Manual Catalog

Únete a nosotros Baeza Online 4 apr 2022 — E Pool control remoto con bluetooth de todos los parámetros del aparato Gran orificio drenaje y válvula manual salida aire gran caudal 01 Catalogo Piscinas baezaonline documents 10180 19054268 ea692007 a3c0 4a8c b96c 7ce784e1cc16 ||| nete a nosotros Baeza cuenta con ms de 160 trabajadores por toda Espaa y Portugal con perfiles de ... 00 salidas 75 00688 Caudal 30 m3/h 1.400 salidas 75 00689 Caudal 40 m3/h 1.600 salidas 90 **00690** Caudal 50 m3/h 1.800 salidas 90 **00691** Caudal 62 m3/h 2.000 salidas 110 **00692** Caudal 8...
lang:es **score:13** filesize: 13.74 M page_count: 254 document date: 2022-03-28

Invicta Premium Fit Bra - Wild Things		Size	Chart	Size	Under	Chest
S	68-70	64				
M	70-75	69				
L	75-80	71				
XL	80-85	74				

Mesh Sports Bra

Mesh Sports Bra		Size	Chart	Size	Under	Chest
S	68	64				
M	70-80	68				
L	75-85	73				
XL	75-85	73				

Caged Shoulder Strapped Bra

Caged Shoulder Strapped Bra		Size	Chart	Size	Under	Chest
S	68	64				
M	70-74	68				
L	75-78	68				
XL	75-85	73				

Crossed Warrior Bra - Elegant

Crossed Warrior Bra - Elegant		Size	Chart	Size	Under	Chest
S	68	64				
M	70-75	68				
L	75-78	73				
XL	75-85	73				

Dragon Tail Strapped Sports Bra

Dragon Tail Strapped Sports Bra		Size	Chart	Size	Under	Chest
S	68-75	65				
M	70-80	68				
L	75-85	73				

Elixir Strap - Supreme Comfort Sports Bra

Elixir Strap - Supreme Comfort Sports Bra		Size	Chart	Size	Under	Chest
S	68-70	64				
M	70-75	68				
L	75-80	72				
XL	75-85	73				

I'm Bold Mesh Bra

I'm Bold Mesh Bra		Size	Chart	Size	Under	Chest
S	68	64				
M	70-75	68				
L	75-78	73				


Original Cross Strap Sports Bra

Original Cross Strap Sports Bra		Size	Chart	Size	Under	Chest
S	68-75	65				
M	70-80	68				

[\[pdf\]](#)

Ross Africa Sizing Chart can be seen here Swiss Designer Sport 155053823755064341 cdn shopify s files 1 0069 6025 0991 |||

Invicta Premium Fit Bra - Wild Things Mesh Sports Bra Caged Shoulder Strapped Bra Crossed Warrior Bra - Elegant Dragon Tail Strapped Sports Bra Elixir Strap - Supreme Comfort Sports Bra I m Bold Mesh Bra Original Cross Strap Sports Bra Size Chest Size Under Chest S 68-70 64 M 70-75 68 L 75-80 ...
lang:de **score:11** filesize: 76.26 K page_count: 2 document date: 2018-12-23



[\[pdf\]](#) User Manual Instructions

WP65 Summit Dr Springfield Lakes WPS Permanent Water Booster OM Manual wp65 ipswich water pump station summit dr springfield lakes wpsipswich compactors archiving QUU TMS1369 urbanutilities au media quu s suppliers info technical manuals tms1369 la en hash 909E1888AC550F07EF06583CA4380C8C0917C5AE |||

WP QS WP65 Summit Dr Springfield Lakes WPS - Permanent Water Booster - OM Manual PERMANENT WATER BO ... nit 0.001 Example If 005 Constant I of feedback speed controller = 0.105s, 0.105 1000 = 105 = **0069** - 0 0 6 1 1 HMS FIELDBUS SYSTEMS AB 42 Q-Pulse Id TMS1369 Active 29/07/2015 Page 164 o...
lang:en **score:10** filesize: 18.34 M page_count: 347 document date: 2015-07-29

