

[Manuals.plus](#) /

› [Delta Faucet](#) /

› Delta Faucet H61 Clear Knob Handles for 2-Handle Roman Tub Faucets Instruction Manual

## Delta Faucet H61

# Delta Faucet H61 Clear Knob Handles for 2-Handle Roman Tub Faucets Instruction Manual

## INTRODUCTION

---

This instruction manual provides comprehensive guidance for the Delta Faucet H61 Clear Knob Handles, designed specifically for 2-handle Roman tub faucets. These handles are sold in pairs and feature a clear acrylic construction with a traditional/classic style, intended to complement various bathroom aesthetics. Please read all instructions carefully before proceeding with installation or maintenance.



Image: A single Delta Faucet H61 clear knob handle, showcasing its faceted design and transparent appearance.

## SETUP AND INSTALLATION

---

The Delta Faucet H61 knob handles are designed for straightforward installation on compatible 2-handle Roman tub faucets. Ensure you have the necessary tools and follow the steps below for a secure fit.

### Tools Required

- Screwdriver (appropriate size for faucet handle screws)
- Adjustable wrench (optional, for removing old handles if stuck)
- Cleaning cloth

### Installation Steps

1. **Turn off Water Supply:** Locate the main water shut-off valves for your tub faucet and turn them off to prevent water flow during installation.
2. **Remove Old Handles (if applicable):** If replacing existing handles, carefully remove any decorative caps to expose the handle screws. Unscrew the retaining screws and pull the old handles off the valve stems.
3. **Clean Faucet Area:** Clean any debris or mineral buildup from the faucet base and valve stems.
4. **Prepare New Handles:** The H61 handles come with a decorative cap. Remove this cap to access the screw opening.
5. **Align and Attach Handles:** Place the new Delta H61 knob handles onto the valve stems. Ensure the handle is properly seated and aligned. The video demonstrates how the cap fits into the handle.

6. **Secure Handles:** Insert the retaining screws into the handle openings and tighten them with a screwdriver until the handles are secure. Do not overtighten.
7. **Replace Decorative Caps:** Snap the decorative caps back into place on top of the handles. Note that one cap may have a red dot for hot water and another a blue dot for cold water, or they may be plain.
8. **Restore Water Supply:** Turn the main water supply back on and check for any leaks.

Your browser does not support the video tag.

Video: An official product overview demonstrating the components of the Delta Faucet H61 knob handles and their simple installation process. This video highlights the clear acrylic design and how to attach the handles to a Roman tub faucet.



Image: Delta Faucet H61 knob handle with dimensions indicated, showing a length of 2.5 inches (6 cm) for the visible part of the handle, which is part of the overall 7"L x 3.2"W product dimensions.

## OPERATION

The Delta Faucet H61 knob handles operate by rotating them to control water flow and temperature. Turn the handle counter-clockwise to increase water flow or temperature (for hot water side) and clockwise to decrease or shut off. The handles are designed for smooth and comfortable turning.

## CARE AND MAINTENANCE

To maintain the appearance and functionality of your Delta Faucet H61 knob handles, follow these simple care instructions:

- **Cleaning:** Clean the handles regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can scratch the acrylic surface and damage the finish.
- **Spot Cleaning:** For stubborn spots, use a mild soap solution and rinse thoroughly with clean water.
- **Avoid Excessive Force:** Do not apply excessive force when turning the handles, as this can cause premature wear or damage to the internal components.

## TROUBLESHOOTING

If you encounter any issues with your Delta Faucet H61 knob handles, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Handle is loose or wobbly.	Retaining screw is loose.	Remove the decorative cap and tighten the retaining screw with a screwdriver. Do not overtighten.
Handle is difficult to turn.	Mineral buildup or worn internal cartridge.	Clean around the base of the handle. If the issue persists, the internal faucet cartridge may need replacement (refer to your faucet's specific manual).
Water drips from handle base.	Worn O-rings or internal cartridge.	This indicates an issue with the faucet's internal components, not the handle itself. Consult your faucet's manual or a professional plumber.

## SPECIFICATIONS

Feature	Detail
Model Number	H61
Brand	Delta Faucet
Handle Type	Knob
Material	Clear Acrylic (Knob), Brass (Internal Components)
Color	Clear
Style	Traditional / Classic
Product Dimensions (L x W)	7" x 3.2" (overall product dimensions)
Item Weight	0.5 Pounds
Unit Count	2.0 Count (Sold in pairs)
Application	2-Handle Roman Tub Faucets
Attachment Mechanism	Screw-on

## WARRANTY AND SUPPORT

Delta Faucet H61 Knob Handles are backed by a **Limited Lifetime Warranty** from the manufacturer. This warranty covers defects in material and workmanship for as long as the original consumer purchaser owns the home in which the faucet was first installed. For detailed warranty information, claims, or technical support, please refer to the official Delta Faucet website or contact their customer service directly.

For further assistance, visit the [Delta Faucet official website](#).

