

[Manuals.plus](#) /

› [Elite Screens](#) /

› Elite Screens ezCinema Series F135NWH 135-inch Floor Pull Up Manual Projector Screen Instruction Manual

Elite Screens F135NWH

Elite Screens ezCinema Series F135NWH 135-inch Floor Pull Up Manual Projector Screen Instruction Manual

Model: F135NWH | Brand: Elite Screens

INTRODUCTION

The Elite Screens ezCinema Series F135NWH is a highly portable, floor pull-up manual projector screen designed for quick setup and versatile use in various environments, from home theaters to offices and classrooms. Its robust design and high-quality MaxWhite screen material ensure an optimal viewing experience.

KEY FEATURES

- **Screen Size:** 135-inch Diagonal, 16:9 Aspect Ratio. View Size: 66.2" H x 117.7" W. Overall Size: 115.3" H x 125.1" W x 15.7" D.
- **Screen Material:** MaxWhite, 1.1 Gain. Multi-layer weave, 180-degree wide viewing angle, fully black-backed front projection screen with textured surface. 4K Ultra HD and Active 3D Projection Ready. GreenGuard and GreenGuard GOLD, UL 2818 certified.
- **Portability:** Easy to transport and set up for traveling. Features a simple telescoping support mechanism for variable height settings.
- **Stability:** Solid rotating floor support feet provide added stability.
- **Durability:** Rugged aluminum casing protects the screen when not in use.
- **Masking:** 3/4" black top/side masking with adjustable bottom rise masking.



The MaxWhite 1.1 Gain screen material offers a wide viewing angle and is ready for 4K Ultra HD, Active 3D, and HDR content.


SETUP INSTRUCTIONS

1. **Positioning:** Place the screen's aluminum casing on a flat, stable surface where you intend to project. Ensure there is enough clear space for the screen to fully extend.
2. **Deploying Support Feet:** Locate the rotating floor support feet on the bottom of the casing. Rotate them outwards to provide a stable base for the screen.



The rotating floor support feet provide stability. Ensure they are fully extended before raising the screen.

3. **Raising the Screen:** Gently pull the screen material upwards from the casing. The screen will rise automatically due to its internal spring mechanism.
4. **Engaging the Telescoping Support Bar:** Once the screen is at the desired height, locate the telescoping support bar at the back of the screen. Extend it and secure it into the designated slot on the screen's frame. This bar provides tension and maintains the screen's height.



A person extending the telescoping support bar to set the screen height. This bar locks the screen into position.

5. **Adjusting Height:** The telescoping support mechanism allows for variable height settings. Adjust the bar to achieve the optimal viewing height for your projection.

Setup Demonstration Video

Your browser does not support the video tag.

Official video demonstrating the quick and easy setup of the ezCinema Portable Projector Screen. This video highlights the telescoping support bar and overall portability.

OPERATING INSTRUCTIONS

1. **Projector Placement:** Position your projector directly in front of the screen. For optimal image quality, ensure the projector is centered and at an appropriate distance to fill the screen without distortion.
2. **Image Adjustment:** Use your projector's settings to adjust focus, keystone correction, and zoom to achieve a clear and properly aligned image on the screen.
3. **Retracting the Screen:** To retract the screen, first disengage the telescoping support bar. Gently guide the screen

material back into its aluminum casing. The internal spring mechanism will slowly pull the screen down. Ensure the screen retracts smoothly to prevent damage.

4. **Storing the Screen:** Once fully retracted, fold the rotating floor support feet back into the casing. The built-in carrying handle allows for easy transport and storage.

MAINTENANCE

- **Cleaning the Screen:** The MaxWhite screen material is durable and easy to clean. Use mild soap and water with a soft cloth to gently wipe the screen surface. Avoid abrasive cleaners or harsh scrubbing, which can damage the material.
- **Casing Care:** Keep the aluminum casing clean and free of debris. Periodically check the moving parts for smooth operation.
- **Storage:** When not in use, store the screen in a dry, cool place to prevent damage from extreme temperatures or humidity.

TROUBLESHOOTING

- **Screen Not Retracting Smoothly:** Ensure the telescoping support bar is fully disengaged. Gently assist the screen's retraction, ensuring no obstructions are present in the casing.
- **Image Distortion/Blurriness:** Check your projector's focus and keystone settings. Ensure the projector is placed perpendicular to the screen and the screen surface is flat and taut.
- **Wavy Screen Surface:** While the ezCinema series is designed for flatness, minor waves can occur. Ensure the screen is fully extended and the support bar is properly engaged. Allow some time for the material to relax.


SPECIFICATIONS

Feature	Detail
Model Number	F135NWH
Diagonal Size	135-inch
Aspect Ratio	16:9
View Size (H x W)	66.2" H x 117.7" W
Overall Size (H x W x D)	115.3" H x 125.1" W x 15.7" D
Screen Material	MaxWhite, 1.1 Gain
Viewing Angle	180 degrees
Compatibility	Active 3D, 4K Ultra HD, HDR Ready (Not compatible with Ultra/Short-throw Projectors)
Certifications	GreenGuard, GreenGuard GOLD, UL 2818
Casing Material	Rugged Aluminum
Item Weight	40.7 pounds

ezCinema Series

Model: **F135NWH**

16:9
Aspect Ratio



※ Overall assembled screen size is subject to data $\pm 1"$ tolerance

Detailed dimensions for the F135NWH model, including viewable area and overall screen size.

WARRANTY AND SUPPORT

Elite Screens provides comprehensive support for its products:

- **Standard Warranty:** 2-Year Manufacturer Warranty (if purchased NEW).
- **Extended Warranty:** 3-Year ENR-G Manufacturer's Warranty for Educational, Non-profit, Religious, Government, and Military purchases.
- **Technical Support:** Lifetime Technical Support available via Email, Web Chat, or Toll-Free Phone Call by Elite Screens' Professional Service Team.

For further assistance, please refer to the official Elite Screens website or contact their customer service directly.

