

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Master Lock](#) /
- › [Master Lock 5KALF-473 Laminated Padlock User Manual](#)

Master Lock 5KALF-473

Master Lock 5KALF-473 Laminated Padlock User Manual

Model: 5KALF-473

Brand: Master Lock

INTRODUCTION

This manual provides essential information for the proper use, setup, and maintenance of your Master Lock 5KALF-473 Laminated Padlock. Please read this manual thoroughly before using the product to ensure safe and effective operation.



Master Lock 5KALF-473 Laminated Padlock. This image shows the front view of the padlock, featuring its laminated steel body, chrome-plated shackle, and blue plastic bumper with the "Master" logo.

PRODUCT OVERVIEW

The Master Lock 5KALF-473 is a durable, keyed-alike laminated padlock designed for general security applications. It features a solid steel body and a hardened steel shackle for enhanced cut resistance.

Key Features

- 2-inch (51mm) wide laminated steel body for strength.
- 1-1/2 inch (38mm) tall, 5/16 inch (8mm) diameter hardened steel shackle for cut resistance.
- 4-pin tumbler cylinder for increased pick resistance.
- Keyed Alike: All padlocks in a set open with the same key.
- Dual locking levers for added pry resistance.
- Non-rekeyable cylinder.

SETUP

The Master Lock 5KALF-473 padlock comes pre-assembled and ready for use.

Initial Inspection

- Inspect the padlock for any signs of damage from shipping.
- Verify that the keys provided operate the padlock smoothly.

Key Management

- Keep a spare key in a secure location separate from the padlock.
- Do not leave keys unattended or in easily accessible places.

OPERATING INSTRUCTIONS

Locking the Padlock

1. Ensure the shackle is fully open.
2. Position the shackle through the item(s) you wish to secure.
3. Push the shackle firmly into the padlock body until it clicks into place.
4. Tug on the shackle to ensure it is securely locked.

Unlocking the Padlock

1. Insert the correct key into the keyway.
2. Turn the key clockwise (or counter-clockwise, depending on the lock) until the shackle springs open.
3. Remove the shackle from the secured item(s).
4. Remove the key from the keyway.

MAINTENANCE

Regular maintenance will ensure the longevity and smooth operation of your padlock.

- **Lubrication:** Apply a small amount of graphite-based lubricant or a silicone spray into the keyway and around the shackle entry points every 6-12 months, or more frequently in harsh environments. Avoid oil-based lubricants as they can attract dirt.
- **Cleaning:** Wipe the padlock body and shackle with a clean, dry cloth to remove dirt and debris.
- **Storage:** When not in use, store the padlock in a dry environment to prevent corrosion.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Key is difficult to insert or turn	Dirt or debris in keyway; lack of lubrication	Apply graphite lubricant to the keyway. Gently wiggle the key while turning.
Shackle is stiff or won't open	Corrosion; lack of lubrication; shackle misalignment	Apply lubricant to shackle entry points. Ensure the key is fully inserted and turned.
Padlock does not lock	Shackle not fully inserted; internal mechanism issue	Ensure shackle is pushed firmly until it clicks. If problem persists, contact support.

SPECIFICATIONS

- **Model Number:** 5KALF-473
- **Body Width:** 2 inches (51mm)
- **Shackle Height:** 1-1/2 inches (38mm)
- **Shackle Diameter:** 5/16 inches (8mm)
- **Material:** Laminated Alloy Steel
- **Lock Type:** Key Lock, 4-pin tumbler
- **Finish:** Laminated
- **Item Weight:** Approximately 1.05 - 1.1 pounds
- **Dimensions (L x W x H):** 5 x 3 x 2 inches
- **UPC:** 071649028014

WARRANTY INFORMATION

Specific warranty details for the Master Lock 5KALF-473 Laminated Padlock are not provided in this manual. Please refer to the manufacturer's official website or contact Master Lock customer service for current warranty terms and conditions.



CUSTOMER SUPPORT





For further assistance or inquiries regarding your Master Lock product, please visit the official Master Lock website or contact their customer service department.

Master Lock Official Website: www.masterlock.com

© 2024 Master Lock Company LLC. All rights reserved.

Related Documents - 5KALF-473

	<p>How to Change Combination on Master Lock M176XDLH Padlock</p> <p>Step-by-step instructions for changing the combination on your Master Lock M176XDLH padlock. Learn how to reset your combination easily and securely.</p>
	<p>Master Lock 5400D Shackle Model Key Storage Lock Box Instructions</p> <p>Detailed instructions for using, setting a new combination, and hanging the Master Lock 5400D Shackle Model key storage lock box. Learn how to operate the combination lock and secure your keys.</p>

	<p>Master Lock Model 175D Combination Change Instructions</p> <p>Step-by-step guide on how to change the combination for the Master Lock Model 175D padlock.</p>
	<p>Master Lock Combination Lock with Key: Setting and Retrieving Your Code</p> <p>Learn how to easily set a new combination and retrieve a lost code for your Master Lock combination padlock with key. Step-by-step instructions for security and convenience.</p>
	<p>Master Lock #5400D Key Storage Combination Lock Instructions</p> <p>Comprehensive instructions for operating, setting combinations, and using the Master Lock #5400D portable key safe with shackle. Learn how to open, secure, and maintain your key storage lock.</p>
	<p>Custom Laser Engraving for Master Lock Pro Series Padlocks 7000-0593</p> <p>Learn how to customize Master Lock Pro Series Weather Tough® and Iron Shroud Padlocks with custom laser engraving, including logos and text. Download the order form and authorization.</p>