Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

FastCap KK.50PC.METAL.WH

FastCap Metal Kolbe Korner Instruction Manual

Model: KK.50PC.METAL.WH

1. Introduction

The FastCap Metal Kolbe Korner is a specialized metal bracket designed to simplify the installation of shaker drawer fronts and Euro drawer bottoms. These corners provide a secure and adjustable method for attaching drawer components, ensuring precise alignment and stability. This manual provides detailed instructions for the proper use and maintenance of your Kolbe Korners.

2. Product Overview

The Kolbe Korner is a durable metal bracket engineered for efficient drawer assembly. Its design allows for quick mounting and easy adjustments, making it an essential component for professional and DIY cabinet projects.

Key Features:

- Facilitates quick and easy mounting of drawer fronts.
- Enables simple adjustments to mounted drawers for perfect alignment.



Figure 2.1: The FastCap Metal Kolbe Korner 50-pack, showing multiple white metal corners in their clear plastic packaging.



Figure 2.2: A FastCap Metal Kolbe Korner installed on the side of a white drawer box, attaching it to a wooden drawer front. The corner is secured with screws, and the slotted holes allow for adjustment.




Figure 2.3: A close-up view of a single white FastCap Metal Kolbe Korner, highlighting its L-shaped design and the oval-shaped slotted screw holes on each flange for precise adjustment.

3. Setup and Installation

The Kolbe Korners are designed for straightforward installation. Follow these steps to attach drawer fronts or bottoms securely:

1. **Prepare Components:** Ensure your drawer box and drawer front/bottom are clean and free of debris. Identify the desired mounting locations for the Kolbe Korners.
2. **Position the Korner:** Place a Kolbe Korner at the desired attachment point, typically on the inside corner of the drawer box where it meets the drawer front or bottom. The slotted holes should align with the direction of adjustment needed.
3. **Secure to Drawer Box:** Using appropriate screws (not included), fasten one flange of the Kolbe Korner to the drawer box. Do not overtighten initially, allowing for minor adjustments.
4. **Attach Drawer Front/Bottom:** Align the drawer front or bottom with the drawer box. Fasten the second flange of the Kolbe Korner to the drawer front or bottom using screws.
5. **Adjust Alignment:** Utilize the slotted holes to make fine adjustments to the position of the drawer front or bottom. Slide the component until it is perfectly aligned.
6. **Final Tightening:** Once alignment is satisfactory, fully tighten all screws to secure the Kolbe Korners in place.

4. Operating Instructions

The Kolbe Korners function as fixed mounting brackets once installed. Their primary 'operation' involves the initial adjustment phase during installation:

- **Post-Installation Adjustment:** If minor adjustments are needed after initial installation, slightly loosen the screws securing the Kolbe Korner, reposition the drawer front/bottom using the slotted holes, and then re-tighten the screws.
- **Removal:** To remove a drawer front or bottom, simply unscrew the Kolbe Korners from both the drawer box and the attached component.

5. Maintenance

FastCap Metal Kolbe Korners require minimal maintenance due to their durable metal construction.

- **Cleaning:** If necessary, wipe the corners with a dry or slightly damp cloth to remove dust or debris. Avoid abrasive cleaners.
- **Inspection:** Periodically inspect installed Kolbe Korners for any signs of loosening screws or damage. Tighten screws as needed.
- **Storage:** Store unused Kolbe Korners in a dry environment to prevent corrosion.

6. Troubleshooting

Most issues related to Kolbe Korners can be resolved with simple adjustments.

- **Drawer Front/Bottom Not Level:**
  Solution: Loosen the screws on the Kolbe Korners slightly. Adjust the drawer front/bottom up or down using the slotted holes until level. Re-tighten screws.
- **Drawer Front/Bottom Not Flush:**
  Solution: Ensure the Kolbe Korners are fully seated against both the drawer box and the drawer front/bottom. Check that screws are tightened securely. If the issue persists, verify the dimensions of your drawer components.
- **Screws Stripping:**
  Solution: Use screws of appropriate length and diameter for your material. Avoid overtightening. If a hole is stripped, consider using a slightly larger screw or a wood filler to repair the hole before re-inserting the screw.

7. Specifications

Model Number	KK.50PC.METAL.WH
Material	Metal
Item Weight	1.1 pounds (for 50-pack)
Product Dimensions	Approximately 3 x 3 x 1 inches (packaging)
Item Package Quantity	50 pieces
Country of Origin	China

8. Warranty and Support

Warranty Information:

Any FastCap product found to be defective under normal use will be replaced at no cost.

Customer Support:

For further assistance, technical support, or warranty claims, please contact FastCap customer service through their official website or designated support channels.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B000BF13XM

More documents and user manuals: **https://manuals.plus/**