

[Manuals.plus](#) /

› [Standard Motor Products](#) /

› Standard Motor Products NS127 Clutch Switch User Manual


Standard Motor Products NS127

Standard Motor Products NS127 Clutch Switch

USER MANUAL

Brand: **Standard Motor Products** | Model: **NS127**

PRODUCT OVERVIEW



This image displays the Standard Motor Products NS127 Clutch Switch, a black, rectangular automotive component with a multi-pin connector on one end, designed for reliable performance in vehicle clutch systems.

The Standard Motor Products NS127 Clutch Switch is an essential automotive component designed to monitor the position of the clutch pedal. It plays a critical role in various vehicle systems, including engine starting, cruise control disengagement, and transmission control. This switch ensures proper vehicle operation and safety by providing accurate signals to the vehicle's electronic control unit (ECU).

Key Features:

- Country Of Origin : China
- Compact dimensions: 4.6 inches (Length) x 2.72 inches (Width) x 1.87 inches (Height)
- Designed for reliable clutch position sensing
- Ensures proper vehicle starting and cruise control operation

SETUP AND INSTALLATION

Installation of the NS127 Clutch Switch typically involves replacing an existing faulty switch. Due to the critical nature of this component and its integration with vehicle safety systems, professional installation by a qualified automotive technician is highly recommended. Incorrect installation can lead to vehicle malfunction or safety hazards.

General Installation Steps (Consult Vehicle Service Manual):

1. **Safety First:** Disconnect the vehicle's battery to prevent electrical shorts and accidental starting.
2. **Locate the Switch:** Identify the clutch switch, usually mounted near the clutch pedal assembly.
3. **Disconnect Wiring:** Carefully unplug the electrical connector from the old switch.
4. **Remove Old Switch:** Unmount the old switch from its bracket or mounting point. This may involve twisting, unbolting, or releasing clips.
5. **Install New Switch:** Position the new NS127 switch into the mounting location and secure it. Ensure it is properly aligned and seated.
6. **Reconnect Wiring:** Plug the electrical connector firmly into the new switch.
7. **Test Functionality:** Reconnect the vehicle's battery. Test the clutch switch operation by attempting to start the vehicle (if applicable) and verifying cruise control functionality.

Always refer to your specific vehicle's service manual for detailed, model-specific installation instructions and torque specifications.

OPERATION

The Standard Motor Products NS127 Clutch Switch operates as a sensor that detects the position of the clutch pedal. When the clutch pedal is depressed, the switch changes its state (e.g., from open to closed or vice-versa), sending a signal to the vehicle's onboard computer. This signal is used for several functions:

- **Engine Starting:** In many manual transmission vehicles, the clutch pedal must be fully depressed for the engine to start. The clutch switch confirms this position, acting as a safety interlock.
- **Cruise Control Disengagement:** When cruise control is active, depressing the clutch pedal signals the system to disengage, preventing engine over-revving or unexpected acceleration.
- **Transmission Control:** In some vehicles, the switch may provide input for transmission shift points or other related functions.

The switch is designed for reliable and consistent operation, providing accurate feedback to the vehicle's systems.

MAINTENANCE

The Standard Motor Products NS127 Clutch Switch is a sealed, maintenance-free component. Regular maintenance is generally not required for the switch itself. However, it is advisable to:

- **Inspect Wiring:** Periodically check the electrical connector and wiring leading to the switch for any signs of damage, corrosion, or loose connections.
- **Keep Area Clean:** Ensure the area around the clutch pedal and switch is free from excessive dirt, debris, or moisture that could interfere with its operation.
- **Proper Pedal Travel:** Ensure the clutch pedal operates smoothly and has its full range of motion, as interference can affect switch activation.

If any issues are observed, professional inspection and diagnosis are recommended.

TROUBLESHOOTING

If you experience issues that might be related to the clutch switch, consider the following common symptoms. Note that these symptoms can also be caused by other vehicle components, so professional diagnosis is often necessary.

Common Symptoms of a Faulty Clutch Switch:

- **Vehicle Will Not Start:** If the engine does not crank when the clutch pedal is fully depressed, the clutch interlock switch may be faulty.
- **Cruise Control Malfunction:** Cruise control may not engage, or it may not disengage when the clutch pedal is pressed.
- **Check Engine Light:** In some cases, a faulty clutch switch can trigger a diagnostic trouble code (DTC) and illuminate the check engine light.
- **Difficulty Shifting:** While less common, an incorrect signal from the clutch switch could potentially affect transmission behavior in certain vehicle models.

Important: Do not attempt to bypass safety interlock switches. If you suspect a problem with your clutch switch, it is best to have your vehicle inspected by a certified mechanic.

SPECIFICATIONS

Attribute	Value
Model Number	NS127
Brand	Standard Motor Products
Operation Mode	ON-OFF
Current Rating	20 Amps
Operating Voltage	5 Volts
Contact Type	Normally Open
Connector Type	Crimp
Terminal	Screw
Item Dimensions (L x W x H)	3 x 2 x 5 inches
Item Weight	1.6 ounces

Attribute	Value
International Protection Rating	IP00
Specification Met	Clutch
UPC	091769333041
Manufacturer	Standard Motor Products
Date First Available	December 2, 2005

WARRANTY INFORMATION

Specific warranty terms for the Standard Motor Products NS127 Clutch Switch are provided by the manufacturer. For detailed warranty coverage, duration, and claim procedures, please refer to the documentation included with your purchase or contact Standard Motor Products directly. Protection plans may also be available for extended coverage, as detailed by third-party providers.

SUPPORT

For technical assistance, product inquiries, or support regarding the Standard Motor Products NS127 Clutch Switch, please contact Standard Motor Products customer service. You can often find contact information on their official website or through the retailer where the product was purchased.

For more information about Standard Motor Products, visit their brand page:[Standard Motor Products Official Page](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B000C81KQI>

More documents and user manuals: <https://manuals.plus/>