

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [LASCO](#) /

› [LASCO 03-4669 Replacement Lavatory Drain Lift Rod and Strap Assembly Instruction Manual](#)

### LASCO 03-4669

# LASCO 03-4669 Replacement Lavatory Drain Lift Rod and Strap Assembly Instruction Manual

Model: 03-4669

## INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of the LASCO 03-4669 Replacement Lavatory Drain Lift Rod and Strap Assembly. Please read these instructions carefully before beginning installation to ensure proper function and longevity of the product. This assembly is designed to replace existing lift rod and strap mechanisms in lavatory drains, compatible with Price Pfister and other similar units.

## PRODUCT OVERVIEW

The LASCO 03-4669 is a chrome-plated replacement lift rod and strap assembly for lavatory pop-up stoppers. It is commonly used in bathroom sinks to control the drain stopper. The assembly includes the lift rod, which extends above the faucet, and the strap, which connects to the pop-up stopper mechanism below the sink.



Image: The LASCO 03-4669 Replacement Lavatory Drain Lift Rod and Strap Assembly, showing the chrome-plated lift rod with multiple adjustment holes and the connecting strap.

## SETUP AND INSTALLATION

### Tools Required:

- Adjustable wrench or pliers
- Screwdriver (Phillips or flathead, depending on existing hardware)
- Rag or towel
- Bucket (optional, for catching water)
- Plumber's putty or silicone sealant (if replacing the entire drain assembly, not just the rod/strap)

## Installation Steps:

1. **Preparation:** Turn off the water supply to the sink and drain any remaining water. Place a bucket under the drain to catch any drips.
2. **Remove Old Assembly:**
  - Locate the pivot rod nut on the drain tailpiece under the sink. Loosen and remove this nut.
  - Carefully pull out the old pivot rod and stopper.
  - Disconnect the old lift rod from the strap and remove the old strap.
3. **Clean Area:** Clean any debris or old sealant from around the drain opening and the pivot rod opening.
4. **Install New Strap:**
  - Attach the new LASCO strap to the pivot rod of your existing pop-up stopper mechanism. Ensure it is securely fastened.
5. **Connect Lift Rod:**
  - Insert the new lift rod through the faucet body opening.
  - Connect the bottom end of the lift rod to one of the holes in the new strap. Choose a hole that allows the stopper to fully open and close.
  - Secure the connection, typically with a small screw or clip, if provided with your stopper mechanism.
6. **Test and Adjust:**
  - Operate the lift rod to ensure the drain stopper moves freely and seals properly when closed.
  - If the stopper does not seal or open correctly, adjust the connection point on the strap until optimal operation is achieved.
7. **Final Check:** Turn the water supply back on and check for any leaks around the drain assembly. Tighten connections if necessary.

*Note: If you are replacing the entire drain pop-up assembly, additional steps involving plumber's putty and tightening the drain body will be required. This manual focuses specifically on the lift rod and strap component.*

## OPERATING INSTRUCTIONS

To operate the lavatory drain stopper using the LASCO 03-4669 Lift Rod and Strap Assembly:

- **To Close the Drain:** Push the lift rod down. This action will lower the pop-up stopper into the drain opening, sealing it to retain water in the sink.
- **To Open the Drain:** Pull the lift rod up. This action will raise the pop-up stopper, allowing water to drain from the sink.

Ensure the rod moves smoothly and the stopper fully engages in both positions.

## MAINTENANCE

Regular maintenance helps ensure the smooth operation and extends the life of your drain assembly:

- **Cleaning:** Periodically clean the visible parts of the lift rod with a soft cloth and mild soap. Avoid abrasive cleaners that can damage the chrome finish.
- **Check for Debris:** If the stopper mechanism becomes sluggish, remove the stopper and clean any hair or debris that may have accumulated around the pivot rod or inside the drain.
- **Lubrication:** If the pivot rod feels stiff, a small amount of plumber's grease can be applied to the pivot ball to improve movement.
- **Inspect Connections:** Occasionally check the connection between the lift rod and the strap, and the pivot rod nut, to ensure they remain tight and secure.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Stopper does not lift or close fully.	<ul style="list-style-type: none"><li>◦ Lift rod not properly connected to strap.</li><li>◦ Debris around stopper or pivot rod.</li><li>◦ Pivot rod nut too tight or too loose.</li></ul>	<ul style="list-style-type: none"><li>◦ Adjust the connection point on the strap.</li><li>◦ Remove stopper and clean debris.</li><li>◦ Adjust pivot rod nut for proper tension.</li></ul>
Water leaks from pivot rod nut.	<ul style="list-style-type: none"><li>◦ Loose pivot rod nut.</li><li>◦ Worn or damaged gasket/washer.</li></ul>	<ul style="list-style-type: none"><li>◦ Tighten the pivot rod nut.</li><li>◦ Replace the gasket/washer.</li></ul>
Lift rod feels stiff or sticky.	<ul style="list-style-type: none"><li>◦ Lack of lubrication on pivot rod.</li><li>◦ Corrosion or mineral buildup.</li></ul>	<ul style="list-style-type: none"><li>◦ Apply plumber's grease to the pivot ball.</li><li>◦ Clean pivot rod and surrounding area.</li></ul>

## SPECIFICATIONS

Feature	Detail
Model Number	03-4669
Brand	LASCO
Material	Chrome-plated metal rod, plastic strap
Product Dimensions	1.45 x 11.75 x 2 inches
Item Weight	0.353 ounces
Compatibility	Fits Price Pfister and other similar lavatory drain units.


## WARRANTY AND SUPPORT

For warranty information or technical support regarding your LASCO 03-4669 Replacement Lavatory Drain Lift Rod and Strap Assembly, please contact LASCO customer service directly. Refer to the product packaging or the official LASCO website for current contact details and warranty terms.

**Manufacturer:** LASCO

© 2023 LASCO. All rights reserved. Information in this manual is subject to change without notice.

## Related Documents - 03-4669

	<p><b><a href="#">EasyLift V3 PLUS User Manual</a></b></p> <p>Comprehensive user manual for the Liftup EasyLift V3 PLUS platform lift, covering installation, operation, maintenance, safety, and technical specifications.</p>
	<p><b><a href="#">Sinkology Heavy Duty Disposal Flange Drain - TD35 Series</a></b></p> <p>Discover the Sinkology Heavy Duty Disposal Flange Drain, available in Stainless Steel (#TD35-03), Matte Black (#TD35-06), and Satin Gold (#TD35-07). Features durable construction, compatibility with InSinkErator disposals, and a lifetime warranty.</p>
	<p><b><a href="#">Metso Outotec Crusher Product Training - Comprehensive Guide</a></b></p> <p>Learn about Metso Outotec's comprehensive crusher product training, covering safe operation, maintenance, automation, and troubleshooting for various crusher types. Enhance productivity and efficiency with expert-led courses.</p>
	<p><b><a href="#">YITAMOTOR Towing Mirrors Installation Guide for Chevy Silverado &amp; GMC Sierra (2003-2006)</a></b></p> <p>Detailed installation instructions for YITAMOTOR towing mirrors, covering door panel removal, mirror mounting, wiring, and reassembly for 2003-2006 Chevrolet Silverado, Tahoe, Suburban, Avalanche, and GMC Sierra, Yukon models.</p>
	<p><b><a href="#">Liftup EasyLift V3 PLUS User Manual - Installation, Operation &amp; Safety Guide</a></b></p> <p>Official user manual for the Liftup EasyLift V3 PLUS platform lift. Find detailed information on installation, operation, safety features, technical specifications, maintenance, and troubleshooting. Essential guide for wheelchair users and accessibility needs.</p>



**ELECTRIC  
DRAIN JETTING MANUAL**

[VALOR Electric Drain Jetting Manual - Operation and Safety Guide](#)

Comprehensive manual for VALOR Electric Drain Jetting machines, covering essential safety precautions, operating instructions, maintenance, and troubleshooting for models AM350E-01, AM350E-02, and AM350E-03.

Documents - LASCO – 03-4669



**Nich Mize**  
SYSTEMS  
SINK REPAIR

[\[pdf\] Declaration of Conformity Catalog](#)

BLISH MIZE CATALOG 2016.indd Igannon LASCO 05 2105 101748669 McLendon Hardware 101748626 Catalog assets unilogcorp 187 ITEM DOC |||

SINK REPAIR Lasco # Blish Mize SKU Description 0-2053 5960208 Lavatory Pop Up Stopper Only, Fo ... Plated Trim, Lavatory Pop Up Drain Assembly, Includes All Linkage Components. Carded. 052151074409 **03-4669** 5962220 Replacement Vertical Lavatory Faucet Drain, Pop Up Lift Rod Strap Assembly, Fits ...

lang:de score:19 filesize: 1.36 M page\_count: 14 document date: 2016-09-27



**HDIW INC.**  
Hardware Distribution Warehouses, Inc.

**DISPLAYS**

[\[pdf\] Declaration of Conformity Catalog](#)

WORLD MAIN 2016 CATALOG.indd Igannon LASCO 103239719 Catalog assets unilogcorp 187 ITEM DOC Catalog |||

DISPLAYS ANGLE STOPS AND FLEX DISPLAY 40 ANGLE STOPS FLEX 40 x 7 DISPL AY 01/18/11 ... 335 03-4339 03-4341 03-4345 03-4347 03-4355 03-4501 03-4521 03-4571 03-4601 03-4607 03-4621 03-4631 **03-4669** 03-4691 03-4703 03-4703L 03-4703N 08-1511 08-1525 08-1527 08-1529 08-1531 36-5001 36-5007 39...

lang:i-klingon score:18 filesize: 8.48 M page\_count: 90 document date: 2017-08-15



**Do it Best**  
**LARSEN**  
PRODUCT  
**CATALOG**

**LARSEN**  
SUPPLY  
COMPANY

**LASCO**  
the preferred brand  
• Service  
• Selection  
• Support

[\[pdf\] Declaration of Conformity Catalog](#)

DO IT BEST NEW CATALOG 2015 BLISH MIZE Igannon LASCO 103239764 Catalog assets unilogcorp 187 ITEM DOC |||

PRODUCT CATALOG LARSEN SUPPLY COMPANY ANGLE STOPS FLEX LINES Lasco # SKU Description Pictu ... e, Half Chrome Plated Metal And Half Plastic Bathroom Lavatory Pop Up Drain With Overflow. Carded. **03-4669** 402216 Vertical Faucet Pop Up Rod Assembly, Fits Price Pfister Most Pop Ups. Carded. SIN...

lang:en score:17 filesize: 6.85 M page\_count: 194 document date: 2015-09-02

TUBULAR SINK STRAINERS AND REPLACEMENT BASKETS			
BULK NO.	DESCRIPTION	CARDED NO.	QTY.
<b>TWO INCH OUTLET STRAINERS</b>			
03-1010	24 Flat top strainer Domestic	03-1011	6
03-1010P	12 Same as above (Power Pack)	03-1029	6
03-1029P	12 Same as above (Power Pack)	03-1031	6
03-1029P	12 Same as above (Power Pack)	03-1027	6
03-1032	25 Flat top strainer Long Shank	03-1023	6
03-1032P	12 Same as above (Power Pack)	03-1024	6
03-1108	100 Junior disk strainer	03-1001	6
03-1108P	12 Same as above (Power Pack)	03-1011	6
03-1109	100 Junior disk strainer	03-1001	6
03-1109P	12 Same as above (Power Pack)	03-1011	6
03-1040	25 Brass heavy-duty CP Brass disk strainer (Kotler Style)	03-1039	6
03-1040	25 Stainless steel disk strainer Domestic	03-1041	6
03-1044	25 CP brass code disk strainer Domestic	03-1045	6
03-1046	25 EZ-ON strainer Domestic	03-1049	6
03-1030	50 EZ-ON strainer Import	03-1021	6
03-1050	50 Brass heavy-duty CP Brass disk strainer (Kotler Style)	03-1051	6
03-1050P	50 Same as above (Power Pack)	03-1051	6
03-1064	50 Oil Rub Bronze Strainer	03-1056	6
03-1065	50 White Strainer	03-1057	6
03-1079	50 White Brass and SS top strainer	03-1059	6
03-1069P	24 Same as above (Power Pack)	03-1065	6
03-1065	50 Satin Nickel (Post Type)	03-1067	6
03-1065	50 Satin Nickel (Post Type)	03-1067	6
03-1065	50 Satin Nickel (Post Type)	03-1067	6
03-1070	40 Flat top strainer Domestic	03-1071	6
03-1070P	12 Same as above (Power Pack)	03-1073	6
03-1070P	12 Same as above w/Zinc nuts	03-1073	6
03-1128P	12 Same as above w/Zinc nuts	03-1129	6
03-1130	25 Spin-n-Grid basket strainer Domestic	03-1131	6
03-1150	50 Sink strainer Long Shank	03-1151	6

## [pdf] Declaration of Conformity Catalog

sec03 Sec03 qxd User McLendon Hardware LASCO 101629376 Catalog assets unilogcorp 187 ITEM

DOC |||

## TUBULAR SINK STRAINERS AND REPLACEMENT BASKETS BULK NO. CTN.

QTY. DESCRIPTION CARDED NO. CTN. ...., flange and rod 6 03-4659 C Polished brass stopper, flange and rod 6 POP-UP RODS 03-4661 C **03-4669** C 03-4671 C 03-4673 C 03-4662P P 03-4663 C 03-4666P P Delta Rod and strap assembly...

lang:tl score:10 filesize: 813.12 K page\_count: 40 document date: 2011-08-18