

Shure KSM9/CG

Shure KSM9/CG Charcoal Grey Vocal Condenser Microphone User Manual

1. INTRODUCTION

The Shure KSM9/CG is a premium vocal condenser microphone engineered for demanding live performance environments. It is designed to capture vocal subtleties with extraordinary detail, delivering clear articulation and precise vocal reproduction. Featuring a dual diaphragm design and switchable polar patterns, the KSM9/CG offers functional flexibility for various sound reinforcement applications.



Image 1.1: The Shure KSM9/CG Charcoal Grey vocal condenser microphone.

2. KEY FEATURES

The Shure KSM9/CG microphone incorporates several advanced features to ensure high-quality audio performance:

- **Exceptional Frequency Consistency:** Provides more gain before feedback and reduced proximity effect across all frequencies.
- **Dual Diaphragm Design:** Features dual gold-layered, low-mass Mylar diaphragms for superior frequency response.
- **Switchable Polar Patterns:** Offers both supercardioid and cardioid patterns for maximum flexibility in various performance applications.
- **Advanced Shock Mount:** An advanced suspension shock mount system isolates the cartridge from handling and stand noise.

- **Premium Electronics:** Includes Class A, discrete, transformerless preamplifier circuitry for transparent, fast transient response with minimal distortion.

3. WHAT'S IN THE BOX

Upon opening your Shure KSM9/CG package, you should find the following items:

- Shure KSM9/CG Vocal Condenser Microphone
- Aluminum Carrying Case
- Microphone Clip



Image 3.1: Contents of the Shure KSM9/CG package, including the microphone, carrying case, and clip.

4. SETUP

4.1. Connecting the Microphone

1. Ensure your audio mixer or interface is powered off before connecting the microphone.
2. Connect the XLR output of the KSM9/CG microphone to an available XLR input on your mixer or audio interface using a standard XLR cable.
3. The KSM9/CG is a condenser microphone and requires **48V phantom power** to operate. Activate phantom power on the connected input channel of your mixer or interface. Refer to your mixer's manual for instructions on enabling phantom power.
4. Power on your audio mixer or interface.

4.2. Polar Pattern Selection

The KSM9/CG features a switch to select between two polar patterns: cardioid and supercardioid. This switch is typically located on the microphone body. Select the appropriate pattern based on your performance environment and desired sound isolation.



Image 4.1: Front view of the Shure KSM9/CG, highlighting the microphone's design and branding.

5. OPERATION

5.1. Understanding Polar Patterns

- **Cardioid:** This pattern picks up sound primarily from the front of the microphone, with good rejection from the sides and rear. It provides excellent sound isolation and gain before feedback, with minimal off-axis coloration. Ideal for general vocal use in controlled environments.
- **Supercardioid:** This pattern is narrower than cardioid, offering even greater rejection from the sides and a small lobe of sensitivity directly at the rear. It provides maximum sound isolation and is ideal for applications with high levels of ambient noise or when multiple sound sources are close together, helping to minimize bleed from other instruments or vocalists.

5.2. Microphone Placement

Proper microphone placement is crucial for optimal sound quality. Experiment with the distance and angle to the sound source to achieve the desired tone and minimize unwanted noise. For vocals, typically hold the microphone 2-6 inches from the mouth.

6. MAINTENANCE

- **Cleaning:** Wipe the microphone body with a soft, dry cloth. For the grille, use a soft brush to remove debris. Avoid using liquid cleaners directly on the microphone.
- **Storage:** Store the microphone in its aluminum carrying case when not in use to protect it from dust, moisture, and physical damage.
- **Handling:** Handle the microphone with care. Avoid dropping it or exposing it to extreme temperatures or humidity.

7. TROUBLESHOOTING

7.1. No Sound Output

- **Check Connections:** Ensure all XLR cables are securely connected between the microphone and the audio input.
- **Phantom Power:** Verify that 48V phantom power is enabled on the input channel connected to the microphone. Condenser microphones will not operate without it.
- **Input Gain:** Confirm that the input gain on your mixer or interface is set appropriately and not turned down completely.
- **Cable Integrity:** Test with a different XLR cable to rule out a faulty cable.

7.2. Distorted Sound

- **Input Gain:** Reduce the input gain on your mixer or interface if the signal is clipping or distorting.
- **Proximity:** If the sound is boomy or distorted due to proximity effect, increase the distance between the microphone and the sound source.
- **Polar Pattern:** Ensure the selected polar pattern is suitable for the environment and sound source.

7.3. Feedback

- **Microphone Placement:** Reposition the microphone further away from loudspeakers or monitors.
- **Polar Pattern:** Utilize the supercardioid pattern for maximum rejection of off-axis sounds, especially from monitors.
- **Gain Reduction:** Lower the overall gain on the input channel or main output.

8. SPECIFICATIONS

Specification	Value
Cartridge Type	Condenser (Electret Biased)
Frequency Response	50 to 20,000 Hz
Output Impedance	150 ohms (actual)

Specification	Value
Phantom Power Requirement	48 Vdc +/- 4 Vdc (IEC-268-15/DIN 45 596)
Current Drain	5.2 mA typical at 48 Vdc
Polar Patterns	Cardioid, Supercardioid
Sensitivity (typical; at 1000 Hz; 1 Pa = 94 dB SPL)	-51 dBV/Pa
Self-noise (A-weighted, IEC 651)	22 dB
Maximum SPL @ 1000 Hz (2500 ohm load)	152 dB
Dynamic Range (2500 ohm load)	130 dB
Signal to Noise ratio	72 dB
Weight	300 grams (10.6 oz)
Dimensions (L x Max Body Dia.)	191 mm (7.5 in.) x 49 mm (1 15/16 in.)
Material	Aluminum
Color	Charcoal Grey

9. WARRANTY AND SUPPORT




For warranty information, technical support, or service inquiries regarding your Shure KSM9/CG microphone, please refer to the official Shure website or contact Shure customer service directly. Keep your proof of purchase for warranty claims.

You can visit the official Shure website for more information: www.shure.com

© 2023 Shure Incorporated. All rights reserved.

Related Documents - KSM9/CG

	Shure WL183M, WL184M, WL185M Lavalier Condenser Microphone User Guide and Specifications Comprehensive user guide and technical specifications for Shure WL183M, WL184M, and WL185M lavalier condenser microphones, covering general description, model variations, installation, performance specifications, accessories, and wiring.
---	--


	Shure NXN8 Handheld Vocal Microphone: User Guide, Specs, and Features Explore the Shure NXN8 Handheld Vocal Microphone. This user guide covers Nexadyne 8/C and 8/S models, Revonic technology, polar patterns, specifications, and accessories. Ideal for professional vocal performances.
	Shure NXN8 Handheld Vocal Microphone: Revonic™ Technology for Superior Sound Discover the Shure NXN8 Handheld Vocal Microphone, featuring Revonic™ dual-engine transducer technology for exceptional vocal clarity, reduced handling noise, and superior performance. Explore specifications, features, and comparisons for the NXN8/C (cardioid) and NXN8/S (supercardioid) models.
	Shure SM7B Cardioid Dynamic Vocal Microphone User Guide Official user guide for the Shure SM7B, a renowned cardioid dynamic vocal microphone. Learn about its general description, mounting instructions, windscreen usage, detailed specifications, accessories, and replacement parts.
	Shure SM7B Cardioid Dynamic Vocal Microphone User Guide User guide for the Shure SM7B Cardioid Dynamic Vocal Microphone, detailing its features, applications, mounting instructions, specifications, accessories, and replacement parts.
	Shure SM58 Vocal Microphone: Features, Specifications, and Usage Guide Detailed information on the Shure SM58 cardioid dynamic vocal microphone, including its general description, features, placement tips, technical specifications, accessories, and certifications.



[\[pdf\]](#) Guide

Shure KSM9 User Guide Incorporated Model ksm9 coutant org shurksm9 |||

User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell Utilizzatore KSM9 ... harsh Reduced proximity effect Focused low-end response 2 MODEL VARIATIONS Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern Cardioid/Supercardioid Handheld Vocal Microphone, Champagne Dual...
lang:en **score:37** filesize: 541.1 K page_count: 8 document date: 2007-03-07



[\[pdf\]](#) User Manual Guide

27b3192 book Shure Incorporated KSM9 User Guide English Recording Hacks RecordingHacks


GENERAL DESCRIPTION The is a dual pattern cardioid and supercardioid handheld condenser microphone Designed expressly for live vocal ©2006 27B3192 Rev 1 Printed in U S A de l 39 Utilisateur Bedienungsanleitung Guia del Usuario Guida dell Utilizzatore manual recordinghacks shure User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell Utilizzatore KSM9 ... harsh Reduced proximity effect Focused low-end response 2 MODEL VARIATIONS Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern Cardioid/Supercardioid Handheld Vocal Microphone, Champagne Dual...
lang:en **score:36** filesize: 2.64 M page_count: 10 document date: 2007-02-07



[\[pdf\]](#) User Manual Guide

Provided by ManualsAndMore Download User Manual Shure KSM9 manualsandmore |||

User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell Utilizzatore KSM9 ... harsh Reduced proximity effect Focused low-end response 2 MODEL VARIATIONS Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern Cardioid/Supercardioid Handheld Vocal Microphone, Champagne Dual...
lang:en **score:33** filesize: 657.93 K page_count: 10 document date: 2019-07-23




[pdf] Specifications

KSM9 CG X ksm9 cg x spec sheet content files shure publications specSheet ja |||
KSM9/CG-X KSM9/CG-X S/N 5020,000Hz 150 -51dBV/Paat 1kHz 1Pa=94 dB SPL
152dB SPL1kHz at 1 THD1k 72dB94dB SPL at 1kHz 130dBat 1kHz1k 6dBVat
2020kHz1 THD1k 22dB SPLA DC11-52V 5.2mA 49191mm 300g A25E 3/8-5/8 : mm
150 180 150 150 180 150 120 120 120 120 Supercard...
lang:pt score:32 filesize: 771.47 K page_count: 1 document date: 2021-08-03



Wireless Microphone Systems Catalog - Full Compass

Explore a comprehensive catalog of professional wireless microphone systems from leading brands like Shure, Sennheiser, AKG, and Audio-Technica, available through Full Compass. This document details various digital and analog UHF/VHF systems, including handheld, bodypack, lavalier, and headset configurations, designed for diverse audio applications.
lang:en score:32 filesize: 38.82 M page_count: 71 document date: 2013-06-05




[pdf] User Manual Guide

Shure KSM9 User Guide English Craig Smith ©2006 Incorporated 27B3192 Rev 1 Printed in U S A de I
39 Utilisateur Bedienungsanleitung Guía del Usuario Guida dell Utilizzatore KSM9Manual
a45725b71f79ba382e75b2ea moxokiauyvgq6l netdna ssl 2014 11
User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell
Utilizzatore KSM9 ... harsh Reduced proximity effect Focused low-end response 2
MODEL VARIATIONS Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern
Cardioid/Supercardioid Handheld Vocal Microphone, Champagne Dual...
lang:en score:31 filesize: 370.64 K page_count: 10 document date: 2010-02-21




[\[pdf\]](#) Guide

27b3192 book User Guide de l Utilisateur Bedienungsanleitung Guía del Usuario Guida dell Utilizzatore
home httpd data media e ksm9wired c3 zzounds e045bf052a8f3d776556f57bfd86b521 |||
User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell
Utilizzatore KSM9 ... harsh Reduced proximity effect Focused low-end response 2
MODEL VARIATIONS Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern
Cardioid/Supercardioid Handheld Vocal Microphone, Champagne Dual...
lang:en **score:31** filesize: 2.35 M page_count: 49 document date: 2006-03-15



[\[pdf\]](#) Specifications

SHURE KSM9 CG v1content files shure publications specSheet ja ksm9 cg x
spec sheet ga 2 201288168 774081468 1655967260 362372022 1652234847 gl 1*oli1m*
ga*MzYyMzcyMDIyLjE2NTIyMzQ4NDc *
DB3CR9SF0C*MTY1NTkzOTc0My42LjEuMTY1NTk3MjE3OS41Mg |||
KSM9/CG-X KSM9/CG-X S/N 5020,000Hz 150 -51dBV/Paat 1kHz 1Pa=94 dB SPL
152dB SPL1kHz at 1 THD1k 72dB94dB SPL at 1kHz 130dBat 1kHz1k 6dBVat
2020kHz1 THD1k 22dB SPLA DC11-52V 5.2mA 49191mm 300g A25E 3/8-5/8 : mm
150 180 150 180 150 120 120 120 120 Supercard...
lang:pt **score:29** filesize: 771.47 K page_count: 1 document date: 2021-08-03



[\[pdf\]](#) User Manual Owner's Manual Guide

183KSM141C Shure Cardioid Omni Cond Mic Dual Pattern Studio Champagne CRUTCHFIELD COM
JOSHN KSM141 owner s manual Small diaphragm dual pattern condenser microphone at Crutchfield
crutchfieldonline ImageBank v20140213141400 Manuals 183 |||
User Guide 2007, Shure Incorporated 27C3156 Rev. 4 Printed in U.S.A. SHURE
INCORPORATED KSM141 ... s Included: t Locking aluminum carrying case t Stand
adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories
Included: t Locking aluminum carrying case t Stand adapter 20Hz ...
lang:en **score:29** filesize: 1.3 M page_count: 18 document date: 2014-02-13



[\[pdf\]](#) User Manual Guide

Руководство пользователя Shure KSM9 CG купить Вокальные микрофоны в Москве интернет магазине по низкой цене rukovodstvo polzovatelya shure ksm9 cg allfordj ru upload iblock 1c6 0k0g0yq2hepdjtjrdymxcij152xce9ha8 |||

KSM9 User Guide Le Guide de l Utilisateur Bedienungsanleitung Guia del Usuario Guida dell Utente Manual do Usurio KSM9 2015 Shure Incorporated 27C3192 Rev. 2 Printed in USA SHURE INCORPORATED KSM9 Thank you for selecting the KSM series from Shure. Over 85 years of audio experience has...

lang:en **score:25** filesize: 3.36 M page_count: 64 document date: 2015-10-28



[\[pdf\]](#)

KSM9 Brosur startelektronik tr shure |||

KSM9 CARDIOID / SUPERCARDIOID con den se r Dual-Pattern Vocal Microphone KSM9HS SUBCARD IOID / HY ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** SUBCARSDUIOBICDARHDIYOPIDERCHAYRPDEIORICDARDIOID Accessories Included: Locking aluminum c...

lang:en **score:23** filesize: 82.86 K page_count: 2 document date: 2015-11-02



[\[pdf\]](#) Specifications Borchure

Shure KSM Microphones Product Brochure Incorporated 2010 ksm mic brochure recordinghacks shure KSM Microphones Total MASTERY, FROM STUDIO TO STAGE. Proof that sensitivity and toughness can live ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 20 Hz 20 kHz Accessories Included: KSM32/SL Locking aluminum carrying case ShureLock sh...

lang:en **score:23** filesize: 902.94 K page_count: 6 document date: 2011-10-10



[pdf] Borchure

KSM Microphones shure cn dmsfiles default support brochures |||

KSM KSM KSM44A KSM42 / / 8 15dB PrethosTM 4dB 131dB 127dB Preth ... KSM9

KSM32 KSM137 / 15dB KSM9/SL **KSM9/CG** 50Hz 20kHz 20Hz 20kHz KSM32/SL

ShureLock ShureLock KSM32/CG ShureLock K...

lang:it score:22 filesize: 1019.97 K page_count: 6 document date: 2014-03-24



[pdf] Specifications Borchure

Shure KSM141 Brochure cdn docs av iq brochure


KSM Microphones Total MASTERY, FROM STUDIO TO STAGE. Proof that

sensitivity and toughness can live ... ies Included: Locking aluminum carrying case

Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 20hz 20khz

Accessories Included: KSM32/SL Locking aluminum carrying case ShureLock shoc...

lang:en score:22 filesize: 640.64 K page_count: 6 document date: 2010-09-22



[pdf] Catalog

shure cn 2024 catalog content files publications overview zh |||


www.shure.com.cn 2023 Shure Incorporated appapp We know very well that absolute

perfection ca ... m.cn 15 KSM8 EQ Dualdyne W 40Hz - 16kHz KSM8/N KSM8/B

KSM9 KSM9 W 50Hz - 20kHz **KSM9/CG** KSM9HS W 50Hz - 20kHz KSM9HS KSM11

VPH VPH KSM42 KSM11 EQ KSM11 ...


lang:i-klngon score:22 filesize: 11.13 M page_count: 56 document date: 2024-09-02



[\[pdf\]](#) Accessories Borchure

KSM Microphones Brochure English Shure Incorporated סדרת על כדור KSM SHURE KSM8 B
 ksm microphones brochure englishksm englishcdn shure
 upload 4 ksm english חדשני Shure Vokal Mikrofonksm englishv1cdn englishstartelektronik tr KSM8B
 Brosur |||

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSM
 Microphones PROOF THAT SENSITIVITY AND T ... z 20kHz Accessories Included:
 Carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz
 20kHz Accessories Included: Carrying case Stand adapter Key: Polar Pattern Hyper...
 lang:en **score:22** filesize: 1.91 M page_count: 8 document date: 2016-08-15



[\[pdf\]](#) Specifications


KSM9 Specification Sheet English Shure Incorporated Micro statique cardioïde ou supercardioïde
 SHURE couleur noire LA BSKSM9 N dtla bs objetsmultimedia 21188 FR dt BSksm9 specification sheet
 englishKSM9 dtcdn shure 80 upload 39 ksm9 englishla |||

Product Specifications KSM9 Multi-Pattern Dual Diaphragm Handheld Condenser
 Vocal Microphone Overv ... external connectors. Three-stage grille reduces pop and
 breath noise. Available Models KSM9/SL **KSM9/CG** Includes Stand Adapter and
 Aluminium Carrying Case Cristal Finish Includes Stand Adapter ...
 lang:en **score:22** filesize: 161.83 K page_count: 1 document date: 2016-02-18




[\[pdf\]](#) Borchure

KSM Brochurecdn shure 80 brochure upload 4 Brochure |||
 KSM Microphones Total MASTERY, FROM STUDIO TO STAGE. Proof that
 sensitivity and toughness can live ... ies Included: Locking aluminum carrying case
 Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG**
 SUBCARSDUIOBICDARHDIYOPIDERCHAYRPDEIORICDARDIOID Accessories
 Included: Locking aluminum c...
 lang:en **score:22** filesize: 318.81 K page_count: 6 document date: 2012-11-26



[\[pdf\]](#) Specifications

KSM9 Specification Sheet English Shure Incorporated 240376 specsheets en US d1aeri3ty3izns
 cloudfront net media 24 pubs api shure file 259936
 Product Specifications KSM9 Multi-Pattern Dual Diaphragm Handheld Condenser
 Vocal Microphone Overv ... external connectors. Three-stage grille reduces pop and
 breath noise. Available Models KSM9/SL **KSM9/CG** Includes Stand Adapter and
 Aluminium Carrying Case Cristal Finish Includes Stand Adapter ...
 lang:en **score:22** filesize: 161.83 K page_count: 1 document date: 2016-02-18




[pdf] Specifications

KSM9 Teknik Bilgi startelektronik tr shure |||

Product Specifications KSM9 Multi-Pattern Dual Diaphragm Handheld Condenser Vocal Microphone Overv ... external connectors. Three-stage grille reduces pop and breath noise. Available Models KSM9/SL **KSM9/CG** Includes Stand Adapter and Aluminium Carrying Case Cristal Finish Includes Stand Adapter ...

lang:en score:22 filesize: 69.63 K page_count: 1 document date: 2015-02-25




[pdf] Catalog

2023 SHURE ProductCatalog shure ja JP go catalog |||

PRODUCT CATALOG Shure Shure 1 1925 Shure Shure Incorporated Niles 30 ... 02.5cm 2.57.5cm 7.513cm KSM8 4XFFU4QPUDN DN4XFFU4QPU ,4. 3 KSM9 **KSM9/CG** A / 3 **KSM9/CG** / 50Hz20kHz DC48V/5.2mA XLR3 49191mm 300g A25E3...

lang:en score:21 filesize: 21.2 M page_count: 120 document date: 2023-03-29




[pdf] Specifications Datasheet

Shure KSM9 Datasheet Spec Shee Index of Sheet tcfurlong |||

Product Specifications KSM9 Multi-Pattern Dual Diaphragm Handheld Condenser Vocal Microphone Overv ... external connectors. Three-stage grille reduces pop and breath noise. Available Models KSM9/SL **KSM9/CG** Specifications Cartridge Type Frequency Response Output Impedance Phantom Power Current Drai...

lang:en score:21 filesize: 342.3 K page_count: 1 document date: 2010-06-14



[\[pdf\]](#) Accessories Borchure

KSM Microphones Brochure English Shure Incorporated KSM8 OPEN BOX B Dualdyne Dynamic Handheld Vocal Microphone Black shure ksm dualdyne dynamic handheld vocal microphone brochure parts express pedocs brochures |||

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSM Microphones PROOF THAT SENSITIVITY AND T ... z 20kHz Accessories Included: Carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories Included: Carrying case Stand adapter Key: Polar Pattern Hyper... lang:en **score:21** filesize: 1.91 M page_count: 8 document date: 2020-02-07



[\[pdf\]](#) Accessories Borchure

ksm microphones brochure EN shure eu dms support brochures en it

KSMTM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSMTM Microphones PROOF THAT SENSITIVITY A ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories Included: Locking aluminum carrying case Stand adapter Key: Pol... lang:en **score:21** filesize: 10.21 M page_count: 8 document date: 2015-12-14



[\[pdf\]](#) Borchure

KSM Brochure shure eu dms support brochures en ksm microphones brochure EN

KSM Microphones Total MASTERY, FROM STUDIO TO STAGE. Proof that sensitivity and toughness can live ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** SUBCARSDUIOBICDARHDIYOPIDERCHAYRPDEIORICDARDIOID Accessories Included: Locking aluminum c... lang:en **score:21** filesize: 318.81 K page_count: 6 document date: 2012-11-26



[\[pdf\]](#) Accessories Borchure

KSM8 Brochure shure cn dmsfiles default products microphones images ksm

0b6b141787daef6ddb6632f1f5d73020 |||

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSMTM

Microphones PROOF THAT SENSITIVITY AND ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories Included: Locking aluminum carrying case Stand adapter Key: Pol...

lang:en **score:21** filesize: 3.43 M page_count: 8 document date: 2015-12-30



[\[pdf\]](#) Catalog

Shure PGA181 LC XLR →

v1 content files shure go

catalog 2023 SHURE ProductCatalog |||

PRODUCT CATALOG Shure Shure 1 1925 Shure Shure Incorporated Niles 30 ... 02.5cm 2.57.5cm 7.513cm KSM8 4XFFU4QPUDN DN4XFFU4QPU ,4. 3 KSM9 **KSM9/CG** A / 3 **KSM9/CG** / 50Hz20kHz DC48V/5.2mA XLR3 49191mm 300g A25E3...

lang:en **score:21** filesize: 21.2 M page_count: 120 document date: 2023-03-29




[\[pdf\]](#) Accessories Borchure

KSM Microphone Brochure English Shure Incorporated KSM8 BK dt la bs Objets |||

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSM

Microphones PROOF THAT SENSITIVITY AND T ... z 20kHz Accessories Included: Carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories Included: Carrying case Stand adapter Key: Polar Pattern Hyper...


lang:en **score:21** filesize: 741.03 K page_count: 8 document date: 2016-04-21



[\[pdf\]](#) Specifications Datasheet

data sheet Shure products from Warehouse Sound Systems shureKSM9 warehousesound r ||| Product Specifications KSM9 Multi-Pattern Dual Diaphragm Handheld Condenser Vocal Microphone Overv ... external connectors. Three-stage grille reduces pop and breath noise. Available Models KSM9/SL **KSM9/CG** Includes Stand Adapter and Aluminium Carrying Case Cristal Finish Includes Stand Adapter ...

lang:en **score:21** filesize: 55.24 K page_count: 1 document date: 2018-05-09



[\[pdf\]](#) Catalog

cover 2023 RGB catalog A4 HIGH shure cn damfiles default regional zh documents

d8674e1986734d39a630ae8776c30b9a |||

We know very well that absolute perfection cannot be attained, but we will never stop striving for ... m.cn 15 KSM8 EQ Dualdyne W 40Hz - 16kHz KSM8/N KSM8/B KSM9 KSM9 W 50Hz - 20kHz **KSM9/CG** KSM9HS W 50Hz - 20kHz KSM9HS KSM11 VPH VPH KSM42 KSM11 EQ KSM11 ...

lang:i-klngon **score:21** filesize: 83.13 M page_count: 112 document date: 2023-05-06




[\[pdf\]](#) Accessories Borchure Catalog

KSM Microphones Brochure English Shure Incorporated ksm microphones brochure english soundpro catalog documents

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSMTM Microphones PROOF THAT SENSITIVITY AND ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz 20kHz Accessories Included: Locking aluminum carrying case Stand adapter Key: Pol...

lang:en **score:21** filesize: 510.71 K page_count: 8 document date: 2016-01-15



[pdf] Catalog

SHURE Conferencing ProductCatalog shure ja JP go catalog è`âéë¿æ©â`ã«ã¿ãã° Shure â° S |||
PRODUCT CATALOG Shure Shure 1 1925 Shure Shure Incorporated Niles 30 ...
57.5cm 7.513cm KSM8 4XFFU4QPUDN DN4XFFU4QPU ,4. 3 MV
WIRELESS/MOTIV KSM9 **KSM9/CG** A / 3 **KSM9/CG** / 50Hz20kHz DC48V/5.2mA
XLR3 49191mm 300g A25E3...

lang:en score:21 filesize: 21.56 M page_count: 128 document date: 2024-03-28



[pdf] Accessories Borchure

KSM Microphones Brochure English Shure Incorporated KSM8 B Black cdn docs av iq brochure |||
KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSMTM
Microphones PROOF THAT SENSITIVITY AND ... ies Included: Locking aluminum
carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz
20kHz Accessories Included: Locking aluminum carrying case Stand adapter Key:
Pol...

lang:en score:21 filesize: 510.83 K page_count: 8 document date: 2016-01-30

SHURE MICROPHONE ACCESSORIES & PARTS MATRIX									
MICROPHONE	ACCESSORY	DESCRIPTION	MODEL	MODEL	MODEL	MODEL	MODEL	MODEL	MODEL
SM57	SM57-1	SM57-1	SM57-1	SM57-1	SM57-1	SM57-1	SM57-1	SM57-1	SM57-1
SM57	SM57-2	SM57-2	SM57-2	SM57-2	SM57-2	SM57-2	SM57-2	SM57-2	SM57-2
SM57	SM57-3	SM57-3	SM57-3	SM57-3	SM57-3	SM57-3	SM57-3	SM57-3	SM57-3
SM57	SM57-4	SM57-4	SM57-4	SM57-4	SM57-4	SM57-4	SM57-4	SM57-4	SM57-4
SM57	SM57-5	SM57-5	SM57-5	SM57-5	SM57-5	SM57-5	SM57-5	SM57-5	SM57-5
SM57	SM57-6	SM57-6	SM57-6	SM57-6	SM57-6	SM57-6	SM57-6	SM57-6	SM57-6
SM57	SM57-7	SM57-7	SM57-7	SM57-7	SM57-7	SM57-7	SM57-7	SM57-7	SM57-7
SM57	SM57-8	SM57-8	SM57-8	SM57-8	SM57-8	SM57-8	SM57-8	SM57-8	SM57-8
SM57	SM57-9	SM57-9	SM57-9	SM57-9	SM57-9	SM57-9	SM57-9	SM57-9	SM57-9
SM57	SM57-10	SM57-10	SM57-10	SM57-10	SM57-10	SM57-10	SM57-10	SM57-10	SM57-10
SM57	SM57-11	SM57-11	SM57-11	SM57-11	SM57-11	SM57-11	SM57-11	SM57-11	SM57-11
SM57	SM57-12	SM57-12	SM57-12	SM57-12	SM57-12	SM57-12	SM57-12	SM57-12	SM57-12
SM57	SM57-13	SM57-13	SM57-13	SM57-13	SM57-13	SM57-13	SM57-13	SM57-13	SM57-13
SM57	SM57-14	SM57-14	SM57-14	SM57-14	SM57-14	SM57-14	SM57-14	SM57-14	SM57-14
SM57	SM57-15	SM57-15	SM57-15	SM57-15	SM57-15	SM57-15	SM57-15	SM57-15	SM57-15
SM57	SM57-16	SM57-16	SM57-16	SM57-16	SM57-16	SM57-16	SM57-16	SM57-16	SM57-16
SM57	SM57-17	SM57-17	SM57-17	SM57-17	SM57-17	SM57-17	SM57-17	SM57-17	SM57-17
SM57	SM57-18	SM57-18	SM57-18	SM57-18	SM57-18	SM57-18	SM57-18	SM57-18	SM57-18
SM57	SM57-19	SM57-19	SM57-19	SM57-19	SM57-19	SM57-19	SM57-19	SM57-19	SM57-19
SM57	SM57-20	SM57-20	SM57-20	SM57-20	SM57-20	SM57-20	SM57-20	SM57-20	SM57-20
SM57	SM57-21	SM57-21	SM57-21	SM57-21	SM57-21	SM57-21	SM57-21	SM57-21	SM57-21
SM57	SM57-22	SM57-22	SM57-22	SM57-22	SM57-22	SM57-22	SM57-22	SM57-22	SM57-22
SM57	SM57-23	SM57-23	SM57-23	SM57-23	SM57-23	SM57-23	SM57-23	SM57-23	SM57-23
SM57	SM57-24	SM57-24	SM57-24	SM57-24	SM57-24	SM57-24	SM57-24	SM57-24	SM57-24
SM57	SM57-25	SM57-25	SM57-25	SM57-25	SM57-25	SM57-25	SM57-25	SM57-25	SM57-25
SM57	SM57-26	SM57-26	SM57-26	SM57-26	SM57-26	SM57-26	SM57-26	SM57-26	SM57-26
SM57	SM57-27	SM57-27	SM57-27	SM57-27	SM57-27	SM57-27	SM57-27	SM57-27	SM57-27
SM57	SM57-28	SM57-28	SM57-28	SM57-28	SM57-28	SM57-28	SM57-28	SM57-28	SM57-28
SM57	SM57-29	SM57-29	SM57-29	SM57-29	SM57-29	SM57-29	SM57-29	SM57-29	SM57-29
SM57	SM57-30	SM57-30	SM57-30	SM57-30	SM57-30	SM57-30	SM57-30	SM57-30	SM57-30
SM57	SM57-31	SM57-31	SM57-31	SM57-31	SM57-31	SM57-31	SM57-31	SM57-31	SM57-31
SM57	SM57-32	SM57-32	SM57-32	SM57-32	SM57-32	SM57-32	SM57-32	SM57-32	SM57-32
SM57	SM57-33	SM57-33	SM57-33	SM57-33	SM57-33	SM57-33	SM57-33	SM57-33	SM57-33
SM57	SM57-34	SM57-34	SM57-34	SM57-34	SM57-34	SM57-34	SM57-34	SM57-34	SM57-34
SM57	SM57-35	SM57-35	SM57-35	SM57-35	SM57-35	SM57-35	SM57-35	SM57-35	SM57-35
SM57	SM57-36	SM57-36	SM57-36	SM57-36	SM57-36	SM57-36	SM57-36	SM57-36	SM57-36
SM57	SM57-37	SM57-37	SM57-37	SM57-37	SM57-37	SM57-37	SM57-37	SM57-37	SM57-37
SM57	SM57-38	SM57-38	SM57-38	SM57-38	SM57-38	SM57-38	SM57-38	SM57-38	SM57-38
SM57	SM57-39	SM57-39	SM57-39	SM57-39	SM57-39	SM57-39	SM57-39	SM57-39	SM57-39
SM57	SM57-40	SM57-40	SM57-40	SM57-40	SM57-40	SM57-40	SM57-40	SM57-40	SM57-40
SM57	SM57-41	SM57-41	SM57-41	SM57-41	SM57-41	SM57-41	SM57-41	SM57-41	SM57-41
SM57	SM57-42	SM57-42	SM57-42	SM57-42	SM57-42	SM57-42	SM57-42	SM57-42	SM57-42
SM57	SM57-43	SM57-43	SM57-43	SM57-43	SM57-43	SM57-43	SM57-43	SM57-43	SM57-43
SM57	SM57-44	SM57-44	SM57-44	SM57-44	SM57-44	SM57-44	SM57-44	SM57-44	SM57-44
SM57	SM57-45	SM57-45	SM57-45	SM57-45	SM57-45	SM57-45	SM57-45	SM57-45	SM57-45
SM57	SM57-46	SM57-46	SM57-46	SM57-46	SM57-46	SM57-46	SM57-46	SM57-46	SM57-46
SM57	SM57-47	SM57-47	SM57-47	SM57-47	SM57-47	SM57-47	SM57-47	SM57-47	SM57-47
SM57	SM57-48	SM57-48	SM57-48	SM57-48	SM57-48	SM57-48	SM57-48	SM57-48	SM57-48
SM57	SM57-49	SM57-49	SM57-49	SM57-49	SM57-49	SM57-49	SM57-49	SM57-49	SM57-49
SM57	SM57-50	SM57-50	SM57-50	SM57-50	SM57-50	SM57-50	SM57-50	SM57-50	SM57-50
SM57	SM57-51	SM57-51	SM57-51	SM57-51	SM57-51	SM57-51	SM57-51	SM57-51	SM57-51
SM57	SM57-52	SM57-52	SM57-52	SM57-52	SM57-52	SM57-52	SM57-52	SM57-52	SM57-52
SM57	SM57-53	SM57-53	SM57-53	SM57-53	SM57-53	SM57-53	SM57-53	SM57-53	SM57-53
SM57	SM57-54	SM57-54	SM57-54	SM57-54	SM57-54	SM57-54	SM57-54	SM57-54	SM57-54
SM57	SM57-55	SM57-55	SM57-55	SM57-55	SM57-55	SM57-55	SM57-55	SM57-55	SM57-55
SM57	SM57-56	SM57-56	SM57-56	SM57-56	SM57-56	SM57-56	SM57-56	SM57-56	SM57-56
SM57	SM57-57	SM57-57	SM57-57	SM57-57	SM57-57	SM57-57	SM57-57	SM57-57	SM57-57
SM57	SM57-58	SM57-58	SM57-58	SM57-58	SM57-58	SM57-58	SM57-58	SM57-58	SM57-58
SM57	SM57-59	SM57-59	SM57-59	SM57-59	SM57-59	SM57-59	SM57-59	SM57-59	SM57-59
SM57	SM57-60	SM57-60	SM57-60	SM57-60	SM57-60	SM57-60	SM57-60	SM57-60	SM57-60
SM57	SM57-61	SM57-61	SM57-61	SM57-61	SM57-61	SM57-61	SM57-61	SM57-61	SM57-61
SM57	SM57-62	SM57-62	SM57-62	SM57-62	SM57-62	SM57-62	SM57-62	SM57-62	SM57-62
SM57	SM57-63	SM57-63	SM57-63	SM57-63	SM57-63	SM57-63	SM57-63	SM57-63	SM57-63
SM57	SM57-64	SM57-64	SM57-64	SM57-64	SM57-64	SM57-64	SM57-64	SM57-64	SM57-64
SM57	SM57-65	SM57-65	SM57-65	SM57-65	SM57-65	SM57-65	SM57-65	SM57-65	SM57-65
SM57	SM57-66	SM57-66	SM57-66	SM57-66	SM57-66	SM57-66	SM57-66	SM57-66	SM57-66
SM57	SM57-67	SM57-67	SM57-67	SM57-67	SM57-67	SM57-67	SM57-67	SM57-67	SM57-67
SM57	SM57-68	SM57-68	SM57-68	SM57-68	SM57-68	SM57-68	SM57-68	SM57-68	SM57-68
SM57	SM57-69	SM57-69	SM57-69	SM57-69	SM57-69	SM57-69	SM57-69	SM57-69	SM57-69
SM57	SM57-70	SM57-70	SM57-70	SM57-70	SM57-70	SM57-70	SM57-70	SM57-70	SM57-70
SM57	SM57-71	SM57-71	SM57-71	SM57-71	SM57-71	SM57-71	SM57-71	SM57-71	SM57-71
SM57	SM57-72	SM57-72	SM57-72	SM57-72	SM57-72	SM57-72	SM57-72	SM57-72	SM57-72
SM57	SM57-73	SM57-73	SM57-73	SM57-73	SM57-73	SM57-73	SM57-73	SM57-73	SM57-73
SM57	SM57-74	SM57-74	SM57-74	SM57-74	SM57-74	SM57-74	SM57-74	SM57-74	SM57-74
SM57	SM57-75	SM57-75	SM57-75	SM57-75	SM57-75	SM57-75	SM57-75	SM57-75	SM57-75
SM57	SM57-76	SM57-76	SM57-76	SM57-76	SM57-76	SM57-76	SM57-76	SM57-76	SM57-76
SM57	SM57-77	SM57-77	SM57-77	SM57-77	SM57-77	SM57-77	SM57-77	SM57-77	SM57-77
SM57	SM57-78	SM57-78	SM57-78	SM57-78	SM57-78	SM57-78	SM57-78	SM57-78	SM57-78
SM57	SM57-79	SM57-79	SM57-79	SM57-79	SM57-79	SM57-79	SM57-79	SM57-79	SM57-79
SM57	SM57-80	SM57-80	SM57-80	SM57-80	SM57-80	SM57-80	SM57-80	SM57-80	SM57-80
SM57	SM57-81	SM57-81	SM57-81	SM57-81	SM57-81	SM57-81	SM57-81	SM57-81	SM57-81
SM57	SM57-82	SM57-82	SM57-82	SM57-82	SM57-82	SM57-82	SM57-82	SM57-82	SM57-82
SM57	SM57-83	SM57-83	SM57-83	SM57-83	SM57-83	SM57-83	SM57-83	SM57-83	SM57-83
SM57	SM57-84	SM57-84	SM57-84	SM57-84	SM57-84	SM57-84	SM57-84	SM57-84	SM57-84
SM57	SM57-85	SM57-85	SM57-85	SM57-85	SM57-85	SM57-85	SM57-85	SM57-85	SM57-85
SM57	SM57-86	SM57-86	SM57-86	SM57-86	SM57-86	SM57-86	SM57-86	SM57-86	SM57-86
SM57	SM57-87	SM57-87	SM57-87	SM57-87	SM57-87	SM57-87	SM57-87	SM57-87	SM57-87
SM57	SM57-88	SM57-88	SM57-88	SM57-88	SM57-88	SM57-88	SM57-88	SM57-88	SM57-88
SM57	SM57-89	SM57-89	SM57-89	SM57-89	SM57-89	SM57-89	SM57-89	SM57-89	SM57-89
SM57	SM57-90	SM57-90	SM57-90	SM57-90	SM57-90	SM57-90	SM57-90	SM57-90	SM57-90
SM57	SM57-91	SM57-91	SM57-91	SM57-91	SM57-91	SM57-91	SM57-91	SM57-91	SM57-91
SM57	SM57-92	SM57-92	SM57-92	SM57-92	SM57-92	SM57-92	SM57-92	SM57-92	SM57-92
SM57	SM57-93	SM57-93	SM57-93	SM57-93	SM57-93	SM57-93	SM57-93	SM57-93	SM57-93
SM57	SM57-94	SM57-94	SM57-94	SM57-94	SM57-94	SM57-94	SM57-94	SM57-94	SM57-94
SM57	SM57-95	SM57-95	SM57-95	SM57-95	SM57-95	SM57-95	SM57-95	SM57-95	SM57-95
SM57	SM57-96	SM57-96	SM57-96	SM57-96	SM57-96	SM57-96	SM57-96	SM57-96	SM57-96
SM57	SM57-97	SM57-97	SM57-97	SM57-97	SM57-97	SM57-97	SM57-97	SM57-97	SM57-97
SM57	SM57-98	SM57-98	SM57-98	SM57-98	SM57-98	SM57-98	SM57-98	SM57-98	SM57-98
SM57	SM57-99	SM57-99	SM57-99	SM57-99	SM57-99	SM57-99	SM57-99	SM57-99	SM57-99
SM57	SM57-100	SM57-100	SM57-100	SM57-100	SM57-100	SM57-100	SM57-100	SM57-100	SM57-100

[pdf] Datasheet Accessories

Shure Microphone Accessories and Parts Matrix Incorporated RPM160 Datasheet cdn docs av iq
dataSheet |||

MICROPHONE ACCESSORIES PARTS MATRIX MICROPHONE MODEL NUMBER
Super55 55SH Series II 450 Series II ... 58A BETA 87A BETA 87C BETA 91A C25E
BETA 98A/C C98D BETA 98AD/C C98D BETA 98H/C BETA 181 **KSM9/CG**
KSM9/SL KSM137/SL KSM141/SL KSM32/SL KSM32/CG KSM42 KSM44A KSM313
KSM353 MX180/N ...


lang:es score:21 filesize: 366.58 K page_count: 2 document date: 2011-05-23



[\[pdf\]](#) Specifications Borchure

Shure KSM137 Brochure 2010 SL End Address Cardioid Condenser Instrument Microphone Champagne Finish Incorporated Avidex Industries LLC cdn docs av iq brochure |||


KSM Microphones Total MASTERY, FROM STUDIO TO STAGE. Proof that sensitivity and toughness can live ... ies Included: Locking aluminum carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 20hz 20khz Accessories Included: KSM32/SL Locking aluminum carrying case ShureLock shock... lang:en **score:21** filesize: 640.65 K page_count: 6 document date: 2010-09-22



[\[pdf\]](#)

27b3192 book Shure Incorporated KSM9 günstig bei LTT ltt versand de media article documents d6 84 bf |||

Bedienungsanleitung KSM9 KSM9 2006, Shure Incorporated 27B3192 Rev. 1 Printed in U.S.A. SHURE ... ahbesprechungseffekt Verfrbungsfreier Frequenzgang MODELLVARIANTEN Drahtgebundene Modelle KSM9/SL **KSM9/CG** Beschreibung Gesangsmikrofon mit zwei umschaltbaren Richtcharakteristiken Niere/Superniere... lang:de **score:21** filesize: 531.32 K page_count: 10 document date: 2007-02-07



[\[pdf\]](#) Guide Diagram

27b3192 book SHURE KSM9 SL MICROFONO PER VOCE 10764 musicalstore2005 guida e manuali products id

User Guide Guide de l Utilisateur Bedienungsanleitung Gua del Usuario Guida dell Utilizzatore KSM9 ... ssimit ridotto Risposta definita nel limite inferiore della banda MODELLI Modelli cablati KSM9/SL **KSM9/CG** Descrizione Microfono palmare per uso vocale a doppio diagramma cardioide e supercardioide... lang:it **score:20** filesize: 2.35 M page_count: 10 document date: 2006-07-07



[pdf] Catalog

2023SHURE ProductCatalog 2023 shure ja JP go catalog |||

PRODUCT CATALOG Shure Shure 1 1925 Shure Shure Incorporated Niles 30 ...
02.5cm 2.57.5cm 7.513cm KSM8 4XFFU4QPUDN DN4XFFU4QPU ,4. 3 KSM9
KSM9/CG A / 3 KSM9/CG / 50Hz20kHz DC48V/5.2mA XLR3 49191mm 300g
A25E3...

lang:en **score:20** filesize: 20.17 M page_count: 120 document date: 2023-04-26



[pdf] Specifications

tl1068 fm Model KSM9 Condenser Microphone Specification Sheet KSM9™ ©2006 Shure Incorporated
TL1068 Rev 1 Printed in U S A OVERVIEW The is a dual pattern cardioid and supercardioid handheld
condenser microphone home httpd data media 6 ksm9wired c3 zzounds

61497fcf338979405a5fc8627cbfdb49

Model KSM9TM Condenser Microphone Specification Sheet MODEL VARIATIONS
Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern Cardioid/Supercardioid
Handheld Vocal Microphone, Champagne Dual-Pattern Cardioid/Supercardioid
Handheld Vocal Microphone, Charcoal Gray KSM9 OVERVIEW The Shure KSM9 i...
lang:en **score:20** filesize: 488.08 K page_count: 4 document date: 2006-04-04




[pdf] Specifications

tl1068 fm Model KSM9™ Condenser Microphone Specification SheetThe Shure KSM9 is a dual pattern
cardioid and supercardioid handheld condenser microphone Designed expressly for live vocal
performance applications 3911 ShureKSM9SpecSheetfullcompass common files 3911
ShureKSM9SpecSheet srsltid AfmBOoqN8nJYz0qO3RlfinIWYTYrPOWoBJ4FrpGZzGUp Pv0HV0STfbg
SheetModel applications The applications v1fullcompass Pv0HV0STfbgfullcompass

AfmBOorBMLNcuRNFFd3TmUgEK 9i8AbFAGr7hvlurFXLMGLmlqUwnF0E |||


Model KSM9 Condenser Microphone Specification Sheet MODEL VARIATIONS
Wired Models KSM9/SL **KSM9/CG** Description Dual-Pattern Cardioid/Supercardioid
Handheld Vocal Microphone, Champagne Dual-Pattern Cardioid/Supercardioid
Handheld Vocal Microphone, Charcoal Gray KSM9 OVERVIEW The Shure KSM9 ...
lang:en **score:20** filesize: 488.08 K page_count: 4 document date: 2006-04-04



[\[pdf\]](#) Accessories Borchure

KSM Microphones Brochure English Shure Incorporated TOTAL MASTERY FROM STUDIO TO STAGE
125853 AL31091 PG 1 07 26 16 CYAN MAG YELL BLK ksm brochure microphones english soundpro
content product documents proacousticsusa media wysiwyg

KSM Microphones TOTAL MASTERY, FROM STUDIO TO STAGE. KSM
Microphones PROOF THAT SENSITIVITY AND T ... z 20kHz Accessories Included:
Carrying case Stand adapter Color Cristal KSM9/SL Charcoal Gray **KSM9/CG** 50Hz
20kHz Accessories Included: Carrying case Stand adapter Key: Polar Pattern Hyper...
lang:en **score:20** filesize: 1.91 M page_count: 8 document date: 2016-08-15



[\[pdf\]](#) Catalog

Shure 15 nov 2021 — 1 1925 SHURE

ProductCatalog shure ja JP go catalog |||

PRODUCT CATALOG Shure Shure 1 1925 Shure Shure Incorporated Niles ... M8
Sweet Spot 2.5 7.5cm 0 13cmSweet Spot SM8 3 KSM9 **KSM9/CG** A / 3 **KSM9/CG** /
50Hz20kHz DC48V/5.2mA ...

lang:en **score:19** filesize: 10.84 M page_count: 108 document date: 2021-10-27




[\[pdf\]](#) Catalog

Outline Advance 4 02 mp

Shure Japan Lineup catalog shure ja JP go |||

PRODUCT CATALOG Shure Incorporated 1925 90 Shure Shure Incorporated Niles
EMEA305cm 7.513cm 013cmSweet Spot KSM8 KSM8 008 KSM9 128,000
KSM9/SL-X **KSM9/CG-X** A / 3 KSM9/SL-X **KSM9/CG-X** / 50Hz20kHz 150 -51dB re
1V/...

lang:no **score:19** filesize: 104.55 M page_count: 136 document date: 2018-11-27



[\[pdf\]](#) Catalog

CATALOG 2023 retail microphone catalog shure ja JP go ||| ||| MICROPHONE CATALOG 2023 SOUND
EXTRAORDINARY F Shu re S M 5 8 1 S h u r e ABOUT SHURE 1925S.N.ShureShure Radio Company
1 1Shure Shur e S h u r e ShureDF Shure Shure Shure 3 SHURE HISTORY 1925 S.N.Shure 337
W.Madison Street,Chicago1926 1958 L

MICROPHONE CATALOG 2023 SOUND EXTRAORDINARY F Shu re S M 5 8 ... 5
105 90 - 180 126 110 90 17 WIRED MICROPHONE KSM8 KSM8/B-J KSM8/N-J XLR
KSM9 **KSM9/CG-X** XLR KSM9HS KSM9HS-X XLR WIRED MICROPHONE
Dualdyne™ KSM8/B KSM8/N ...

lang:de **score:19** filesize: 9.46 M page_count: 33 document date: 2023-10-23



[\[pdf\]](#) Borchure Catalog

2016 product catalog shure cn dmsfiles default support brochures |||

2016 90 Santo A. LaMantia S.N. SHURE 04 20 30 42 70 78 ... 20Hz - 20kHz

KSM137/SL KSM137/SL 16 W 44 KSM9 KSM9 W 50Hz - 20kHz KSM9/SL **KSM9/CG**

KSM141 KSM9HS W 50Hz - 20kHz KSM9HS KSM313 KSM42 20Hz - 20kHz KS...

lang:i-klngon **score:19** filesize: 16.05 M page_count: 114 document date: 2016-02-20



[\[pdf\]](#) Catalog

untitled vocal handheld microphones Full Compass Systems SHURE SM48LC DYNAMIC CARDIOID MIC

Designed for pro sound reinforcement SM48S LC Cardioid dynamic with switch 55 09 SM86 wired mics3

srsltid AfmBOoqNZV0znIhZXclXBau2HgnVI4IVOSG43dUe80bAWTB h s70DZ7 fullcompass s catalog

ss13 |||

VOCAL/HANDHELD MICROPHONES 41 AUDIX OM SERIES VOCAL

MICROPHONES Dynamic hypercardioid handheld vo ... ing noise. 50Hz-20kHz

response, 153dB SPL, 22 dBA self-noise A-weighted. ITEM DESCRIPTION PRICE

KSM9/CGDual-pattern, handheld condenser mic in

gray.....

lang:en **score:18** filesize: 2.02 M page_count: 4 document date: 2013-03-27



[TMP Pro Audio Catalog 2011](#)

Explore the comprehensive 2011 Pro Audio Catalog from TMP Pro Distribution, featuring a wide array of microphones, speakers, amplifiers, mixers, and other audio equipment from leading brands.

lang:en **score:16** filesize: 15.43 M page_count: 126 document date: 2011-01-19



[\[pdf\]](#)

52021300 cdn petec ch documents2 0 3 |||

KSM Mikrofone HCHSTE PRZISION IM STUDIO UND AUF DER BHNE KSM Mikrofone sHure Klangqualitt und roB ... ng enthalten: Aluminium-Tragekoffer Reduziergewinde Farbvarianten Champagner KSM9/SL Anthrazit **KSM9/CG** 20Hz 20kHz Im Lieferumfang enthalten: KSM32/SL Aluminium-Tragekoffer ShureLock Mikrofon...

lang:de **score:16** filesize: 1.49 M page_count: 6 document date: 2010-06-30



[\[pdf\]](#) Borchure Catalog

Shure Shure general brochure content files shure go catalog |||

PRODUCT CATALOG Wired Microphones Lavalier Headset Microphones Premium Lavalier / Headset Microph ... 9mm 300g A25E3/85/8 A85WSA25E

KSM8/BRPM266KSM8/NRPM268 008 ,4./ ,4.# Index Wired Microphones **KSM9/CG**-X ,4. 9 HP Tech Portal KSM9HS-X HP Tech Portal Handheld Microphones / 3...

lang:i-klnglon **score:16** filesize: 61.65 M page_count: 111 document date: 2024-11-10



[\[pdf\]](#) Catalog

2019 SHUREcatalog indb 1911 shure sougou hibino intersound co jp image custom |||

Shu r e 1925 Shu r e Shu r e Shu r e ... 013cm Sweet Spot KSM8 3 003 Wired Microphones Handheld Microphones KSM9-X KSM9/SL-X **KSM9/CG**-X 128,000 A / 3 A 2.5k KSM9/SL-X **KSM9/CG**-X / 50Hz20kHz 1...

lang:i-klnglon **score:16** filesize: 15.49 M page_count: 118 document date: 2019-12-24