VELCRO Brand 91137

VELCRO Brand Sticky Back Hook and Loop Fasteners Instruction Manual

Model: 91137

Product Overview

VELCRO Brand Stick On Hook and Loop fastener provides a fast and effective method for hanging and attaching objects in various environments such as homes, offices, and classrooms. This product offers strong holding power, serving as an alternative to traditional adhesives, tacks, and nails, ensuring a durable hold without mess. It is designed for ease of use, allowing users to cut the tape to their desired size, peel off the backing, and apply it to a surface for quick and efficient organization.
Key features include:

- **Suitable for Smooth Surfaces:** Adheres to most smooth surfaces, featuring a strong adhesive for organizing items in home, school, or office settings. No sewing, gluing, or ironing is required.
- **Strong and Secure Hold:** Creates a long-lasting bond that applies easily to smooth indoor surfaces such as walls, glass, tile, plastic, metal, and wood, making it ideal for everyday use.
- **School Supplies for Teachers and Educators:** Offers numerous applications for classroom organization, including fastening items to desks and folders, attaching name tags to chairs, and adhering whiteboard erasers and markers to the board.
- **Back to School Supplies for Students:** Useful for keeping school projects organized and secure, adding closures to homework folders, hanging items, decorating lockers, and organizing desks.
- **Cut, Press, and Set:** Simple to use cut-to-length tape. Extend the roll, cut, peel off the protective backing, firmly press to activate the adhesive, and then press the hook and loop firmly together for a strong hold.



Image: VELCRO Brand Sticky Back Hook and Loop Fasteners in its packaging, showing the black tape unrolled.

Setup and Installation

Follow these simple steps to effectively use your VELCRO Brand Sticky Back Hook and Loop Fasteners:

1. **Clean & Dry Surface:** Ensure the surface where the fastener will be applied is clean and completely dry. This is crucial for optimal adhesive performance.
2. **Cut to Length:** Extend the roll to the desired length and cut the tape using scissors.
3. **Peel:** Carefully peel off the protective backing from the adhesive side of the tape.
4. **Stick:** Firmly press the adhesive side of the tape onto your chosen surface. Apply consistent pressure to activate the adhesive.
5. **Adhesive Reaches Maximum Strength After 24 Hours:** For the strongest bond, allow at least 24 hours for the adhesive to fully set before applying significant weight or stress to the fastener.



Image: An instructional diagram illustrating the five steps for using VELCRO Brand Sticky Back Tape: Clean & Dry Surface, Cut to Length, Peel, Stick, and Adhesive Reaches Maximum Strength After 24 Hours.

[redacted]

Video: An official VELCRO Brand video demonstrating how to use VELCRO Brand Sticky Back Tape for various applications, including organizing office supplies and hanging signs.

Operating Instructions and Usage

VELCRO Brand Sticky Back Fasteners are versatile and can be used for a wide range of organizational and attachment needs. Here are some common applications:

- **Securing Everyday Items:** Use the tape to secure lightweight items around the home or office. The strong adhesive ensures items stay in place.
- **Office Organization:** Keep your workspace tidy by attaching items like whiteboard markers, erasers, or labels to folders and containers.
- **Crafts and Projects:** Ideal for arts and crafts activities, allowing for easy assembly and disassembly of components.
- **Hanging Signs and Decorations:** Securely mount signs, posters, or decorations on smooth walls without the need for nails or tacks.
- **Organizing Technology:** Mount small electronic devices, remotes, or cables to keep them accessible and prevent clutter.



Image: A close-up view of the VELCRO Brand Sticky Back tape, highlighting its peel-and-stick application and suitability for smooth surfaces and everyday indoor use.



Image: Demonstrates the use of VELCRO Brand Sticky Back tape for office organization, showing a folder attached to a wall and clear containers with office supplies secured to a strip of tape.




Image: Shows VELCRO Brand Sticky Back tape being used to organize technology, with a small black speaker-like device attached to a wall.

[redacted]

Video: A general VELCRO Brand video showcasing various applications of their sticky back products, including organizing remotes, office items, crafting with kids, hanging signage, and organizing garage tools.

Maintenance

To ensure the longevity and effectiveness of your VELCRO Brand Sticky Back Hook and Loop Fasteners, consider the following:

- **Surface Cleanliness:** Always apply to clean, dry, and smooth surfaces. Dust, dirt, or moisture can reduce adhesive strength.
- **Avoid Extreme Temperatures:** While designed for indoor use, extreme heat or cold may affect the adhesive bond over time.
- **Re-application:** If the adhesive bond weakens after prolonged use or multiple re-applications, replace the strip with a new one to maintain optimal hold.
- **Cleaning:** If the hook or loop material becomes dirty or clogged with lint, gently clean it with a brush or a piece of the hook side (for loop material) to restore its gripping ability.

Troubleshooting

If you encounter issues with your VELCRO Brand Sticky Back Hook and Loop Fasteners, consider these common solutions:

- **Adhesive Not Sticking:**
  - Ensure the surface was thoroughly cleaned and dried before application.
  - Verify the surface is smooth and non-porous.
  - Allow the full 24-hour curing time for the adhesive to reach maximum strength.
  - Ensure sufficient pressure was applied during initial sticking.
- **Fastener Not Holding Items:**
  - Check if the weight of the item exceeds the recommended holding capacity (up to 5 lbs for this product).
  - Inspect the hook and loop surfaces for debris or wear. Clean if necessary.
  - Ensure the hook and loop sides are pressed firmly together for full engagement.
- **Tape Peeling Off:**
  - This may indicate insufficient surface preparation or an unsuitable surface. Re-clean and re-apply on a proper surface.
  - Consider if the tape is exposed to excessive moisture or extreme temperature fluctuations.

Specifications

Brand	VELCRO Brand
Color	Black
Material	Nylon, Thermoplastic Rubber
Size	30 ft x 3/4 in
Style	Tape
Mounting Type	Adhesive
Manufacturer	Velcro USA Inc.
Item Weight	4 ounces
Product Dimensions	8 x 7.5 x 2.5 inches
Item Model Number	91137
Country of Origin	USA
UPC	075967911379 (Primary)

Warranty and Support

This VELCRO Brand product comes with **NO WARRANTY** as per the manufacturer's specifications. For any product inquiries or support, please refer to the official VELCRO Brand website or contact their customer service directly.
You can visit the VELCRO Brand Store on Amazon for more information and products.

© 2025 VELCRO Brand. All rights reserved.