

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Henry](#) /

› [User Manual: Genuine Numatic RSV200 Vacuum 32MM Taper Hose/Tool Adapter](#)

Henry NUMATIC 601141

Genuine Numatic RSV200 Vacuum 32MM Taper Hose/Tool Adapter

Model: NUMATIC 601141

INTRODUCTION

This manual provides essential information for the proper use, installation, and maintenance of your Genuine Numatic RSV200 Vacuum 32MM Taper Hose/Tool Adapter. Please read this manual thoroughly before using the product to ensure optimal performance and longevity.



Image: The Genuine Numatic RSV200 Vacuum 32MM Taper Hose/Tool Adapter, a black cylindrical component designed for vacuum cleaner hose connections.

PRODUCT OVERVIEW

The Numatic 32MM Taper Hose/Tool Adapter (Part Number 601141) is a genuine accessory designed to provide a secure and efficient connection between your vacuum cleaner's hose and various cleaning tools. It is specifically engineered for Numatic appliances, ensuring compatibility and reliable performance.

Key Features:

- Genuine Numatic part for assured compatibility and quality.
- Designed for 32mm taper hose connections.
- Ensures a secure fit between hose and vacuum tools.
- Durable construction for long-lasting use.

SETUP AND INSTALLATION

Follow these steps to correctly install the adapter:

1. **Identify Compatible Components:** Ensure your vacuum hose has a 32mm taper and the tool you intend to connect is compatible with this adapter. This adapter is suitable for Numatic appliances.
2. **Connect to Hose:** Insert the tapered end of the vacuum hose firmly into one end of the adapter. Apply gentle pressure and twist slightly until a snug fit is achieved.
3. **Connect to Tool:** Insert the desired vacuum tool (e.g., brush, crevice tool) into the other end of the adapter. Push firmly until it is securely seated.
4. **Verify Connection:** Gently pull on both the hose and the tool to ensure they are securely attached to the adapter and will not detach during use.

OPERATING INSTRUCTIONS

Once the adapter is securely connected to both the vacuum hose and the desired tool, the vacuum cleaner can be operated as usual. The adapter facilitates the connection, allowing for efficient transfer of suction to the attached tool.

- Ensure all connections are tight before operating the vacuum.
- Do not force the adapter onto incompatible hoses or tools.
- Regularly check the adapter for any signs of wear or damage that might affect suction or connection integrity.

MAINTENANCE

The Numatic 32MM Taper Hose/Tool Adapter requires minimal maintenance to ensure its longevity and proper function.

- **Cleaning:** Wipe the adapter with a damp cloth to remove dust and debris. Do not use harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically inspect the adapter for cracks, deformities, or any signs of wear that could compromise its sealing ability or structural integrity.
- **Storage:** Store the adapter in a clean, dry place away from direct sunlight and extreme temperatures when not in use.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Loose connection / Air leak	Adapter not fully seated; incompatible hose/tool; damaged adapter.	Ensure adapter is pushed firmly onto both hose and tool. Verify compatibility. Inspect adapter for damage and replace if necessary.
Difficulty attaching	Incorrect size; debris in connection points.	Confirm hose/tool size is 32mm taper. Clean any debris from the adapter and connecting parts.

SPECIFICATIONS

Part Number: NUMATIC 601141

Compatibility: Numatic appliances, 32MM Taper Hoses

Material: Durable plastic

Item Weight: 20 g

Package Dimensions: 16 x 5.4 x 4.6 cm

WARRANTY AND SUPPORT

As a genuine Numatic product, this adapter is covered by the manufacturer's standard warranty. For specific warranty details or technical support, please refer to the official Numatic documentation or contact Numatic customer service directly.

Safety Precaution: Take safety precautions when repairing all appliances. Repairs to gas appliances should only be made by a Gas Safe Registered engineer. This product is an accessory for vacuum cleaners and does not involve gas appliances.

© 2024 Henry. All rights reserved.

Related Documents - NUMATIC 601141

 <p>Numatic HT4045, TT4045G, TT4055G Scrubber Dryer User Manual</p> <p>Comprehensive user manual for Numatic's HT4045, TT4045G, and TT4055G scrubber dryers, covering setup, operation, maintenance, and technical specifications.</p>
 <p>Numatic 440NX Floor Scrubber: Monthly Maintenance Guide</p> <p>Detailed step-by-step instructions for monthly maintenance of the Numatic 440NX Autolaveuse floor scrubber. Learn how to clean, reassemble, and store your machine for optimal performance.</p>

	<p><u>Numatic TTB 3045NX 36V Scrubber Dryer: Original Instructions Manual</u></p> <p>Comprehensive guide for the Numatic TTB 3045NX 36V Scrubber Dryer, covering setup, operation, maintenance, troubleshooting, and safety. Essential reading for efficient and safe floor cleaning.</p>
	<p><u>Numatic NBV & PBT NX Series Battery Vacuum Cleaner User Manual</u></p> <p>User manual for Numatic NBV 190 NX, NBV 240 NX, NBV 240H NX, and PBT 230 NX battery-powered vacuum cleaners. Provides essential information on operation, safety, maintenance, battery care, and troubleshooting for Numatic cleaning equipment.</p>
	<p><u>Numatic TTB 1840 36V Scrubber Dryer - Original Instructions and User Manual</u></p> <p>Comprehensive user manual and original instructions for the Numatic TTB 1840 36V Scrubber Dryer, covering setup, operation, maintenance, specifications, and troubleshooting. Includes safety guidelines and parts information.</p>
	<p><u>Numatic Nu-Clean Compact 220NX NCC.220.NX Scrubber Dryer User Manual</u></p> <p>User manual for the Numatic Nu-Clean Compact 220NX (NCC.220.NX) scrubber dryer. Learn about setup, operation, maintenance, troubleshooting, and safety features for professional floor cleaning.</p>