Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Neocate SB12595CA

Nutricia Neocate Infant DHA/ARA Formula Instruction Manual

1. Product Overview

Nutricia Neocate Infant DHA/ARA is a hypoallergenic, amino acid-based infant formula specifically designed for the dietary management of cow milk allergy (CMA), multiple food protein intolerance (MFPI), and other food-allergy-associated conditions in infants aged 0-12 months. This formula provides complete nutrition to support normal growth and development.



Image 1: Nutricia Neocate Infant DHA/ARA Formula (Pack of 4)

Key Features:

- **Hypoallergenic:** Formulated for the dietary management of cow milk allergy and multiple food allergies.
- **Amino Acid-Based:** Dairy-free and soy oil-free for infants with severe allergies.
- **Nutritionally Complete:** Provides essential nutrients for infants aged 0-12 months.
- **Contains DHA and ARA:** Supports brain and eye development.
- **Medical Food:** For use under medical supervision.



Image 2: Neocate Infant formula supporting normal growth and development.

Benefits:

- Clinically-tested hypoallergenic.
- Made in a milk protein-free facility.
- Well tolerated and shown to support normal growth.
- Effectively relieves food allergy symptoms.



Image 3: Key benefits of Neocate Infant DHA/ARA formula.

2. Important Safety Information

Always consult your healthcare professional before using this product. Neocate Infant DHA/ARA is a medical food and should be used under medical supervision.

- Improper preparation can lead to illness. Follow all instructions carefully.
- Do not use a microwave oven to warm formula. Serious burns can result.
- Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.
- Ensure all feeding equipment is properly sterilized before use.

3. Preparation Instructions (Setup)

Follow these steps carefully to prepare Neocate Infant DHA/ARA formula. Always refer to the specific instructions on

the product can for precise measurements and preparation details, as they may vary.

1. **Wash Hands:** Thoroughly wash your hands with soap and water before preparing formula.
2. **Sterilize Equipment:** Sterilize all feeding equipment (bottles, nipples, rings, caps) by boiling in water for 5 minutes or using a suitable sterilizer.
3. **Boil Water:** Boil fresh tap water for 5 minutes. Allow it to cool to lukewarm temperature (approximately 100°F or 37°C). Do not use excessively hot water as it can destroy nutrients.
4. **Measure Water:** Pour the required amount of cooled, boiled water into a sterilized feeding bottle.
5. **Add Powder:** Using the scoop provided in the can, add the correct number of level scoops of Neocate Infant DHA/ARA powder to the water. Do not pack the powder.
6. **Mix:** Cap the bottle and shake vigorously until the powder is completely dissolved.
7. **Test Temperature:** Before feeding, test the formula temperature by placing a few drops on your wrist. It should feel lukewarm.

Note: Prepared formula should be fed immediately. Discard any formula left in the bottle after one hour at room temperature or after feeding has commenced.

4. Feeding Instructions (Operating)

Feed your infant according to your healthcare professional's recommendations. The following are general guidelines:

- **Feeding Schedule:** Infants typically feed every 2-4 hours, but individual needs vary. Follow your infant's hunger cues and your doctor's advice.
- **Amount:** The amount of formula per feeding will depend on your infant's age, weight, and medical condition. Your healthcare professional will provide specific guidance.
- **Do Not Overfeed:** Avoid forcing your infant to finish a bottle if they show signs of fullness.
- **Discard Leftovers:** For your infant's safety, always discard any unused formula remaining in the bottle after one hour at room temperature or after feeding has begun. Do not store and reuse.

5. Storage and Handling (Maintenance)

Unopened Cans:

- Store unopened cans in a cool, dry place, away from direct sunlight and extreme temperatures.
- Do not store in the refrigerator or freezer.
- Check the 'Best By' date on the bottom of the can and use before this date.

Opened Cans:

- Once opened, cover the can tightly with the plastic lid provided.
- Store the opened can in a cool, dry place.
- Use the contents of an opened can within one month.

Prepared Formula:

- Prepared formula should be fed immediately.
- If not fed immediately, prepared formula can be stored in a refrigerator (35-40°F or 2-4°C) for up to 24 hours.

- Discard any formula left in the bottle after one hour at room temperature or after feeding has commenced.

6. Troubleshooting

If your infant experiences any adverse reactions, digestive issues, or feeding difficulties while using Neocate Infant DHA/ARA, discontinue use and consult your healthcare professional immediately.

- **Mixing Issues:** Ensure water is at the correct temperature and shake the bottle vigorously to prevent clumps.
- **Refusal to Feed:** Consult your healthcare professional if your infant consistently refuses the formula.
- **Allergic Reactions:** Although Neocate is hypoallergenic, if you suspect an allergic reaction, seek immediate medical advice.

7. Product Specifications

Nutritional Information:

Refer to the table below for detailed nutritional content per 100g and per 100 kcal.

Neocate Infant DHA/ARA Nutrition Information

Nutrients	Per 100 g	Per 100 kcal
Calories	483	100
Protein Equivalent, g	13.5	2.8
Fat, g	24.5	5.1
Linoleic Acid, mg	3565	738
α-Linolenic Acid, mg	419	86.8
DHA, mg	81.6	16.9
ARA, mg	81.6	16.9
Carbohydrate, g	52.0	10.8
Vitamins		
Vitamin A, IU (mcg RE)	1352 (406)	280 (84.1)
Vitamin D_3, IU (mcg)	352 (8.8)	72.9 (1.8)
Vitamin E, IU (mg α T.E.)	6.8 (4.6)	1.4 (0.94)
Vitamin K, mcg	42.5	8.8
Thiamine, mcg	540	110
Riboflavin, mcg	540	110
Vitamin B_6, mcg	540	112
Vitamin B_{12}, mcg	1.3	0.27
Niacin, mcg	4900	1014
Folic Acid, mcg	64.0	13.3
Pantothenic Acid, mcg	2900	600
Biotin, mcg	19.0	3.9
Vitamin C, mg	51.6	10.7
Choline, mg	95.4	19.8
Inositol, mg	108	22.4

Minerals	Per 100 g	Per 100 kcal
Calcium, mg	561	116
Phosphorus, mg	397	82.2
Magnesium, mg	51.0	10.6
Iron, mg	7.3	1.5
Zinc, mg	5.3	1.1
Manganese, mcg	200	41.4
Copper, mcg	410	84.9
Iodine, mcg	100	20.7
Molybdenum, mcg	11.3	2.3
Chromium, mcg	10.6	2.2
Selenium, mcg	14.5	3.0
Sodium, mg	189	39.1
Potassium, mg	525	109
Chloride, mg	386	79.9

Image 4: Neocate Infant DHA/ARA Nutrition Information.

General Specifications:

- **Item Model Number:** SB12595CA
- **UPC/GTIN:** 637801212778, 767563751694, 749735008041, 749735025956, 066561557810, 799891871461, 749735125953
- **Manufacturer:** Nutricia
- **Product Dimensions:** 8.27 x 8.27 x 5.12 inches
- **Item Weight:** 0.5 Kilograms (1.1 Pounds)
- **Item Form:** Powder
- **Age Range:** Infant (0-12 months)
- **Dietary Types:** Kosher, Halal

Ingredients:

Nutrients: Calories, Protein Equivalent, Fat, Linoleic Acid, a-Linolenic Acid, DHA, ARA, Carbohydrate. Vitamins:

Vitamin A, Vitamin D3, Vitamin E, Vitamin K, Thiamine, Riboflavin, Vitamin B6, Vitamin B12, Niacin, Folic Acid, Pantothenic Acid, Biotin, Vitamin C, Choline, Inositol. Minerals: Calcium, Phosphorus, Magnesium, Iron, Zinc, Manganese, Copper, Iodine, Molybdenum, Chromium, Selenium, Sodium, Potassium, Chloride.

8. Support and Contact

For further assistance, product information, or to address any concerns, please contact Nutricia customer service or visit the official Neocate website.

Neocate Store: Visit the Neocate Store on Amazon

Manufacturer: Nutricia

Please retain this instruction manual for future reference.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question