

Steinel 550516

Steinel NightMatic 3000 Twilight Switch

Model: 550516 | Brand: Steinel

1. PRODUCT OVERVIEW

The Steinel NightMatic 3000 Vario is a microprocessor-controlled twilight switch designed to automate outdoor lighting. It is ideal for illuminating building facades, grounds, gardens, and other outdoor areas during the night. This device intelligently manages your lighting, ensuring energy efficiency and convenience.

Key features include:

- **Automatic Lighting:** Automatically switches connected lamps on in the evening when the set twilight threshold is reached and off again at dawn.
- **Vario Night Economy Mode:** Allows programming a specific duration during the night when lighting is not desired or necessary, automatically turning off the light and reactivating it in the morning. This feature contributes to energy savings.
- **Adjustable Twilight Threshold:** The light sensitivity can be individually set to suit specific environmental conditions.
- **Self-Compensating Light Function:** Ensures reliable operation by preventing interference from nearby external light sources.

2. SAFETY INSTRUCTIONS

Please read these safety instructions carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Installation must be performed by a qualified electrician in accordance with national wiring regulations and local electrical codes.
- Ensure the power supply is disconnected at the main circuit breaker before commencing any installation or maintenance work.
- The device operates at 240 Volts. Handle with extreme care.
- Do not open or modify the device. There are no user-serviceable parts inside.
- Protect the device from moisture, dust, and extreme temperatures. It is designed for outdoor use but should be installed in a location protected from direct heavy rain if possible.
- Keep packaging materials away from children.

3. PACKAGE CONTENTS

Verify that all components are present in the package:

- Steinel NightMatic 3000 Twilight Switch unit
- Mounting screws and wall plugs
- Instruction Manual (this document)

4. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance of your NightMatic 3000. Follow these steps carefully:

1. **Choose a Location:** Select a mounting location where the twilight switch can accurately detect ambient light. Avoid areas directly illuminated by artificial light sources (e.g., streetlights, other lamps) that could interfere with its operation. The sensor should have an unobstructed view of the sky.
2. **Prepare for Mounting:**



Figure 4.1: Front view of the Steinel NightMatic 3000 Twilight Switch. This image shows the compact black housing with the sensor

visible on the front.




Figure 4.2: The NightMatic 3000 mounted on a wall, demonstrating its discreet profile. The device is shown attached to a light-colored wall, highlighting its compact design.

Mark the drilling points on the wall using the device as a template. Drill holes and insert the provided wall plugs.

3. Electrical Connection:

- **IMPORTANT:** Ensure the main power supply is OFF before proceeding.
- Connect the electrical wires to the terminal block inside the device. The NightMatic 3000 uses a screw terminal type for connections.
- Connect the phase (L), neutral (N), and switched phase (L') wires according to the wiring diagram provided inside the device cover.
- Ensure all connections are secure and properly insulated.

4. **Mount the Device:** Secure the NightMatic 3000 to the wall using the provided screws. Ensure it is firmly attached.

5. **Restore Power:** Once installation is complete and all connections are secure, restore power at the main circuit breaker.

5. OPERATING INSTRUCTIONS

The NightMatic 3000 is designed for automatic operation. Here's how to configure its settings:

Licht ganz automatisch

Fully automatic lighting




Figure 5.1: Illustration of the NightMatic 3000's automatic lighting functionality. It depicts light turning on when dark, an eco-mode period, and light turning off when bright.

5.1. Setting the Twilight Threshold

The twilight threshold determines the ambient light level at which the device will switch the connected lights on or off. This can be adjusted to your preference:

- Locate the adjustment button/dial on the device.
- Press the button or rotate the dial to increase or decrease the sensitivity. A higher sensitivity means the light will turn on earlier in dimming conditions, and a lower sensitivity means it will wait for darker conditions.
- Test the setting by observing the light behavior at dusk and dawn.

5.2. Vario Night Economy Mode

This intelligent function allows you to save energy by programming a period during the night when the lights are not needed:

- Identify the rotary knob for the Vario economy mode.
- Rotate the knob to set the desired duration for the economy period. During this period, the connected lights will automatically switch off, even if it's dark.
- The lights will automatically reactivate in the morning before dawn, ensuring illumination when needed.

6. MAINTENANCE

The NightMatic 3000 requires minimal maintenance to ensure long-term performance:

- **Cleaning:** Periodically wipe the sensor lens and the device housing with a soft, damp cloth to remove dust or dirt. Do not use abrasive cleaners or solvents.
- **Inspection:** Annually inspect the wiring connections for any signs of wear or corrosion. Ensure the device is securely mounted.
- **No User-Serviceable Parts:** Do not attempt to open the device for internal cleaning or repair. Refer to qualified personnel for any issues beyond basic cleaning.

7. TROUBLESHOOTING

If you encounter issues with your NightMatic 3000, refer to the following table:

Problem	Possible Cause	Solution
Lights do not turn on at dusk.	• Twilight threshold set too low (requires very dark conditions). • Sensor obstructed or dirty. • External light source interfering. • No power to the device.	• Adjust the twilight threshold to a higher sensitivity. • Clean the sensor lens. • Relocate the device or shield the sensor from interfering lights. • Check circuit breaker and wiring connections.

Problem	Possible Cause	Solution
Lights do not turn off at dawn.	• Twilight threshold set too high (requires very bright conditions). • Sensor obstructed or dirty.	• Adjust the twilight threshold to a lower sensitivity. • Clean the sensor lens.
Lights turn off unexpectedly during the night.	• Vario night economy mode is active.	• Check the setting of the Vario night economy mode and adjust if necessary.
Device not responding.	• No power. • Faulty wiring. • Device malfunction.	• Check power supply and circuit breaker. • Consult a qualified electrician to inspect wiring. • If issues persist, contact Steinel customer support.

8. SPECIFICATIONS

Attribute	Value
Model Number	550516
Brand	Steinel
Product Dimensions (L x W x H)	9.9 x 7.4 x 3.7 cm
Item Weight	120 grams
Operating Mode	Automatic

Operating Voltage	240 Volts
Contact Type	Normally Closed
Connector Type	Clip
Switch Type	Rotary
Terminal Type	Screw
Material	PVC
Circuit Type	Parallel



9. WARRANTY AND SUPPORT


Steinel products are manufactured to high quality standards. This product comes with a 1-year availability for spare parts. For technical support, warranty claims, or further assistance, please visit the official Steinel website or contact their customer service department. Retain your proof of purchase for warranty purposes.

© 2024 Steinel. All rights reserved.

Related Documents - 550516

	STEINEL NightmatIQ & NightmatIQ Plus Dämmerungsschalter Bedienungsanleitung Installation & Funktion Umfassende Anleitung für STEINEL NightmatIQ und NightmatIQ Plus Dämmerungsschalter. Erfahren Sie mehr über Installation, Funktionen, manuelle und App-gesteuerte Einstellungen für Ihre Außenbeleuchtung.
	Steinel CAM App Installationsanleitung Eine detaillierte Installationsanleitung für die Steinel CAM-App, die Schritt für Schritt erklärt, wie Sie Ihre Steinel CAM-Sicherheitskamera einrichten, mit Ihrem WLAN verbinden und bedienen. Enthält Anleitungen zur Montage, App-Einrichtung und Fehlerbehebung.

	STEINEL CONNECT APP: Update Guide for Bluetooth Mesh Products Step-by-step guide to updating your STEINEL Connect products to the new Bluetooth Mesh standard using the STEINEL Connect App. Learn how to perform firmware updates and set up devices in your network.
	Steinel Connect App: Your Guide to Smart Lighting Setup A comprehensive guide to setting up Steinel products using the Steinel Connect App, covering project creation, user management, network setup, product allocation to groups, group settings, and configuring neighboring groups for smart lighting.
	Steinel CAM App Installation Guide: Setup and Configuration A comprehensive guide to installing, mounting, connecting, and configuring your Steinel CAM smart security camera using the Steinel CAM mobile application. Learn setup steps, network connection, and troubleshooting.
	Steinel CAM App Installation Guide A comprehensive guide for installing and setting up the Steinel CAM device and its companion app. Covers app installation, device mounting, network configuration, and initial setup for seamless operation.




[pdf] Specifications Datasheet Dimension Guide Warranty

process Steinel 550516 Datasheet NightMatic 3000 Vario Photoelectric Lighting Controller Black CEF steinel datasheet pdg cef co uk |||

Photoelectric lighting controller NightMatic 3000 Vario black EAN 4007841 **550516** Article number **550516** Twilight switch eco-mode 1000 W max. LED-ready IP54 0,5 - 10 lux manufacture s energy saving warranty CE steinel.de/garantie3y TV Nord Baumuster checked Function description Intellig...

lang:en **score:25** filesize: 950.61 K page_count: 2 document date: 2022-09-13



[pdf] Warranty

Vertriebsdatenblatt V2 DIY admin Produktdatenblatt D mmerungsschalter COM1 on off NightMatic 3000 SW von STEINEL 247b7a62edf649ecbf424cecc752b648 678610 DATEN DE 550516 shop iism de media 35 e0 c3 1695846585 |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr. **550516** Twilight switch ecomode 1000 W max. LED-ready IP54 0,5 - 10 lux energy saving manufacture s warranty steinel.de/garantie3y CE TV Nord Baumuster checked Funktionsbeschreibung Intelligente Lichtsteuerung. D...

lang:de **score:22** filesize: 816.94 K page_count: 2 document date: 2022-09-08



[pdf] Specifications Tech Sheet Datasheet Dimension Guide Warranty

admin Photo cell controller NightMatic 3000 Vario black EAN 4007841 550516 Subject to technical modifications steinel de 09 2020 Page 2 from STNM3000B Datasheet tlc direct co uk Technical DataSheets Steinel 3 |||

Photo-cell controller NightMatic 3000 Vario black EAN 4007841 **550516** Twilight switch eco-mode 1000 W max. IP54 manufacture s 0,5 - 10 lux energy saving warranty CE steinel.de/garantie TV Nord Baumuster checked Function description Intelligent lighting control. Photo-electric lighting co...

lang:en **score:22** filesize: 992.47 K page_count: 2 document date: 2020-09-08

[\[pdf\]](#) User Manual

qxq Bedienungsanleitung 1513625 Steinel 550516 Dämmerungsschalter Schwarz 230 V 1 Schließer


Conrad e B2B on line SLO Trgovina za podjetja! bedienungsanleitung steinel daemmerungsschalter schwarz v schliesser asset conrad media10 add 160267 c1 gl 001513625ML00 |||

STEINEL Vertrieb GmbH Dieselstrae 80-84 33442 Herzebrock-Clarholz Tel:

49/5245/448-188 www.steinel.de Contact www.steinel.de/contact 0110070543

05/2019_A Technische nderungen vorbehalten. / Subject to technical modification without notice. CN BG RU LV LT EE HR SI RO PL SK CZ HU TR GR NO FI DK SE P...

lang:de score:19 filesize: 1.99 M page_count: 54 document date: 2019-05-03




[\[pdf\]](#)

Zum Download Kataloge und Prospekte STEINEL 110088498 Streupropekt Sensor DIY DE ANSICHT steinel de out pictures ddmedia |||

Light meets life Interaktive Licht- und Sensorlösungen fr maximalen Komfort. Einstieg Inhaltsverze ... ite 113 122 1000W LED-ready 0,5-10 lx IP54 Bestelldaten 4007841 550615 NM 3000 Vario wei 4007841 **550516** NM 3000 Vario schwarz Fr die Wandmontage max. Schaltlasten siehe Tabelle Seite 113 123 Inne...

lang:de score:17 filesize: 8.41 M page_count: 71 document date: 2022-02-21



[\[pdf\]](#) Datasheet Warranty

process Download starten Dämmerungsschalter NightMatic 3000 Vario schwarz STEINEL 67934


Datenblatt 4007841550516 DAEMMERUNGSSCHALTER NM SW steinel de out media datasheet |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr.

550516 Twilight switch eco-mode 1000 W max. LED-ready IP54 0,5 - 10 lux

manufacture s energy saving warranty CE steinel.de/garantie3y TV Nord Baumuster checked Funktionsbeschreibung Intelligente Lichtsteuerung...


lang:de score:17 filesize: 981.88 K page_count: 2 document date: 2022-01-25



[\[pdf\]](#) Catalog

Scaricare STEINEL Cataloghi e depliant 110094535 Streuprojekt Sensor DIY IT steinel it out pictures dmedia |||


Light meets life Soluzioni di illuminazione per la casa. Indice Indice Informazioni Introdution ... W 200 W NM2000136 4007841 550417 bianco 4007841 550318 nero NM 3000 4007841 550615 bianco 4007841 **550516** nero 137 1000 W 1000 W 10 s 60 Min. 10 s 60 Min. 180 180 8 s 35 Min. 8 s 35 Min. 1... lang:it **score:17** filesize: 11.92 M page_count: 79 document date: 2023-01-03



[\[pdf\]](#) Datasheet Warranty

Vertriebsdatenblatt V2 DIY process Descargar ficha de datos Interruptor crepuscular NightMatic 3000 Vario Negro STEINEL 247651 Ficha 4007841550516 LUX SWITCH NM BLACK steinel out media datasheet |||

Interruptor crepuscular NightMatic 3000 Vario Negro EAN 4007841 **550516** N de art. **550516** Twilight switch ecomode 1000 W max. IP54 0,5 - 10 lux energy saving manufacture s warranty steinel.de/garantie CE TV Nord Baumuster checked Descripcin del funcionamiento Regulacin de luz inteligente. I... lang:es **score:17** filesize: 1.84 M page_count: 2 document date: 2024-08-31



Intelligentes Licht für
ein komfortables Leben.
Produktübersicht


[\[pdf\]](#)

110040884 Streupropekt Sensor DIY Doppelseiten D VS neutral contenido steinel de cms upload

kataloge prospekte |||

Intelligentes Licht für ein komfortables Leben. Produktübersicht Bewegungsmelder Außen
Seite 6 Solar ... -10 lux max. Wandmontage EAN wei 4007841 550615
EAN schwarz 4007841 **550516** Hhe/Breite/Tiefe. 99 mm /
74 mm / 37 mm Licht an Licht aus ...

lang:de score:16 filesize: 6.31 M page_count: 49 document date: 2015-04-29




[\[pdf\]](#) Catalog

Scaricare STEINEL Cataloghi e depliant 110101428 Streupropekt Sensor DIY IT RZ Ansicht steinel it
out pictures ddmedia |||

Light meets life Illuminazione per la casa e il giardino Indice 2 Indice Il marchio
STEINEL Li ... 66130 antracite max. 1000 W NM 3000 Vario 132 4007841 550615
bianco max. 1000 W 4007841 **550516** nero max. 1000 W NM 2000 133 4007841
550417 bianco max. 1000 W 4007841 550318 ner...

lang:it score:16 filesize: 15.27 M page_count: 174 document date: 2024-10-01



[\[pdf\]](#) Diagram


process Download starten Dämmerungsschalter NightMatic 3000 Vario schwarz STEINEL 154051

Technische Zeichnung 4007841550516 DAEMMERUNGSSCHALTER NM SW steinel de out media

technicaldiagram |||

Dämmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr.
550516 Massezeichnung Technische Änderungen vorbehalten <https://www.steinell.de>
09.2021 Seite 1 von 1 Powered by TCPDF www.tcpdf.org ...


lang:it score:16 filesize: 904.43 K page_count: 1 document date: 2021-09-24



[\[pdf\]](#)

Steinel Pocketboekje 2015 A6 NL indd Bekijk de handleiding control pro systeem air sensor bol original media s 7pWNNgZAogjy |||

Algemene informatie Bescherming IP Bescherming IP IP duidt de mate van bescherming van de behuizinge ... ightMatic 3000 Vario NightMatic 3000 Vario wit NightMatic 3000 Vario zwart 4007841 550615 4007841 **550516** H 31,55* H 31,55* Afmetingen H x B x D 99 x 74 x 37 mm Netaansluiting 230 240 V, 50 H... lang:nl **score:16** filesize: 2.86 M page_count: 143 document date: 2020-10-04




[\[pdf\]](#)

Zum Download Kataloge Prospekte STEINEL STL 13837 23 Streuprosppekt Sensor DIY RZ ANSICHT 1 force sid s2ieiu04klfb2amed16chb42bm steinel de out pictures ddmedia |||

Light meets life Licht fr Haus und Garten Inhaltsverzeichnis 2 Inhaltsverzeichnis ber STEINEL L ... anthrazit max. 1000 W max. 1000 W NM 3000 Vario 132 4007841 550615 wei max. 1000 W 4007841 **550516** schwarz max. 1000 W NM 2000 133 4007841 550417 wei max. 1000 W 4007841 550318 schwarz...

lang:de **score:16** filesize: 13.27 M page_count: 90 document date: 2023-11-14




[\[pdf\]](#)

streuprosppekt sensor diy d vs steinel de out pictures ddmedia

Licht Sensoren fr Ihr Zuhause Inhalt ber Steinel 04 Auenleuchten Wand- und Deckenleuchten 12 Hau 112 , Dmmerungsschwelle von 0,5-10 Lux einstellbar, IP54 Fr die Wandmontage Bestelldaten 4007841 **550516** schwarz 4007841 550615 wei 95 Innenleuchten Zuverlssiges Licht ohne Schalter. Die STEINEL ...

lang:de **score:16** filesize: 8.18 M page_count: 59 document date: 2019-08-08



[pdf]

Intelligentes Licht für einSteinel Gesamtkatalog 2013 2014media expert security de wiki Steinel 2014 |||


Intelligentes Licht fr ein komfortables Leben Gesamtkatalog 2013/14 Inhaltsbersicht

Produktbersich ... 4007841 550615 EAN NightMatic3000Vario schwarz

. 4007841 **550516** Ausfhrung

. . Dmmerungs...

lang:de **score:16** filesize: 25.88 M page_count: 117 document date: 2012-11-23



[pdf]

110094536 Streupropekt Sensor DIY GB steinel de out pictures ddmedia |||

Light meets life Lighting solutions around the house. Table of contents 2 Table of contents Info ... W 200 W NM2000136 4007841 550417 white 4007841 550318 black NM 3000 4007841 550615 white 4007841 **550516** black 137 1000 W 1000 W 10 s 60 min. 10 s 60 min. 180 180 8 s 35 min. 8 s 35 min. ...

lang:en **score:16** filesize: 11.93 M page_count: 79 document date: 2023-01-03



[pdf] Datasheet

Vertriebsdatenblatt V2 DIY admin 67934 Datenblatt 4007841550516 DAEMMERUNGSSCHALTER NM 3000 SW steinel de out media datasheet |||


Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr.

550516 Dmmerungsschalter EcoModus 1000 W max. LED-fhig IP54 0,5 - 10 Lux

Energie sparen Herstellergarantie CE TV Nord Baumuster geprft

Funktionsbeschreibung Intelligente Lichtsteuerung. Dmmerungsschalter NightMa...

lang:de **score:16** filesize: 1.84 M page_count: 2 document date: 2024-04-08




[\[pdf\]](#)

STL 10662 19 Streuprojekt Sensor DIY DE ANSICHT steinel de out pictures ddmedia |||

Licht Sensoren fr Ihr Zuhause Inhalt ber Steinel 04 Auenleuchten Wand- und Deckenleuchten 12 Kam 112 , Dmmerungsschwelle von 0,5-10 Lux einstellbar, IP54 Fr die Wandmontage Bestelldaten 4007841 **550516** schwarz 4007841 550615 wei 103 Innenleuchten Zuverlssiges Licht ohne Schalter. Die STEINEL...

lang:de **score:16** filesize: 10.18 M page_count: 63 document date: 2019-12-06



[\[pdf\]](#) Datasheet Warranty

process NightMatic 3000 Vario 67938 Foglio dati 4007841550516 LUX SWITCH NM BLACK steinel it out media datasheet |||

Interruttore crepuscolare NightMatic 3000 Vario nero EAN 4007841 **550516** Art. n.

550516 Twilight switch eco-mode 1000 W max. LED-ready IP54 0,5 - 10 lux

manufacture s energy saving warranty CE steinel.de/garantie3y TV Nord Baumuster

checked Descrizione del funzionamento Comando intelli...

lang:it **score:16** filesize: 982.23 K page_count: 2 document date: 2022-05-15



[\[pdf\]](#)

110037119 DIY KATALOG 2015 ANSICHT DOPPELSEITEN D VS contenido steinel de cms upload
kataloge prospekte |||

Intelligentes Licht für ein komfortables Leben. Gesamtkatalog 2015/16 Inhaltsübersicht
Produktübersicht ... 4007841 550615 EAN NightMatic3000Vario schwarz
. 4007841 **550516** Ausführung
Dimmerungs...

lang:de **score:16** filesize: 19.5 M page_count: 124 document date: 2015-04-10




[\[pdf\]](#) Catalog

Intelligent licht voor een comfortabel leven VanSpijk 2018 01 03 — Energie intelligenter toepassen en
daar door belangrijke meerwaarde creëren mens milieu Vanuit deze visie heeft STEINEL in het midden
van de 110054013 SENSORKATALOG DIY 2017 NLD steinel de out pictures ddmedia |||

Intelligent licht voor een comfortabel leven. Totaalcatalogus 2017/18 Inhoudsoverzicht
Productoverzicht ... 4007841 550615 EAN NightMatic3000Vario zwart
. 4007841 **550516** Uitvoering
sch...

lang:nl **score:16** filesize: 20.1 M page_count: 120 document date: 2017-05-11




[\[pdf\]](#)

Light sensors Steinel through and we develop manufacture in house right down to the electronic
components STEINEL2020 nk electrical article exterior

Light sensors for your home Contents About Steinel 04 Outdoor lights Wall and ceiling
lights 12 ... ilight threshold scan be adjusted from 0.5-10 lux, IP54 For wall mounting
Ordering details 4007841 **550516** black 4007841 550615 white 95 Indoor lights
Reliable lighting without switches. STEINEL in...

lang:en **score:16** filesize: 10.47 M page_count: 59 document date: 2020-02-10




[pdf] Diagram

Schaltpläne process 183576 Schaltplan 4007841550516 DAEMMERUNGSSCHALTER NM 3000 SW steinel de out media wiringdiagram |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr. **550516** Schaltplan Technische nderungen vorbehalten <https://www.steinell.de> 08.2023 Seite 1 von 1 ...

lang:en score:15 filesize: 1.14 M page_count: 1 document date: 2023-08-21



[pdf] Diagram

Technische Zeichnung process 154051 4007841550516 DAEMMERUNGSSCHALTER NM 3000 SW steinel de out media technicaldiagram |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr. **550516** Mazeichnung Technische nderungen vorbehalten <https://www.steinell.de> 09.2023 Seite 1 von 1 ...

lang:en score:15 filesize: 1.14 M page_count: 1 document date: 2023-09-01



[pdf] Borchure

Brochure STEINEL MOTION DETECTOR IS360D WHITE CEILING Movement Sensors Onninen FISTK 3515710 392520 kesko onninen pim resources production s3 eu west 1 amazonaws pimdocuments ||| lykst valoa shk ssten Tuoteluettelo 2015/16 Sislt Tuotevalikoima..... 3514140 / 4007841 550615 Shk-nro / EAN NightMatic3000Vario musta 3514141 / 4007841 **550516** Malli

lang:fi score:15 filesize: 28.07 M page_count: 247 document date: 2016-11-11

Luz inteligente para uma vida confortável


Resumo dos produtos



STEINEL
Intelligent Technology

Schemerschakelaar
NightMatic 3000 Vario
EAN 4007841 550516
art.nr. 550516

 steinel



Technische wijzigingen voorbehouden

https://www.steinel.de
(09.2023) Pagina 1 van 1

[\[pdf\]](#) User Manual

Luz inteligente para uma STEINEL O original Usar a energia de forma mais criar valias importantes o ser humano e meio ambiente Foi com base nesta visão que inventou candeeiro Catlogo Laranja 2013 2014 pronodis pt files 7613 7467 7806 |||

Luz inteligente para uma vida confortvel Resumo dos produtos Detetores de movimento para o Exterior ... Apagar a luz Montagem na parede EAN branco 4007841 550615 EAN preto 4007841 **550516** Altura/Largura/Prof. 99 mm / 74 mm / 37 mm eco-mode 15 Luz control...


lang:pt **score:15** filesize: 6.37 M page_count: 41 document date: 2013-04-25

[\[pdf\]](#) Diagram

Technische Zeichnung process 201194 tekening 4007841550516 LUX SWITCH NM 3000 BLACK steinel de out media technicaldiagram |||

Schemerschakelaar NightMatic 3000 Vario zwart EAN 4007841**550516** art.nr. **550516** Maten Technische wijzigingen voorbehouden <https://www.steinel.de> 09.2023 Pagina 1 van 1 ...

lang:pt **score:15** filesize: 1.14 M page_count: 1 document date: 2023-09-01



[pdf] Diagram

Schaltpläne process 197217 Circuit diagram 4007841550516 LUX SWITCH NM 3000 BLACK steinel de out media wiringdiagram |||

Photoelectric lighting controller NightMatic 3000 Vario black EAN 4007841 **550516**

Article number **550516** Circuit diagram Subject to technical modifications

https://www.steinel.de 08.2023 Page 1 from 1 ...

lang:pt **score:15** filesize: 1.14 M page_count: 1 document date: 2023-08-18



[pdf] Borchure

Brochure STEINEL STRÄLKASTARE HOME3 LED 18W 6700K 1426LM SI Sensorbelysning Onninen

FISTK 4525008 382185 kesko onninen pim resources production s3 eu west 1 amazonaws

pimdocuments |||


lykst valoa shk ssten Tuoteluettelo 2015/16 Sislt Tuotevalikoima.....

... . 3514140 / 4007841 550615 Shk-nro / EAN NightMatic3000Vario musta

3514141 / 4007841 **550516** Malli

... ..

lang:fi **score:15** filesize: 28.5 M page_count: 247 document date: 2016-02-06



[pdf] Diagram

Schaltpläne process 183576 Schaltplan 4007841550516 DAEMMERUNGSSCHALTER NM 3000 SW


force sid c67itaq0pjpc4r2r9a0ufu1uno steinel de out media wiringdiagram |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr.

550516 Schaltplan Technische nderungen vorbehalten https://www.steinel.de 05.2023

Seite 1 von 1 ...

lang:fi **score:15** filesize: 1.14 M page_count: 1 document date: 2023-05-16



[pdf] Diagram

Technische Zeichnung process 154051 4007841550516 DAEMMERUNGSSCHALTER NM 3000 SW
force sid c67itao0pjpc4r2r9a0ufu1uno steinel de out media technicaldiagram |||

Dmmerungsschalter NightMatic 3000 Vario schwarz EAN 4007841 **550516** Art.-Nr.
550516 Mazeichnung Technische nderungen vorbehalten <https://www.steinel.de>
05.2023 Seite 1 von 1 ...

lang:fi score:15 filesize: 1.14 M page_count: 1 document date: 2023-05-16



[pdf]

I prodotti di alta rotazione Arteluce Impianti 2017 07 15 — Dal 1959 STEINEL è sinonimo qualità come
marchio che non scende a compromessi Da oltre 30 anni ormai ingegneri 110054023 Schnelldreherliste
ITA steinel de out pictures ddmedia |||


I prodotti di alta rotazione Sensori e lampade a sensore I prodotti di alta rotazione 1
Tecnolo ... lx Spazi pubblicitari, facciate di edifici Grado di prot. EAN IP54 IP54
4007841 550615 4007841 **550516** Lampada a sensore LN 1 LED Settore privato Dati
di prestazione Colore 4,5 W / 350 lm / 30...

lang:it score:15 filesize: 4.28 M page_count: 19 document date: 2017-04-27




[\[pdf\]](#)

RZ STL 2725 13 Streuprojekt Pro Export innen alle Sprachen indd Intelligente licht en sensortechnologie voor professionals STEINEL is de uitvinder van sensorlamp pionier in het toepassen hoog frequentie technologie professionele verlichting systemen 110025251 NLD steinel out pictures ddmedia ||| Intelligente lichten sensortechnologie voor professionals Productoverzicht Bewegingsmelders Aanwez ... t Off Light Off EAN NightMatic3000Vario wit 4007841 550615 EAN NightMatic3000Vario zwart 4007841 **550516** Afmetingen HBD 997437 mm 24 Sensorschakelaars binnen IR180UP infrared sensor 180 max. ... lang:nl **score:15** filesize: 15.16 M page_count: 148 document date: 2013-10-30



[\[pdf\]](#)

STL 12985 22 Streuprojekt Sensor DIY Ansicht indd 110094136 neutral min force sid d62dvpg48tetupfusbqfeehd2p steinel de out pictures ddmedia ||| Light meets life Lichtlösungen rund ums Haus. Inhaltsverzeichnis 2 Inhaltsverzeichnis Information ... 000136 4007841 550417 wei 4007841 550318 schwarz NM 3000 137 4007841 550615 wei 1000 W 4007841 **550516** schwarz 1000 W 10 s 60 Min. 10 s 60 Min. 180 180 8 s 35 Min. 8 s 35 Min. 120 120 ... lang:de **score:15** filesize: 18.53 M page_count: 79 document date: 2023-01-04



[\[pdf\]](#)

Light meets life Interactive lighting and sensor solutions 2 3 Introduction Information 04 Technology 08 Connected 10 Outdoor lights Wall ceiling 14 Camera 36 Front door 42 House number 58 Garden pathway 68 Solar powered 78 Floodlights 88 Photo cell controlled 102 Sensors 110088502 Streuprojekt Sensor DIY UK ANSICHT steinel de out pictures ddmedia |||
 Light meets life Interactive lighting and sensor solutions for maximum convenience. Introduction ... s 122 1000W LED-ready 0,5-10 lx IP54 Ordering details 4007841 550615 NM 3000 Vario white 4007841 **550516** NM 3000 Vario black For wall mounting See table on page 113 for max. switching loads 123 In...
 lang:en score:14 filesize: 7.86 M page_count: 67 document date: 2022-02-23

[\[pdf\]](#) User Manual

qxp ↓ Montážní návod ke staženíSteinel 550516 venkovní soumrakový senzor NightMatic 3000 Vario černý Světlo design cz35262 110074383 BDAL NIGHTMATIC OBcdn shopify s files 1 0580 9985 9588 35262 OB v 1650710524 staženíAnleitungSteinel czSTEINEL STEINEL twilight switch black Motion switches at very favourable prices reichelt elektronik35262 OB4007841550516 BDALcdn 1650710524cdn de documents datenblatt L700 4007841550516 ||| ||| STEINEL Vertrieb GmbH Dieselstrae 80-84 33442 Herzebrock-Clarholz Tel: 49/5245/448-188 www.steinel.de Contact www.steinel.de/contact 110074383 05/2020_A Technische nderungen vorbehalten. / Subject to technical modification without notice. D
 STEINEL Vertrieb GmbH Dieselstrae 80-84 33442 Herzebrock-Clarholz Tel: 49/5245/448-188 www.steinel.de Contact www.steinel.de/contact 110074383 05/2020_A Technische nderungen vorbehalten. / Subject to technical modification without notice. DE GB FR NL IT ES PT SE DK FI NO GR TR HU CZ SK PL RO SI H...
 lang:de score:14 filesize: 1.38 M page_count: 54 document date: 2020-05-06



Light meets life

Licht für Haus und Garten



[\[pdf\]](#)

Licht für Haus und Garten STEINELLEuchte mit integrierter Kamera Leucht ohne Sensor zum manuellen Schalten Leuchte die über WLAN per STEINEL App gesteuert wird Solar Panel und v1steinel de out pictures ddmedia grp services kataloge streuprosppekt licht sensorik |||

Light meets life Licht fr Haus und Garten Inhaltsverzeichnis 2 Inhaltsverzeichnis ber STEINEL L ... anthrazit max. 1000 W max. 1000 W NM 3000 Vario 132 4007841 550615 wei max. 1000 W 4007841 **550516** schwarz max. 1000 W NM 2000 133 4007841 550417 wei max. 1000 W 4007841 550318 schwarz...

lang:de score:14 filesize: 13.27 M page_count: 90 document date: 2023-11-14