Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Classic Accessories 78887

Classic Accessories QuadGear UTV Cab Enclosure for Polaris: Installation and Care Manual

1. Introduction and Overview

This manual provides detailed instructions for the installation, operation, and maintenance of your Classic Accessories QuadGear UTV Cab Enclosure, model 78887. This enclosure is designed to fit over the roll cage of compatible Polaris UTV models, offering protection from various weather conditions including rain, snow, sun, and wind. Proper installation and care will ensure the longevity and effectiveness of your cab enclosure.

The QuadGear UTV Cab Enclosure is constructed from heavy-duty ProtekX Extreme fabric, engineered for durability. It features large, ultra-clear vinyl panels for the windshield, doors, and back window, ensuring excellent visibility during use. The design allows for versatile use, with doors that can be rolled back or completely removed to adapt to changing weather and operational needs.

2. Product Features

- **Heavy-duty ProtekX Extreme Fabric:** Provides robust protection against environmental elements.
- **Roll Cage Fit:** Designed to fit securely over the UTV's roll cage.
- **Weather Protection:** Shields the cab interior from rain, snow, sun, and wind.
- **Storage Protection:** Helps keep the UTV cab clean and dry when stored.
- **Clear Vinyl Panels:** Features large, ultra-clear vinyl for windshield, doors, and back window, ensuring optimal visibility.
- **Versatile Doors:** Doors can be rolled back for ventilation or completely removed for easy access in warmer conditions.

3. Components (What's in the Box)

Please verify that all components are present before beginning installation.

- Classic Accessories QuadGear UTV Cab Enclosure (Model 78887)
- Attachment hardware (e.g., hook-and-loop strips, straps)

4. Setup and Installation

Careful installation is crucial for proper fit and performance. It is recommended to perform installation in warm conditions or allow the enclosure to warm up, as this can make the material more pliable and easier to fit.

1. **Prepare the UTV:** Ensure your Polaris UTV is clean and free of debris on and around the roll cage.
2. **Unpack the Enclosure:** Carefully remove the enclosure from its packaging. Lay it out to allow any creases to relax.
3. **Initial Placement:** Drape the enclosure over the UTV's roll cage, aligning the front windshield panel with the front of the cab opening. Ensure the top of the enclosure sits evenly on the roll cage.
4. **Secure the Top:** Begin by securing the top portion of the enclosure to the roll cage using the integrated straps or hook-and-loop fasteners. Ensure a snug fit without excessive tension.
5. **Attach Doors and Rear Panel:** Work your way around the cab, attaching the door panels and the rear panel. Many enclosures utilize hook-and-loop (Velcro-style) strips for attachment. If adhesive-backed strips are provided, clean the UTV's surface thoroughly before application and allow adequate curing time (e.g., 24 hours) before applying tension.
6. **Adjust for Fit:** The enclosure may require stretching and adjustment to achieve an optimal fit. In some cases, applying gentle, consistent pressure over a period (e.g., 1-2 days in warm sun) can help the material conform better to the UTV's contours.
7. **Check Zippers and Windows:** Ensure all zippers operate smoothly and that the vinyl windows are clear. If windows have creases from packaging, they may relax over time with exposure to warmth and sunlight.



Image 1: The QuadGear UTV Cab Enclosure fully installed on a UTV, demonstrating its protective coverage.




Image 2: A front perspective of the UTV Cab Enclosure, highlighting the clear vinyl windshield and door panels.

5. Operating Instructions

- **Door Operation:** The cab enclosure features zippered doors for entry and exit. To open, simply unzip the door.
- **Ventilation:** For increased airflow or warmer weather, the doors can be rolled up and secured in an open position using the integrated straps or fasteners.
- **Door Removal:** For maximum openness, the doors can be completely unzipped and removed from the enclosure. Store removed doors in a clean, dry place to prevent damage.
- **Visibility:** Ensure vinyl windows are clean and free of obstructions for optimal visibility during operation.

6. Maintenance and Care

- **Cleaning:** Clean the fabric and vinyl windows regularly with mild soap and water. Avoid harsh chemicals, abrasive cleaners, or stiff brushes, as these can damage the material. Rinse thoroughly and allow to air dry completely before storage or prolonged use.
- **Storage:** When not in use for extended periods, remove the enclosure, clean it, and ensure it is completely dry. Fold or roll it neatly and store it in a cool, dry place away from direct sunlight and extreme temperatures to prevent material degradation and creasing of the vinyl.
- **Zipper Care:** Periodically clean zippers and apply a silicone-based lubricant to ensure smooth operation and prevent corrosion.
- **Inspection:** Regularly inspect the enclosure for any signs of wear, tears, or damage to the fabric, stitching, or vinyl. Address minor issues promptly to prevent further damage.

7. Troubleshooting

- **Difficulty with Fit:** If the enclosure seems too tight or difficult to stretch, try installing it on a warm day or allowing it to sit in direct sunlight for a few hours to make the material more pliable. Gentle, consistent tension over time can help it conform.
- **Creased Windows:** Minor creases in the vinyl windows are common from packaging. These often relax and become less noticeable over time, especially when exposed to warmth and sunlight. Avoid attempting to forcefully remove creases, as this can damage the vinyl.

- **Zippers Sticking:** Clean any dirt or debris from the zipper teeth. Apply a small amount of zipper lubricant (e.g., silicone spray or wax) to the teeth and slider.
- **Water Leaks:** Ensure all attachment points are securely fastened and the enclosure is properly tensioned around the roll cage. Check for any small tears or gaps that may require repair.

8. Specifications

Specification	Detail
Model Number	78887
Manufacturer	Classic Accessories
Item Weight	10.5 pounds
Product Dimensions	35 x 9 x 5 inches (packaged)
Material	ProtekX Extreme Fabric, Ultra-clear Vinyl

9. Warranty and Support

For information regarding product warranty, please refer to the official Classic Accessories website or contact their customer support directly. Warranty terms and conditions may vary.

Classic Accessories Customer Support:

- Visit the Classic Accessories Store on Amazon for product information.
- Refer to the contact information provided in your product packaging or on the manufacturer's official website for direct support.

This manual is for informational purposes only. Classic Accessories is a registered trademark.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B000OZTOOY

More documents and user manuals: **https://manuals.plus/**