

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Amerock BP1302ART

Amerock Sterling Traditions Cabinet Pull User Manual

Model: BP1302ART

PRODUCT OVERVIEW

The Amerock BP1302ART Sterling Traditions 3 inch (76 mm) Center-to-Center Cabinet Pull is designed to enhance the aesthetic and functionality of your cabinetry. This pull features an Antique Rust finish, offering a warm, matte texture that complements various design styles. Its construction emphasizes durability and a timeless appearance.



Image: The Amerock Sterling Traditions cabinet pull, showcasing its Antique Rust finish and elegant design.

Key Features:

- **Size:** 3 inches (76 mm) Center-to-Center Pull.
- **Finish:** Antique Rust, providing a warm, textured matte appearance.
- **Durability:** Intricately crafted for lifelong beauty and robust performance.
- **Included Hardware:** Comes with #8-32 x 1 inch Truss Head Machine Screws for installation.
- **Warranty:** Backed by the Amerock Guardian Lifetime Guarantee against material and workmanship defects.



Image: A close-up view of the Antique Rust finish, highlighting its texture and color.

SETUP AND INSTALLATION

Proper installation ensures the longevity and optimal performance of your cabinet pull. Please follow these general guidelines. For detailed instructions, refer to the official installation manual.

Required Tools (Not Included):

- Measuring tape or ruler
- Pencil
- Drill
- Drill bits appropriate for your cabinet material (e.g., 3/16 inch for wood)
- Screwdriver (Phillips head recommended)
- Optional: Cabinet hardware template for precise hole placement

Installation Steps:

1. **Marking:** Determine the desired location for the pull on your cabinet door or drawer. Use a measuring tape and pencil to mark the two center-to-center points (3 inches apart).
2. **Drilling:** Carefully drill pilot holes at the marked points. Ensure the drill bit size is appropriate for the included #8-32 screws and your cabinet material to prevent splitting.
3. **Attaching the Pull:** Align the pull with the drilled holes. Insert the #8-32 x 1 inch Truss Head Machine Screws from the inside of the cabinet door/drawer through the pilot holes and into the pull.
4. **Tightening:** Use a Phillips head screwdriver to gently tighten the screws. Do not overtighten, as this can damage the cabinet or the pull.
5. **Verification:** Ensure the pull is securely attached and level.

Important: An official installation manual is available for download. It is highly recommended to consult this document for comprehensive instructions and safety information.

[Download Official Installation Manual \(PDF\)](#)

OPERATING INSTRUCTIONS

The Amerock Sterling Traditions Cabinet Pull is designed for straightforward operation. Simply grasp the pull firmly and apply gentle, consistent force to open or close your cabinet doors and drawers.

- Avoid excessive force or sudden jerking motions, which can stress the mounting hardware and the cabinet material.
- Ensure hands are clean to prevent transferring oils or dirt to the pull's finish.
- If the pull feels loose, refer to the "Troubleshooting" section for re-tightening instructions.

CARE AND MAINTENANCE

To preserve the Antique Rust finish and the integrity of your Amerock cabinet pull, follow these maintenance guidelines:

- **Cleaning:** Wipe the pull regularly with a soft, damp cloth. For stubborn marks, a mild soap solution can be used, followed by drying with a clean, soft cloth.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, ammonia-based products, bleach, or solvents, as these can damage the finish.
- **Polishing:** Polishing is generally not required for the Antique Rust finish. If desired, use a non-abrasive furniture wax

or a product specifically designed for matte metal finishes, applied sparingly with a soft cloth.

- **Inspection:** Periodically check the tightness of the mounting screws. Loose screws can lead to wobbling or damage to the cabinet.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Pull feels loose or wobbly.	Mounting screws are loose.	Gently tighten the #8-32 machine screws from the inside of the cabinet door/drawer using a Phillips head screwdriver. Do not overtighten.
Pull does not sit flush against the cabinet.	Uneven drilling or debris behind the pull.	Remove the pull, inspect the cabinet surface and drilled holes for any obstructions. Re-install, ensuring proper alignment.
Finish appears dull or discolored.	Accumulation of dirt/grime or exposure to harsh chemicals.	Clean with a soft, damp cloth and mild soap. Avoid abrasive cleaners. Refer to "Care and Maintenance" section.

PRODUCT SPECIFICATIONS

Attribute	Detail
Model Number	BP1302ART
Brand	Amerock
Material	Metal
Color	Antique Rust
Exterior Finish	Iron
Center-to-Center Spacing	3 inches (76 mm)
Product Dimensions (L x W x H)	4.94 x 0.56 x 1 inches
Item Weight	1.84 ounces
Included Components	Cabinet Pull, #8-32 x 1 inch Truss Head Machine Screw
UPC	026634158115

WARRANTY AND SUPPORT

Amerock products are manufactured to high standards and are backed by a comprehensive warranty.

Warranty Information:

The Amerock Sterling Traditions Cabinet Pull comes with the **Amerock Guardian Lifetime Guarantee** against defects in material and workmanship.

For complete warranty details and terms, please visit the official Amerock support page:

Customer Support:


If you have any questions, require assistance with installation, or need to report a defect, please contact Amerock customer support through their official website or contact channels.

[Visit the Amerock Store on Amazon](#)

© 2024 Amerock. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Documents - Amerock – BP1302ART




[\[pdf\]](#) Price List

New Amerock list prices Ibolya Amerock 2017 Price List s3 absupply net amazonaws |||

Item # BP53005G10 BP53005BB BP53005FB BP53005ORB BP5300526 D7139BB
BP865CSG10 BP865CS26 BP865CS26D B ... 7.38 73.8 7.38 73.8 184.5 7.38 184.5
BP1300RB BP1300RB-10PACK BP1300RB-25PACK BP1301G9 BP1301O77
BP1302ART BP1302ART-10PACK BP1302ART-25PACK BP1302G9 BP1302ORB
BP1302ORB-10PACK BP1302ORB-25PACK BP1...

lang:de score:23 filesize: 333.69 K page_count: 101 document date: 2017-06-08




[\[pdf\]](#)

Brown Jessica Amerock Price Book topnotchinc docs pricebooks

Product Number Collection/Category CM11126* CM11226* 125ABS BP1300ART
BP1300G9 BP1300O77 D1300O77* BP1300ORB BP1300RB BP1301G9
BP1301O77* BP1301ORB **BP1302ART** BP1302G10 BP1302G9 BP1302O77
BP1302ORB BP1302RB* BP1303G9 BP1303O77 BP1303ORB BP1304G9
BP1304O77 BP1306G9* BP1306O77* BP1307ART BP1307G9 BP1...

lang:tl score:17 filesize: 1.27 M page_count: 43 document date: 2016-08-29



[\[pdf\]](#) Declaration of Conformity Catalog

16C AM 008 2016 USA PriceBook Cover indd Amerock 100015197 Catalog assets unilogcorp 187 ITEM
DOC |||

Always Creating. Always Timeless. Always Amerock. U.S. LIST PRICE BOOK
Effective: May 1, 2016 Pricin ... onTM Value BP1300ART BP1300G9 BP1300O77
D1300O77* BP1300ORB BP1300RB BP1301G9 BP1301O77* BP1301ORB
BP1302ART BP1302G10 BP1302G9 BP1302O77 BP1302ORB BP1302RB*
BP1303G9 BP1303O77 BP1303ORB BP1304G9 BP1...

lang:en score:16 filesize: 2.03 M page_count: 48 document date: 2017-02-07