

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [Koolatron](#) /

> [Koolatron Portable Cooler - Electric Cooler for Car, Camping, Travel, 12 V Insulated Hard Sided Refrigerator for Vehicle, Boat, Truck, Warming & Cooling, Cools Drinks, Food for Road Trip, 45 qt](#)

Koolatron P95

Koolatron Portable Cooler - Model P95 Instruction Manual

Your guide to operating and maintaining your Koolatron P95 Electric Cooler.

[Overview](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty & Support](#)

1. PRODUCT OVERVIEW

The Koolatron P95 Portable Cooler is a versatile 45-quart (42-liter) electric cooler designed for various applications, including car travel, camping, and general outdoor use. It utilizes advanced thermoelectric technology to provide both cooling and warming functions without the need for ice. This unit operates on a 12-volt DC power source, typically found in vehicles, and can be adapted for household use with an optional AC adapter.



Figure 1.1: The Koolatron P95 Portable Cooler, showcasing its spacious interior and 12V power cord.



Figure 1.2: Key features of the Koolatron P95, including its thermoelectric cooling system and internal design elements.

Key Features:

- **45-Quart (42-Liter) Capacity:** Ample space for beverages and food items, accommodating up to 72 standard soft drink cans.
- **Thermoelectric Technology:** Efficiently cools contents to approximately 40°F (22°C) below ambient temperature or warms up to 135°F (57°C).
- **Dual Functionality:** Capable of both cooling and warming, making it suitable for a variety of uses.
- **12V DC Operation:** Plugs directly into your vehicle's 12-volt power outlet.
- **Durable Construction:** Designed for longevity with only one moving part (the fan motor).
- **Versatile Design:** Can be used in a chest-style orientation or on its side as a front-opening mini-fridge.

2. SETUP AND INITIAL USE

2.1 Unpacking

Carefully remove the Koolatron P95 from its packaging. Inspect the unit for any signs of damage. Ensure all included components, such as the removable shelf and 12V DC power plug, are present.

2.2 Placement

Place the cooler on a stable, flat surface. Ensure adequate ventilation around the unit, especially near the fan vents, to allow for proper heat dissipation. Avoid placing it in direct sunlight or near heat sources when operating in cooling mode.



Figure 2.1: The Koolatron P95 can be oriented as a traditional chest cooler or upright as a mini-fridge, offering flexible placement options.

2.3 Power Connection

1. Locate the 12V DC power outlet in your vehicle (e.g., cigarette lighter socket).
2. Insert the provided 12V DC power plug firmly into the vehicle's outlet.
3. For indoor use, an optional 110V AC adapter (sold separately) is required. Connect the cooler to the AC adapter, then plug the adapter into a standard household outlet.



Figure 2.2: Proper connection of the 12V DC power plug and the optional AC adapter for indoor use. This image also illustrates the connection points for switching between cooling and warming modes.

2.4 Pre-cooling / Pre-warming

For optimal performance, it is recommended to pre-cool or pre-warm the cooler for at least 1-2 hours before loading contents. This allows the unit to reach its target temperature more efficiently.

3. OPERATING INSTRUCTIONS

3.1 Cooling Mode

To operate the cooler in cooling mode:

- Ensure the power cord connection is set for cooling (refer to Figure 2.2, typically indicated by a blue dot or similar marking).
- Plug the unit into a 12V DC power source or an optional AC adapter.

- The cooler will begin to cool its contents to approximately 40°F (22°C) below the ambient temperature. For example, if the surrounding temperature is 80°F, the interior will reach approximately 40°F.

3.2 Warming Mode

To operate the cooler in warming mode:

- Ensure the power cord connection is set for warming (refer to Figure 2.2, typically indicated by a red dot or similar marking).
- Plug the unit into a 12V DC power source or an optional AC adapter.
- The cooler will begin to warm its contents up to 135°F (57°C). This is suitable for keeping cooked food warm.

3.3 Loading Contents

- For best results, load items that are already pre-cooled or pre-warmed.
- Fill the cooler as much as possible, as a full cooler maintains temperature more efficiently than an empty one.
- Minimize the frequency and duration of lid openings to preserve the internal temperature.

PERFECT FOR YOU TO REFRIGERATE AND STORE FOOD WHEN TRAVELLING



Figure 3.1: The Koolatron P95 filled with beverages, demonstrating its capacity for cooling drinks during travel or outdoor activities.



Figure 3.2: The Koolatron P95 in a picnic setting, highlighting its utility for keeping food and drinks at desired temperatures.

4. CARE AND MAINTENANCE

4.1 Cleaning

- **Interior:** Disconnect the power before cleaning. Wipe the interior with a damp cloth and mild soap. Rinse with a clean damp cloth and dry thoroughly. Do not use abrasive cleaners or harsh chemicals.
- **Exterior:** Wipe the exterior with a soft, damp cloth.
- **Fan Vents:** Periodically check the fan vents for dust or debris accumulation. Use a soft brush or vacuum cleaner to gently clear any obstructions to ensure proper airflow.

4.2 Storage

When not in use, ensure the cooler is clean and dry. Store it in a cool, dry place away from direct sunlight. Leaving the lid slightly ajar can help prevent odors and mildew formation.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit not cooling/warming	<ul style="list-style-type: none">• No power to the unit.• Incorrect mode selected (cooling/warming).• Fan obstructed or not operating.• Ambient temperature too high (for cooling).	<ul style="list-style-type: none">• Check power connection and vehicle's 12V outlet/AC adapter.• Verify the power cord connection is set to the desired mode (blue for cool, red for warm).• Ensure fan vents are clear and the fan is spinning.• Pre-cool items before loading. Operate in a shaded or cooler environment if possible.
Poor cooling/warming performance	<ul style="list-style-type: none">• Lid not sealed properly.• Frequent opening of the lid.• Unit not pre-cooled/pre-warmed.• Overloaded with warm/cold items.	<ul style="list-style-type: none">• Ensure the lid is securely closed and the magnetic lock is engaged.• Minimize lid openings.• Pre-cool/pre-warm the unit and contents before use.• Load items that are already at the desired temperature.

6. PRODUCT SPECIFICATIONS

Feature	Detail
Model Name	P95
Brand	Koolatron
Capacity	42 Liters (45 Quarts) / Holds up to 72 standard 355ml cans
Product Dimensions (D x W x H)	15"D x 20.75"W x 17.25"H
Item Weight	6.17 Kilograms (13.57 pounds)
Power Source	12 Volts DC (48 Watts)
Cooling Performance	Cools to 40°F (22°C) below ambient temperature
Warming Performance	Warms up to 135°F (57°C)
Material	Plastic
Included Components	1 Shelf, 12V DC Power Plug
Special Feature	Lighted (internal)



Figure 6.1: Detailed dimensions and capacity information for the Koolatron P95 cooler.

7. WARRANTY AND SUPPORT

7.1 Warranty Information

The Koolatron P95 Portable Cooler comes with a **1-year limited warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, accident, alteration, neglect, or unauthorized repair.

Please retain your proof of purchase for warranty claims.

7.2 Customer Support

For technical assistance, warranty claims, or general inquiries, please contact Koolatron Customer Service. Refer to the official Koolatron website or product packaging for the most current contact information.


For more information, visit the official Koolatron Store: [Koolatron Store on Amazon](#).

Related Documents - P95

	<p>Koolatron SmartKool Portable Cooler Freezer User Manual and Warranty</p> <p>Detailed user manual and warranty information for Koolatron SmartKool portable cooler freezers (SK30, SK40, SK50). Covers setup, operation, safety guidelines, troubleshooting, technical specifications, and maintenance for optimal use in vehicles and camping.</p>
	<p>Koolatron KWC4-C Coca-Cola Retro Mini Thermoelectric Cooler User Manual & Warranty</p> <p>User manual and warranty details for Koolatron thermoelectric coolers, including the KWC4-C Coca-Cola model and Retro Mini. Covers features, operation, maintenance, and a 90-day limited warranty.</p>
	<p>Koolatron WC12MG 12-Bottle Wine Cooler User Guide and Warranty</p> <p>Official user guide and warranty information for the Koolatron WC12MG 12-bottle thermoelectric wine cooler. Covers features, specifications, safety, installation, operation, maintenance, and troubleshooting.</p>
	<p>Koolatron WC18-MG 18-Bottle Dual Zone Wine Cellar User Manual and Guide</p> <p>This user manual provides comprehensive instructions for the Koolatron WC18-MG 18-bottle dual-zone wine cellar. It covers warranty, features, specifications, safety guidelines, installation steps, operating procedures, maintenance tips, and a troubleshooting guide.</p>
	<p>Koolatron Compact Fridge User Manual: KBC46-W & KBC88-W-CH Installation, Operation, and Maintenance Guide</p> <p>Official user manual for Koolatron compact refrigerators, models KBC46-W and KBC88-W-CH. Includes detailed instructions on warranty, safety precautions, installation, features, maintenance, and troubleshooting.</p>
	<p>Koolatron WC12MG Slim Wine Cellar 12-Bottle Wine Cooler User Manual</p> <p>User manual for the Koolatron WC12MG Slim Wine Cellar, a 12-bottle thermoelectric wine cooler. Includes warranty, features, specifications, safety, installation, operation, maintenance, and troubleshooting information.</p>

[\[pdf\]](#) User Manual Instructions Warranty Accessories

Layout 1 P20 P27 P65 P75 P85 P95 P9 Koolatron Optional PowerPack permits use of cooler in your house or hotel from any 110 120 volt AC wall outlet OPERATING INSTRUCTIONS MODE D EMPLOI Just Warranty Garantie This KOOLATRON product is warranted to the retail customer for year date purchase against defects material and workmanship WHAT IS COVERED Replacement PSeries manual koolatron manuals



ACCESSORIES / ACCESSOIRES For prices and availability please call: 800-265-8456 Pour les prix et d ... ELECTRIC COOLER/WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12V P9 P20 P75 P27 P85 P65 **P95** www.koolatron.com 2014 Koolatron, Inc. All rights reserved. Tous droits rservs. All specificati...

lang:en score:43 filesize: 269.55 K page_count: 2 document date: 2014-07-24

[\[pdf\]](#) User Manual Warranty Accessories

Layout 1 Click here to the manual koolatron Manual Libs 818MVm0NFkL images na ssl amazon I ||| ACCESSORIES / ACCESSOIRES For prices and availability please call: 800-265-8456 Pour les prix et d ... ELECTRIC COOLER/WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12V P9 P20 P75 P27 P85 P65 **P95** www.koolatron.com 2014 Koolatron, Inc. All rights reserved. Tous droits rservs. All specificati...



lang:en score:34 filesize: 274.75 K page_count: 2 document date: 2017-10-12

[\[pdf\]](#) User Manual Warranty Accessories

P series manual trifold 23may18 Koolatron Global Leader in Thermoelectric Products Series Cooler Warmer Manual EN FRE v 1671045032 cdn shopify s files 1 0558 1674 9125 ||| ACCESSORIES / ACCESSOIRES For prices and availability please call: 1-800-265-8456 Pour les prix et ... ERMOELECTRIC COOLER / WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12 V P65 P9 P75 P20 P85 P27 **P95** User Manual Guide d utilisation Please Read These Instructions Carefully Before Use S.V.P., lir...




lang:en score:31 filesize: 1.33 M page_count: 2 document date: 2023-05-18

[\[pdf\]](#) User Manual Warranty Catalog

Layout 1 8 Qt 7L Traveller III Thermoelectric Cooler Use and Care Manual Koolatron P9 059586500909 0059586500909 1000031305 c3cf7eaf 4ffe 4a65 9a88 8e46f677c6db images thdstatic catalog Images c3 |||

Warranty / Garantie This KOOLATRON product is warranted to the retail customer for 1 year from date ... ELECTRIC COOLER/WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12V P9 P20 P75 P27 P85 P65 **P95** www.koolatron.com 2009 Koolatron, Inc. All rights reserved. Tous droits rservs. All specificati...



lang:en score:28 filesize: 117.64 K page_count: 2 document date: 2009-03-31

[\[pdf\]](#) User Manual Instructions Warranty Accessories

P Series Manual trifold 21jul6 m media amazon images I12V THERMOELECTRIC COOLER WARMER REFROIDISSEUR OPERATING INSTRUCTIONS MODE D EMPLOI Just plug your cooler into the 12 volt receptacle in vehicle The current consumed is about 4.5 amps except P9 which consumes 3 When running and electrical system operating properly will operate continuously without discharging battery A1dPithuuQL I |||



ACCESSORIES / ACCESSOIRES For prices and availability please call: 1-800-265-8456 Pour les prix et ... ERMOELECTRIC COOLER / WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12 V P65 P9 P75 P20 P85 P27 **P95** User Manual Guide d utilisation Please Read These Instructions Carefully Before Use S.V.P., lir...

lang:en score:28 filesize: 1.33 M page_count: 2 document date: 2021-07-06

[\[pdf\]](#) User Manual Warranty Accessories

P Series Manual trifold 21jul6 ai User Koolatron Electric Portable Cooler Warmer 29 qt Bundle with 110V AC to 12V DC Power Adapter Sports Outdoors A1htZ8rGi6L m media amazon images I |||



User Manual of Product 1: Olee Sleep 7 inch Memory Foam Mattress, Twin Size, Plush User Manual of Pr ... ERMOELECTRIC COOLER / WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12 V P65 P9 P75 P20 P85 P27 **P95** User Manual Guide d utilisation Please Read These Instructions Carefully Before Use S.V.P., lir...

lang:en score:27 filesize: 1.45 M page_count: 5 document date: 2021-07-06

[\[pdf\]](#) User Manual Warranty Accessories

P Series Manual trifold 21jul6 Product Manuals v 1679589951 cdn shopify s files 1 0621 7478 9823 |||



ACCESSORIES / ACCESSOIRES For prices and availability please call: 1-800-265-8456 Pour les prix et ... ERMOELECTRIC COOLER / WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12 V P65 P9 P75 P20 P85 P27 **P95** User Manual Guide d utilisation Please Read These Instructions Carefully Before Use S.V.P., lir...

lang:en score:27 filesize: 1.33 M page_count: 2 document date: 2021-07-06


[\[pdf\]](#) Guide Warranty Accessories

User guide Traveller III P9 Thermoelectric Iceless 12V Cooler Warmer 9.3L 8 qt Portable Ice Chest Travel Fridge Grey Made in North America Sports Outdoors 81moGzORLMS m media amazon images I |||



ACCESSORIES / ACCESSOIRES For prices and availability please call: 800-265-8456 Pour les prix et d ... ELECTRIC COOLER/WARMER REFROIDISSEUR / RCHAUFFEUR THERMOELECTRIQUE 12V P9 P20 P75 P27 P85 P65 **P95** www.koolatron.com 2014 Koolatron, Inc. All rights reserved. Tous droits rservs. All specificati...

lang:en score:26 filesize: 291.43 K page_count: 3 document date: 2018-02-26



[\[pdf\]](#) User Manual Warranty Accessories

P Series Manual trifold 21july6 ai A1erbfZhBeL m media amazon images I |||

User Manual of Product 1 : Koolatron Electric Portable Cooler Plug in 12V Car Cooler/Warmer 36 qt 34 ... ERMOELECTRIC COOLER / WARMER REFROIDISSEUR / RCHAUFFEUR THERMOLECTRIQUE 12 V P65 P9 P75 P20 P85 P27 **P95** User Manual Guide d utilisation Please Read These Instructions Carefully Before Use S.V.P., lir...

lang:en score:25 filesize: 1.31 M page_count: 3 document date: 2021-07-06

Test Results of P95 with pictures

[\[pdf\]](#)

Test Results of P27 with pictures Megha Thakur Koolatron Travel Saver P95 AZ Thermoelectric Iceless Electric 12V Cooler Warmer 42L 45 Quart Capacity for Camping Truck SUV Car Boat RV Trailer Tailgating Made in North America P95 Certificate Analysis B09QR3K7VK B08THD5HFR B00009PGNS 81Arh2wlvPL m media amazon images I |||

Test Results of **P95** with pictures Temperature of **P95** when plugged In Test started:- 8.07PM Picture 1 shows T1 i.e the ambient temperature / Room Temperature. T1= 27.8 Picture 2 shows T2 which is the temperature inside the cooler. T2= 27.1 Delta T= T1 T2 Delta T in this case = 0.7 Picture 1 Pict...

lang:en score:17 filesize: 495.88 K page_count: 4 document date: 2021-07-02

[\[pdf\]](#) Warranty Accessories

Layout 1 User guideKoolatron 45qt Portable Electric Cooler with Dual Functionality813tWJp1X2Lm media amazon images I 813tWJp1X2L ref dp product quick view |||

ACCESSORIES / ACCESSOIRES For prices and availability please call: 800-265-8456 Pour les prix et d ... TRIC COOLER/WARMER REFROIDISSEUR / RCHAUFFEUR THERMO LECTRIQUE 12V P9 P20 P75 P27 P85 P65 **P95**

www.koolatron.com 2014 Koolatron, Inc. All rights reserved. Tous droits r serv s. All speci...

lang:en score:15 filesize: 269.55 K page_count: 2 document date: 2014-07-24

