

## WENKO 19206100

# WENKO Telescopic Shower Curtain Rod Instruction Manual

Model: 19206100

## 1. PRODUCT OVERVIEW

The WENKO Telescopic Shower Curtain Rod is a versatile and robust solution for hanging shower curtains without the need for drilling. Constructed from durable aluminum, it features a tension-mount system for easy installation and a strong hold. Its adjustable length makes it suitable for various bathroom sizes.



**Image 1.1:** WENKO Telescopic Shower Curtain Rod. This image displays the white telescopic rod in its extended form, highlighting its simple and functional design.

### Key Features:

- Adjustable length from 110 cm to 245 cm.
- Extra strong design with a 2.8 cm diameter.
- Simple tension-mount installation, no drilling required.
- Made from rust-resistant and durable aluminum.

# SIMPLY CLAMP

## Assembly without tools



1. Set the desired length
2. Seize
3. Push together and insert




**Image 1.2:** Key features of the WENKO shower curtain rod. This image illustrates the rod installed with a shower curtain, emphasizing its 28mm diameter, adjustable length (110-245 cm), aluminum construction, and strong tension hold. It also highlights its rust-free quality.

## 2. SETUP AND INSTALLATION

The WENKO Telescopic Shower Curtain Rod is designed for quick and easy installation without the need for tools or drilling. Follow these steps for a secure setup:

1. **Adjust Length:** Extend the rod to your desired length, ensuring it is slightly longer than the distance between the two walls where it will be installed.
2. **Secure Adjustment:** Twist the rod to lock the adjusted length. This creates the initial tension.
3. **Position and Insert:** Compress the rod slightly and position it between the two walls. Release the compression, allowing the rod to expand and create firm tension against the walls.
4. **Verify Stability:** Gently pull on the rod to ensure it is securely fixed and does not slip.



**Image 2.1:** Installation steps for the WENKO shower curtain rod. This image visually guides the user through the three steps: 1. Set the desired length, 2. Seize (lock), and 3. Push together and insert. It also clearly indicates "No drilling" with an icon.

**Important:** Do not over-extend the rod beyond its maximum recommended length (245 cm) as this may compromise its stability. Ensure the mounting surfaces are clean and dry for optimal grip.

### 3. OPERATING INSTRUCTIONS

Once installed, the shower curtain rod requires minimal operation. Its primary function is to securely hold a shower curtain. To adjust its position or remove it:

- **Repositioning:** To move the rod to a different height or location, gently compress it to release the tension, reposition, and then release to re-engage the tension.

- **Removal:** Compress the rod until it is shorter than the distance between the walls, then carefully remove it.

## 4. MAINTENANCE

---

To ensure the longevity and appearance of your WENKO Telescopic Shower Curtain Rod, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the rod regularly with a soft, damp cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive sponges, which can damage the aluminum finish.
- **Drying:** After cleaning, dry the rod thoroughly to prevent water spots and maintain its appearance.
- **Inspection:** Periodically check the tension mechanism and end caps for any signs of wear or damage. Ensure the rod remains securely in place.

## 5. TROUBLESHOOTING

---

If you encounter any issues with your shower curtain rod, refer to the following troubleshooting tips:

- **Rod slips or falls:**
  - Ensure the rod is extended slightly beyond the wall-to-wall distance to create sufficient tension.
  - Verify that the end caps are clean and free from soap residue or moisture, which can reduce grip.
  - Check if the walls are smooth and non-porous. Rough or uneven surfaces may reduce tension hold.
  - Avoid hanging excessively heavy items on the rod. It is designed for shower curtains and light towels.
- **Difficulty adjusting length:**
  - Ensure the locking mechanism is fully disengaged before attempting to adjust the length.
  - Clean any debris or residue from the telescopic sections that might impede smooth adjustment.
- **Rod appears bent or weak when extended:**
  - This rod is designed for lengths up to 245 cm. If extended to its maximum, some slight flex might be observed, but it should maintain its hold. Ensure it is not over-extended beyond its specified range.
  - Verify that the tension is adequate. If the rod feels weak, it might not be properly tensioned against the walls.

## 6. SPECIFICATIONS

---

| Feature      | Detail          |
|--------------|-----------------|
| Model Number | 19206100        |
| Brand        | WENKO           |
| Material     | Metal, Aluminum |

| Feature           | Detail                                 |
|-------------------|--|
| Color             | White                                  |
| Adjustable Length | 110 cm - 245 cm (43.31 - 96.46 inches) |
| Diameter          | 2.8 cm (1.10 inches)                   |
| Mounting Type     | Tension Mount                          |
| Assembly Required | No                                     |
| ASIN              | B000SLS8I2                             |
| GTIN              | 04008838192061                         |



- ✓ Simply clamp between two walls - holds with tension
- ✓ Adjustable length from 110 to 245 cm
- ✓ Made of aluminum - durable & rustproof
- ✓ Strong hold - 2.8 cm thick tube



**Image 6.1:** Dimensions of the WENKO shower curtain rod. This diagram illustrates the adjustable length range of 110-245 cm (43.31-96.46 inches) and a diameter of 2.8 cm (1.10 inches).

## 7. WARRANTY INFORMATION

WENKO provides a **5-year warranty** on this product, beginning from the date of purchase. This warranty covers material and manufacturing defects that impair the function of the product. It does not cover damage resulting from improper use, normal wear and tear, or unauthorized modifications.

For warranty claims, please retain your proof of purchase. For further details or to initiate a claim, please contact WENKO customer service. You may be required to return the product along with the corresponding receipt.



Image 7.1: WENKO 5-year warranty certificate. This image shows a multi-language document titled "Garantie-Zertifikat / Garantie Certificate" with a prominent "5 Years Guarantee" logo.

## 8. CUSTOMER SUPPORT

For additional assistance, product inquiries, or support, please visit the official WENKO website or contact their customer service department. Refer to the product packaging or the WENKO website for the most current contact information.

You can also visit the [WENKO Store on Amazon](#) for more products and information.