

LYNK PROFESSIONAL 451118

LYNK PROFESSIONAL Pull Out Under Sink Cabinet Organizer (Model 451118) - Instruction Manual

Maximize your cabinet space with easy access and durable organization.

1. PRODUCT OVERVIEW

The LYNK PROFESSIONAL Pull Out Under Sink Cabinet Organizer is designed to enhance storage and accessibility in kitchen, bathroom, and laundry room cabinets. This two-tier sliding shelf system helps organize items in tight spaces, especially around plumbing, and features a durable chrome-plated alloy steel construction for long-lasting use.

Key features include:

- **Reversible Design:** Works on either the right or left side of cabinets to accommodate plumbing.
- **PROGLIDE Ball-Bearing Glides:** Ensures smooth and quiet sliding, even under heavy loads.
- **Durable Construction:** Made from commercial-grade chrome-plated alloy steel for strength and rust resistance.
- **Easy Mount Design:** Patented alignment guide simplifies installation without the need for complex measurements.
- **Removable Top Tray:** The top shelf includes a durable, removable tray, ideal for wet sponges and brushes.



Image: The LYNK PROFESSIONAL Pull Out Under Sink Cabinet Organizer shown installed and pulled out, organizing various cleaning supplies under a kitchen sink.

2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Keep this manual for future reference.

- Ensure the cabinet surface is clean and dry before installation.
- Use appropriate tools for installation to prevent injury or damage to the product/cabinet.
- Do not overload the organizer. Refer to specifications for weight capacity.
- Keep small parts and hardware away from children.
- Verify all screws are securely tightened after installation to ensure stability.

3. PACKAGE CONTENTS

Before beginning installation, ensure all parts are present and undamaged. If any parts are missing or damaged, contact customer support.

Item	Description	Quantity
Two-Tier Organizer Frame	Chrome-plated alloy steel frame with two baskets	1
PROGLIDE Glides	Industrial-grade ball-bearing slide rails	2 sets
Removable Tray	Plastic tray for the top basket	1
Mounting Hardware	Screws for securing the glides to the cabinet base	1 set
Alignment Guide	Paper template for easy installation	1



Image: Close-up of the Easy Mount Design alignment guide, showing how it helps position the glides for installation without measuring.

4. INSTALLATION

4.1 Pre-Installation Checks

- **Measure Your Cabinet:** Ensure your cabinet meets the minimum dimensions for the organizer. For Model 451118 (11.5"W x 18"D x 14"H), minimum cabinet dimensions are approximately 12"W x 19"D x 15"H. Consider plumbing and door hinges.
- **Clear the Area:** Remove all items from the cabinet and clean the installation surface.
- **Gather Tools:** You will need a screwdriver (or drill), pencil, and the provided hardware.



Image: Diagram illustrating minimum cabinet dimensions required for installation: 15" minimum height, 19" minimum depth, and 12" minimum width (including hinges).




Image: Detailed product dimensions of the two-tier organizer: 11.5" width, 18" depth, 14" height, with individual basket heights and top drawer width indicated.

4.2 Step-by-Step Installation

1. **Prepare the Glides:** Separate the inner and outer parts of the PROGLIDE glides. The inner part will attach to the organizer baskets, and the outer part will attach to the cabinet base.
2. **Position the Alignment Guide:** Place the provided Easy Mount alignment guide on the cabinet floor, aligning it with the front edge of the cabinet. This guide will indicate the precise screw locations.
3. **Mark and Drill Pilot Holes:** Using a pencil, mark the screw locations indicated on the alignment guide. Pre-drill pilot holes (recommended 2.5mm) to prevent wood splitting.
4. **Attach Outer Glides:** Secure the outer parts of the PROGLIDE glides to the cabinet floor using the provided screws. Ensure they are parallel and firmly attached.
5. **Assemble Organizer Baskets:** Attach the inner parts of the glides to the bottom of the organizer baskets.
6. **Insert Organizer:** Slide the assembled organizer baskets onto the installed outer glides in the cabinet. Ensure a smooth and secure connection.
7. **Adjust Top Shelf (if applicable):** The top shelf can be positioned on either the left or right side to avoid plumbing. Secure it with the provided hardware.

4.3 Installation Videos

Your browser does not support the video tag.

Video: A step-by-step guide on how to install the two-tier pull-out cabinet organizer, demonstrating the process from start to finish.

Your browser does not support the video tag.

Video: Detailed installation steps for the under-sink organizer, showing how to secure the glides and assemble the unit within the cabinet.

5. OPERATING INSTRUCTIONS

The LYNK PROFESSIONAL organizer is designed for simple and efficient use.

- **Pulling Out:** Gently pull the front of either basket to slide it out. The PROGLIDE ball-bearing system ensures a smooth and quiet extension.
- **Pushing In:** Push the basket back into the cabinet until it is fully retracted.
- **Loading Items:** Place items evenly across the baskets to maintain balance and ensure smooth operation. The top basket's removable tray is suitable for smaller items or those prone to drips.



Image: Two LYNK PROFESSIONAL organizers installed side-by-side under a kitchen sink, holding various cleaning products and demonstrating efficient space utilization.



Image: Two LYNK PROFESSIONAL organizers installed under a bathroom sink, storing toiletries and bath accessories, highlighting their versatility.



Image: Two LYNK PROFESSIONAL organizers under a sink, showcasing their capacity to hold a variety of household items, from cleaning sprays to brushes.

6. MAINTENANCE AND CARE

To ensure the longevity and optimal performance of your LYNK PROFESSIONAL organizer, follow these care guidelines:

- **Cleaning:** Wipe down the chrome surfaces with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or scouring pads, which can damage the finish.
- **Drying:** Dry thoroughly after cleaning to prevent water spots and maintain the chrome finish.
- **Glide Maintenance:** Periodically check the glides for any debris. If necessary, clean them with a dry cloth. Avoid lubricating the ball bearings unless specifically recommended by the manufacturer.
- **Weight Distribution:** Always distribute weight evenly across the baskets to prevent strain on the glides and frame.

7. TROUBLESHOOTING

If you encounter any issues with your organizer, refer to the following common solutions:

Problem	Possible Cause	Solution
Organizer does not slide smoothly.	Debris in glides, uneven installation, or overloaded.	Clean glides, check for level installation, redistribute weight, or reduce load.
Organizer is wobbly or unstable.	Loose mounting screws or uneven cabinet surface.	Tighten all mounting screws. If the cabinet surface is uneven, consider shimming the glides for stability.
Top shelf interferes with plumbing.	Incorrect positioning of the reversible top shelf.	Adjust the top shelf to the opposite side of the plumbing during installation.

8. SPECIFICATIONS

- **Model Number:** 451118
- **Dimensions:** 11.5"W x 18"D x 14"H
- **Material:** Alloy Steel
- **Finish:** Chrome
- **Number of Tiers:** 2
- **Mounting Type:** In Cabinet
- **Item Weight:** 7.52 pounds
- **Special Feature:** Heavy Duty, Smooth Sliding, Anti-Rust Chrome
- **Included Components:** Mount and screws

8.1 Product Overview Video

Your browser does not support the video tag.

Video: An official overview of the LYNK PROFESSIONAL Under Sink Drawer, Chrome, highlighting its features and benefits.

9. WARRANTY AND SUPPORT

The LYNK PROFESSIONAL Pull Out Under Sink Cabinet Organizer is backed by a **Lifetime Limited Warranty** provided by Lynk, Inc. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any questions regarding your product, please contact Lynk, Inc. customer service.

- **Manufacturer:** Lynk, Inc
- **Contact Information:** Refer to the product packaging or the official LYNK PROFESSIONAL website for the most current support details.