

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)



[manuals.plus](#) /

> [BLANCO](#) /

> [BLANCO MERIDIAN Pull-Down Dual Spray Semi-Pro Kitchen Faucet User Manual](#)

BLANCO 440557

Related Documents - 440557

	<p>BLANCO CATRIS Faucet Specifications and Installation Guide</p> <p>Detailed specifications, features, planning information, codes, standards, and warranty for the BLANCO CATRIS faucet in Metal Finish. Includes installation dimensions and compliance information.</p>
	<p>BLANCO CATRIS-S HD Faucet Installation and Care Guide</p> <p>Comprehensive installation and maintenance guide for the BLANCO CATRIS-S HD kitchen faucet. Includes parts list, step-by-step instructions, technical specifications, and care recommendations from BLANCO.</p>
	<p>BLANCO SILGRANIT® Sink Installation Guide and Specifications</p> <p>This document provides installation instructions and technical specifications for BLANCO SILGRANIT® sinks. It includes step-by-step visual guides, material care information, and a comprehensive table of sink models with their dimensions and tolerances.</p>
	<p>BLANCO CATRIS FLEXO PVD Faucet Specifications and Installation Guide</p> <p>Detailed specifications, features, and installation information for the BLANCO CATRIS FLEXO PVD faucet, including product dimensions, materials, codes and standards compliance, and warranty information.</p>
	<p>BLANCO Kitchen Sinks: Installation, Care, and Specifications Guide</p> <p>Comprehensive guide to installing and caring for BLANCO kitchen sinks, featuring detailed specifications for various models including A-STYLE, C-STYLE, S-STYLE, Z-STYLE, ANDANO, ETAGON, SOLIS, SUPRA, and YPSILON series.</p>

BLANCO FAUCET SPECIFICATIONS
BLANCO MERIDIAN™ Semi Professional
Model 441753

FEATURED MODEL
441753 Semi Professional 1.5 gpm, CHROME

ADDITIONAL MODELS
440557 Semi Professional 2.2 gpm, SATIN NICKEL
440558 Semi Professional 2.2 gpm, CHROME
441408 Semi Professional 1.8 gpm, CHROME
441409 Semi Professional 1.8 gpm, SATIN NICKEL
441754 Semi Professional 1.5 gpm, SATIN NICKEL

FEATURES
- Solid brass body and pull-down handspray
- Ceramic disk cartridge
- 2.2 GPM flow rate
- Available in 1-3/8" hole
- Color coded hot and cold supply lines
- 17" pull-down spray
- 100 gpm peak water
- 17" maximum clearance of water
- 1-3/8" maximum deck thickness

OPTIONAL ACCESSORIES
Wireless Soap Dispenser 44059 Klavon

COMPLIANCE CERTIFICATION
ASME A112.18.1 2011
NSF 61 certified
NSF 101 and NSF 102 low lead requirements
CEC 0040bcf1

WARRANTY
BLANCO warrants the faucet for one year or 100,000 cycles, whichever comes first, against manufacturing defects. All other parts are warranted for 90 days. See the full warranty details on our website. See the full warranty details on our website.

See next page for exploded parts drawing and parts list.

BLANCO AMERICA
800.411.5742
www.blancousa.com

[pdf] Specifications Warranty Accessories Catalog

FAUCET SPECIFICATIONS BLANCO MERIDIAN Semi Professional Installation in a 1 3/8 hole Color coded hot and cold supply ASME A112 18 2011 NSF 61 certified ANEX G low lead requirements CEC 0040bcf1 564e 4b46 8a43 4578fe7d2ca9images thdstatic catalog Images 00 0040bcf1 4578fe7d2ca9 |||

FEATURED MODEL 441753 Semi Professional 1.5 gpm, CHROME
ADDITIONAL MODELS 440557 Semi Professional 2.2 gpm, SATIN NICKEL
440558 Semi Professional 2.2 gpm, CHROME 441408 Semi Professional 1.8 gpm, CHROME 441409 Semi Professional 1.8 gpm, SATIN NICKEL 441754 Semi Professional 1.5 gpm, SATIN NICKEL FE...
lang:en score:17 filesize: 1.26 M page_count: 2 document date: 2016-03-24

INDEX BY PRODUCT NUMBER

Model No.	Description	Qty	UPC	Price
440557	Blanco Meridian Semi Professional 2.2 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440558	Blanco Meridian Semi Professional 2.2 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441408	Blanco Meridian Semi Professional 1.8 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441409	Blanco Meridian Semi Professional 1.8 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441753	Blanco Meridian Semi Professional 1.5 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441754	Blanco Meridian Semi Professional 1.5 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440557	Blanco Meridian Semi Professional 2.2 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440558	Blanco Meridian Semi Professional 2.2 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441408	Blanco Meridian Semi Professional 1.8 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441409	Blanco Meridian Semi Professional 1.8 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441753	Blanco Meridian Semi Professional 1.5 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441754	Blanco Meridian Semi Professional 1.5 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440557	Blanco Meridian Semi Professional 2.2 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440558	Blanco Meridian Semi Professional 2.2 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441408	Blanco Meridian Semi Professional 1.8 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441409	Blanco Meridian Semi Professional 1.8 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441753	Blanco Meridian Semi Professional 1.5 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441754	Blanco Meridian Semi Professional 1.5 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440557	Blanco Meridian Semi Professional 2.2 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
440558	Blanco Meridian Semi Professional 2.2 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441408	Blanco Meridian Semi Professional 1.8 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441409	Blanco Meridian Semi Professional 1.8 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441753	Blanco Meridian Semi Professional 1.5 gpm, CHROME	1	0040bcf1564e4b468a434578fe7d2ca9	345.00
441754	Blanco Meridian Semi Professional 1.5 gpm, SATIN NICKEL	1	0040bcf1564e4b468a434578fe7d2ca9	345.00

12 BLANCO

[pdf]

INDEX BY PRODUCT NUMBER List Price UPC No 440252 Wood Cutting Board Fits Supreme Wave 1 75 right bowl Blanco Torino Jr w Pullout Spray Satin Nickel 141 \$345 00 BLANCOE00360 12 106 Morsco Only media distributordatasolutions 4855 xlsx trimble 54a225b0a09f37bc1deac1a8fda4a287398c9d31 |||
12 INDEX BY PRODUCT NUMBER New Prod. No. Description 440252 Wood Cutting Board Fits Supreme / Wave ... ckel 440523 Blanco Torino w/Pullout Spray - Chrome 440524 Blanco Torino w/Pullout Spray - Caf Brown 440557 Blanco Meridian Semi-Pro - Satin Nickel 440558 Blanco Meridian Semi-Pro - Chrome 440594 Blanc...
lang:nl score:16 filesize: 246.7 K page_count: 2 document date: 2016-05-26

BLANCO FAUCET SPECIFICATIONS
BLANCO MERIDIAN™ Semi Professional
Model 440557

FEATURED MODEL
440557 Semi Professional, CHROME

ADDITIONAL MODELS
440557 Semi Professional, SATIN NICKEL

FEATURES
- Solid brass body and pull-down handspray
- Ceramic disk cartridge
- 2.2 GPM flow rate
- Available in 1-3/8" hole
- Color coded hot and cold supply lines
- 17" pull-down spray
- 100 gpm peak water
- 17" maximum clearance of water
- 1-3/8" maximum deck thickness

OPTIONAL ACCESSORIES
Wireless Soap Dispenser 44059 Klavon

COMPLIANCE CERTIFICATION
ASME A112.18.1 2011
NSF 61 certified
NSF 101 and NSF 102 low lead requirements
CEC 0040bcf1

WARRANTY
BLANCO warrants the faucet for one year or 100,000 cycles, whichever comes first, against manufacturing defects. All other parts are warranted for 90 days. See the full warranty details on our website. See the full warranty details on our website.

See next page for exploded parts drawing and parts list.

BLANCO AMERICA
800.411.5742
www.blancousa.com

[pdf] Specifications Dimension Guide Warranty Accessories

203825 secure img1 fg wfcdn docresources 904 20 |||
FEATURED MODEL 440558 Semi Professional, CHROME
ADDITIONAL MODELS 440557 Semi Professional, SATIN NICKEL
FEATURES Solid brass body and pull-down handspray Ceramic disk cartridge Extra long supply lines 2.2 GPM flow rate Installation in a 1-3/8 hole Color coded hot and cold supply lines 5 to...
lang:en score:14 filesize: 1.26 M page_count: 2 document date: 2015-04-28

BLANCO

Faucet Specifications
BLANCO MERIDIAN™ Semi Professional
 Model 441753

FEATURED MODEL
 441753 Semi Professional 1.5 gpm, CHROME

ADDITIONAL MODELS
 440557 Semi Professional 2.2 gpm, SATIN NICKEL
 440558 Semi Professional 2.2 gpm, CHROME
 441408 Semi Professional 1.8 gpm, CHROME
 441409 Semi Professional 1.8 gpm, SATIN NICKEL
 441754 Semi Professional 1.5 gpm, SATIN NICKEL

FEATURES
 • Solid brass body and polished chrome body
 • Chrome ball cartridge
 • 1.5 GPM flow rate
 • Available in 1.5 gpm flow
 • Color coordinated and cold supply lines
 • 1.5" hot and cold
 • 3/8" diameter spool nut
 • 1.5" maximum deck thickness
 • 1.5" maximum deck thickness

OPTIONAL ACCESSORIES
 440591 Chrome
 440592 Chrome
 440593 Chrome
 440594 Chrome
 440595 Chrome
 440596 Chrome
 440597 Chrome
 440598 Chrome
 440599 Chrome
 440600 Chrome
 440601 Chrome
 440602 Chrome
 440603 Chrome
 440604 Chrome
 440605 Chrome
 440606 Chrome
 440607 Chrome
 440608 Chrome
 440609 Chrome
 440610 Chrome
 440611 Chrome
 440612 Chrome
 440613 Chrome
 440614 Chrome
 440615 Chrome
 440616 Chrome
 440617 Chrome
 440618 Chrome
 440619 Chrome
 440620 Chrome
 440621 Chrome
 440622 Chrome
 440623 Chrome
 440624 Chrome
 440625 Chrome
 440626 Chrome
 440627 Chrome
 440628 Chrome
 440629 Chrome
 440630 Chrome
 440631 Chrome
 440632 Chrome
 440633 Chrome
 440634 Chrome
 440635 Chrome
 440636 Chrome
 440637 Chrome
 440638 Chrome
 440639 Chrome
 440640 Chrome
 440641 Chrome
 440642 Chrome
 440643 Chrome
 440644 Chrome
 440645 Chrome
 440646 Chrome
 440647 Chrome
 440648 Chrome
 440649 Chrome
 440650 Chrome
 440651 Chrome
 440652 Chrome
 440653 Chrome
 440654 Chrome
 440655 Chrome
 440656 Chrome
 440657 Chrome
 440658 Chrome
 440659 Chrome
 440660 Chrome
 440661 Chrome
 440662 Chrome
 440663 Chrome
 440664 Chrome
 440665 Chrome
 440666 Chrome
 440667 Chrome
 440668 Chrome
 440669 Chrome
 440670 Chrome
 440671 Chrome
 440672 Chrome
 440673 Chrome
 440674 Chrome
 440675 Chrome
 440676 Chrome
 440677 Chrome
 440678 Chrome
 440679 Chrome
 440680 Chrome
 440681 Chrome
 440682 Chrome
 440683 Chrome
 440684 Chrome
 440685 Chrome
 440686 Chrome
 440687 Chrome
 440688 Chrome
 440689 Chrome
 440690 Chrome
 440691 Chrome
 440692 Chrome
 440693 Chrome
 440694 Chrome
 440695 Chrome
 440696 Chrome
 440697 Chrome
 440698 Chrome
 440699 Chrome
 440700 Chrome

GENERAL DIMENSIONS

MODEL	SPPOUT HEIGHT	FAUCET HEIGHT
441753	8.12"	11.12"
440557	8.12"	11.12"

See next page for exploded parts drawing and parts list.

BLANCO AMERICA
 8800 S. DILL
 WWW.BLANCOAMERICA.COM

[pdf] Specifications Dimension Guide Warranty Accessories

747943036078 meas lowes 80 dimensionsguides |||

FEATURED MODEL 441753 Semi Professional 1.5 gpm, CHROME
 ADDITIONAL MODELS 440557 Semi Professional 2.2 gpm, SATIN NICKEL
 440558 Semi Professional 2.2 gpm, CHROME
 441408 Semi Professional 1.8 gpm, CHROME
 441409 Semi Professional 1.8 gpm, SATIN NICKEL
 441754 Semi Professional 1.5 gpm, SATIN NICKEL FE...

lang:en score:14 filesize: 1.26 M page_count: 2 document date: 2016-03-24