

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Moen](#) /

› [Moen Eva T943 Chrome Two-Handle Roman Tub Faucet Trim Kit Instruction Manual](#)

Moen T943

Moen Eva T943 Chrome Two-Handle Roman Tub Faucet Trim Kit Instruction Manual

Brand: Moen | Model: T943

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Eva T943 Chrome Two-Handle Roman Tub Faucet Trim Kit. The Moen Eva collection offers a transitional design with flowing curves and lever handles for water temperature and flow control. This trim kit is designed for deck-mount installations and requires a compatible Moen M-PACT valve system (sold separately).

KEY FEATURES

- High-Arc Spout:** Provides increased clearance for tub filling.
- Two-Handle Lever Design:** Allows for precise control over water temperature and flow.
- LifeShine Finish:** Engineered to resist tarnishing, corrosion, and flaking, ensuring long-lasting durability and appearance.
- M-PACT Compatible:** Designed to work with the Moen M-PACT valve system, simplifying future style upgrades without altering plumbing.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Moen Eva Roman Tub Faucet Spout (Chrome)
- Two Lever Handles (Chrome)
- Mounting Hardware
- Installation Instructions (this document)

Note: The Moen Two-Handle Roman Tub Valve (e.g., 9792, 9793, 9796, or 9797) is required for installation and is sold separately.

SETUP AND INSTALLATION

Installation of the Moen Eva T943 Trim Kit requires a pre-installed or separately purchased Moen M-PACT Roman Tub Valve. Follow the instructions provided with your Moen M-PACT valve for rough-in installation. Once the valve is installed, proceed with the trim kit installation as follows:

1. **Prepare Mounting Surface:** Ensure the tub deck surface is clean and free of debris.
2. **Install Spout:**



Image: The Moen Eva T943 Chrome Roman Tub Faucet Trim Kit, showing the high-arc spout and two lever handles.

Position the faucet spout over the center hole on the tub deck. Secure it from underneath using the provided mounting hardware. Ensure the spout is aligned correctly before tightening.

3. **Install Handles:**



Image: A close-up view of the Moen Eva T943 Chrome Roman Tub Faucet installed on a white tub deck, with the spout and two handles visible.

Place the two lever handles over the side valve stems. Secure them according to the valve system's instructions, typically involving set screws or threaded collars. Test for smooth operation.

4. **Connect Water Supply:** Ensure all water connections to the M-PACT valve are secure and leak-free.
5. **Test Faucet:** Slowly turn on the main water supply. Check for any leaks at all connection points. Operate both hot and cold handles to ensure proper water flow and temperature mixing.

OPERATION

The Moen Eva T943 Roman Tub Faucet features a two-handle design for precise control:

- **Left Handle:** Controls the hot water flow. Turn counter-clockwise to increase flow, clockwise to decrease/shut off.
- **Right Handle:** Controls the cold water flow. Turn counter-clockwise to increase flow, clockwise to decrease/shut off.
- **Temperature Control:** Adjust the hot and cold handles simultaneously to achieve the desired water temperature.
- **Flow Rate:** The faucet delivers a maximum flow rate of 13 gallons per minute, ensuring rapid tub filling.

MAINTENANCE

To maintain the appearance and functionality of your Moen Eva T943 Faucet, follow these guidelines:

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or polishes, as these can damage the LifeShine finish.
- **LifeShine Finish:** The chrome LifeShine finish is designed to resist tarnishing, corrosion, and flaking. Regular gentle cleaning will preserve its luster.
- **Aerator Maintenance:** If water flow decreases, the aerator (located at the spout tip) may be clogged. Unscrew the aerator, clean any debris, and reattach.

TROUBLESHOOTING

If you encounter issues with your Moen Eva T943 Faucet, refer to the following common solutions:

- **Low Water Flow:** Check if the aerator is clogged (see Maintenance). Ensure water supply valves are fully open.
- **Leaks from Spout:** Verify all connections are tight. If leaks persist, the internal valve components may require inspection or replacement (refer to your M-PACT valve manual or contact Moen support).
- **Dripping Faucet:** This typically indicates worn-out cartridges within the valve. Replacement cartridges are available and can be installed by following the M-PACT valve instructions or consulting a professional.

For complex issues, it is recommended to contact Moen customer support or a qualified plumber.

SPECIFICATIONS

Feature	Detail
Brand	Moen
Model Number	T943
Finish Type	Chrome (LifeShine)
Material	Metal
Mounting Type	Deck Mount
Number of Handles	2
Hole Count	3
Spout Height	9.5 Inches
Spout Reach	8.5 Inches
Maximum Flow Rate	13 Gallons Per Minute
Item Weight	4.65 pounds
Product Dimensions	18.62 x 11.12 x 3.62 inches
Recommended Uses	Bathroom

WARRANTY AND SUPPORT

The Moen Eva T943 Faucet Trim Kit is backed by a **Limited Lifetime Warranty** against leaks, drips, and

finish defects for the original consumer purchaser. For commercial installations, a 5-year limited warranty applies.

For warranty claims, technical assistance, or replacement parts, please contact Moen customer support. Visit the official Moen website for contact information and further details.

ABOUT MOEN




Moen is a leading brand in water delivery products, committed to designing and delivering exceptional water experiences. The company focuses on innovation, durability, and style in its wide range of faucets and fixtures.




Your browser does not support the video tag.

Video: An official brand video from Moen, showcasing their commitment to water design and quality. This video provides an overview of Moen's philosophy and product range.

© 2025 Moen Incorporated. All rights reserved.

Related Documents - T943

	<p>Moen Two-Handle Roman Tub Faucet Trim Kit with Hand Shower - Product Information</p> <p>Find essential information for the Moen Two-Handle Roman Tub Faucet Trim Kit with Hand Shower (Model INS10696A), including contact support, helpful tools, safety tips, and online registration instructions.</p>
	<p>Moen io™ Roman Tub Spout Installation Guide and Limited Lifetime Warranty</p> <p>Installation instructions, warranty details, and contact information for the Moen io™ Roman Tub Spout. Includes care tips and troubleshooting advice.</p>
	<p>Moen Two-Handle Roman Tub Faucet - Installation Guide & Product Information</p> <p>Discover the Moen Two-Handle Roman Tub faucet with this comprehensive guide. Find installation help, contact information, recommended tools, and online registration details for your Moen product.</p>

	<p>Moen Two Handle Roman Tub Faucet Installation Guide and Warranty Information (INS15188A)</p> <p>Step-by-step installation instructions, parts list, and limited lifetime warranty details for the Moen Two Handle Roman Tub faucet, model INS15188A. Includes contact information and product registration.</p>
	<p>Moen One-Handle Tub/Shower Trim Installation and Lifetime Warranty Guide</p> <p>Detailed installation instructions, care guidelines, and lifetime limited warranty information for Moen One-Handle Tub/Shower Trim models T2151, T2152, T2153, T62151, T62152, T62153. Includes parts list, contact information, and multilingual warranty details.</p>
	<p>Moen CIA™ Two-Handle Roman Tub Faucet Trim Illustrated Parts List</p> <p>Comprehensive illustrated parts list for the Moen CIA™ Two-Handle Roman Tub Faucet Trim. Find detailed information on models, kit numbers, finishes, and optional components. Order parts directly from Moen.</p>