

S100 12001B

S100 Total Cycle Cleaner Instruction Manual

Brand: S100 | Model: 12001B

PRODUCT OVERVIEW

The S100 Total Cycle Cleaner is a revolutionary spray-on, rinse-off cleaning solution specifically formulated for motorcycles. Its unique composition allows it to penetrate and lift dirt from every crevice of your bike without the need for scrubbing. This product is designed to clean the entire motorcycle, including the engine, fairings, and painted surfaces, providing a sparkling finish in as little as 5 minutes. It is safe for use on all cycle surfaces such as paint, chrome, alloy, plastic, rubber, bearings, and O-rings. The cleaner is non-acidic, pH controlled, contains corrosion inhibitors, and is biodegradable, making it an environmentally conscious choice. Beyond motorcycles, it is also effective for cleaning marine equipment, lawn and garden machinery, snowmobiles, and car and truck engines.



Image: S100 Total Cycle Cleaner bottle, spray hose, and a yellow sponge.

SETUP

The S100 Total Cycle Cleaner bottle comes with a spray hose for easy application. To set up the product for use:

- 1. Unpack:** Carefully remove the S100 Total Cycle Cleaner bottle and the separate spray hose attachment from its packaging.
- 2. Attach Spray Hose:** Screw the spray hose attachment firmly onto the neck of the S100 bottle until secure. Ensure it is tightly fastened to prevent leaks during use.
- 3. Prepare for Use:** The product is now ready for application. Ensure the nozzle is set to the desired spray pattern (e.g., mist or stream) before beginning the cleaning process.



Image: A hand applying S100 Total Cycle Cleaner to the engine area of a motorcycle.

OPERATING INSTRUCTIONS

Follow these steps for optimal cleaning results:

- 1. Pre-wet Motorcycle:** Before applying the cleaner, thoroughly wet your entire motorcycle with water. This is especially important in warm weather to prevent the cleaner from drying too quickly on surfaces. Use a gentle stream of water or a pressure washer from a reasonable distance.
- 2. Apply S100 Cleaner:** Spray the S100 Total Cycle Cleaner generously over all surfaces of your motorcycle. Ensure complete coverage, including the engine, wheels, fairings, painted areas, and windshield. The product is safe for all these surfaces.
- 3. Immediate Rinse:** Do not allow the cleaner to dry on the motorcycle surface. Immediately after spraying the entire bike, rinse it thoroughly with a pressure washer or strong hose stream. The cleaner works by lifting dirt, which is then washed away with the rinse water. Pay attention to all areas to ensure no residue remains.
- 4. Drying:** After rinsing, allow the motorcycle to air dry or use a clean, soft microfiber towel to dry the surfaces.



Image: A motorcycle being rinsed with a high-pressure water stream after cleaner application.




Image: A side-by-side comparison showing a dirty motorcycle engine before cleaning and the same engine sparkling clean after using S100.

MAINTENANCE

To maintain the effectiveness and longevity of your S100 Total Cycle Cleaner:

- **Storage:** Store the bottle in a cool, dry place away from direct sunlight and extreme temperatures.

- **Cap Securely:** Always ensure the cap or spray nozzle is securely fastened after each use to prevent evaporation or spills.
- **Nozzle Care:** If the spray nozzle becomes clogged, rinse it with warm water.

TROUBLESHOOTING

Addressing common issues during cleaning:

| Problem | Possible Cause | Solution |
|-------------------------------------|---|---|
| White spots or residue after drying | Cleaner was allowed to dry on the surface before rinsing. | Immediately re-wet the affected area, re-apply S100, and rinse thoroughly without delay. Ensure the motorcycle is pre-wet, especially in warm conditions. |
| Ineffective cleaning on heavy grime | Extremely heavy or caked-on dirt. | For very stubborn areas, a light agitation with a soft brush or sponge during the application phase, followed by immediate rinsing, may be beneficial. |
| Product not spraying correctly | Clogged nozzle or improperly attached spray hose. | Check that the spray hose is securely attached. Remove the nozzle and rinse it under warm water to clear any blockages. |

SPECIFICATIONS

| Feature | Detail |
|------------------|--|
| Brand | S100 |
| Model Number | 12001B |
| Item Volume | 33.8 Fl Oz (1 Liter) |
| Item Form | Spray |
| Special Features | pH Neutral, Biodegradable, Contains Corrosion Inhibitors |
| Recommended Use | Motorcycles, Marine, Lawn & Garden Equipment, Snowmobiles, Car & Truck Engines |
| Safety | Safe for all cycle surfaces (paint, chrome, alloy, plastic, rubber, bearings, O-rings) |

SAFETY INFORMATION

Please observe the following safety precautions when using S100 Total Cycle Cleaner:

- **Eye Irritant:** Avoid contact with eyes. In case of contact, rinse immediately with plenty of water and seek medical advice if irritation persists.
- **Skin Contact:** Prolonged skin contact may cause irritation. Wash hands thoroughly after handling.
- **Ingestion:** Do not ingest. If swallowed, seek immediate medical attention.
- **Ventilation:** Use in a well-ventilated area.
- **Keep Out of Reach:** Keep out of reach of children and pets.

- **Surface Temperature:** Do not apply to hot surfaces or in direct strong sunlight, as this can cause the cleaner to dry too quickly and leave residue.


WARRANTY AND SUPPORT

For specific warranty information or product support, please refer to the manufacturer's official website or contact their customer service directly. Details are typically provided on the product packaging or through the retailer where the product was purchased.

S100 is committed to providing high-quality cycle care products. Should you encounter any issues or have questions regarding the S100 Total Cycle Cleaner, their support team is available to assist you.

Related Documents - 12001B

| | |
|--|--|
|  | <p><u>S100 Smart Health Watch User Manual</u></p> <p>User manual for the S100 Smart Health Watch, covering appearance, charging, app pairing, main interface selection, operation methods, product parameters, main functions, app languages, and precautions. Features include TFT display, rotate key, Bluetooth calling, heart rate monitoring, and multiple sport modes.</p> |
|  | <p><u>Commander S100 User Guide: Variable Speed A.C. Drive for Induction Motors</u></p> <p>Comprehensive user guide for the Nidec Control Techniques Commander S100 Variable Speed A.C. drive. Covers installation, setup, operation, safety, and technical specifications for induction motors.</p> |
|  <p>JIGOO S100 Smart Mite Cleaner User Manual</p> <p>Please read this manual carefully before use and keep it safe for future reference.</p> | <p><u>JIGOO S100 Smart Mite Cleaner User Manual</u></p> <p>Comprehensive user manual for the JIGOO S100 Smart Mite Cleaner, detailing product features, operating instructions, maintenance procedures, troubleshooting tips, specifications, and compliance information for effective mite removal from household textiles.</p> |
|  <p>JIGOO S100 Smart Mite Cleaner User Manual</p> <p>Please read this manual carefully before use and keep it safe for future reference.</p> | <p><u>JIGOO S100 Smart Mite Cleaner User Manual: Dust, Allergy, and UV Sterilization Guide</u></p> <p>Comprehensive user manual for the JIGOO S100 Smart Mite Cleaner. Learn how to use, maintain, and troubleshoot your device for effective dust mite removal, allergen reduction, and UV sterilization of mattresses, bedding, and upholstery.</p> |

| | |
|---|---|
|  | <p><u>Redkey S100 Robotic Pool Cleaner User Manual</u></p> <p>Comprehensive user manual for the Redkey S100 Robotic Pool Cleaner, detailing setup, operation, maintenance, and troubleshooting for optimal pool cleaning performance.</p> |
|  | <p><u>Redkey S100 Robotic Pool Cleaner User Manual</u></p> <p>Comprehensive guide for the Redkey S100 Robotic Pool Cleaner, covering setup, operation, maintenance, and troubleshooting. Learn how to efficiently clean your pool with this automatic cleaner.</p> |