

Ortofon 2M Red

Ortofon 2M Red Moving Magnet Phono Cartridge User Manual

Model: 2M Red

1. INTRODUCTION

The Ortofon 2M Red is a high-quality moving magnet phono cartridge designed to deliver open, dynamic sound with a touch of warmth. It features an elliptical diamond stylus, making it an excellent choice for upgrading from standard cartridges or for new turntable setups. This manual provides essential information for the proper installation, operation, and maintenance of your 2M Red cartridge.



Image 1.1: The Ortofon 2M Red Moving Magnet Phono Cartridge.

2. WHAT'S IN THE BOX

Upon unboxing your Ortofon 2M Red cartridge, please ensure all components are present:

- Ortofon 2M Red phono cartridge
- Mounting screws (various lengths)
- Stylus guard
- Small screwdriver (for mounting)
- Stylus brush

3. SETUP AND INSTALLATION

Proper installation is crucial for optimal performance. Handle the cartridge with care, avoiding contact with the stylus.

3.1. Mounting the Cartridge

1. Carefully attach the cartridge to your turntable's headshell using the provided screws. Ensure the cartridge is securely fastened but do not overtighten.
2. Connect the four color-coded wires from the tonearm to the corresponding pins on the cartridge.
Typically:
 - Red: Right channel signal (R+)
 - Green: Right channel ground (RG)
 - White: Left channel signal (L+)
 - Blue: Left channel ground (LG)



Image 3.1: The Ortofon 2M Red cartridge mounted on a turntable's headshell.

3.2. Cartridge Alignment

Accurate alignment minimizes tracking errors and stylus wear. Use an alignment protractor (often included

with your turntable or available separately) to ensure the stylus is correctly positioned in the record groove. Follow the specific instructions provided with your protractor.



Image 3.2: Close-up view of the Ortofon 2M Red cartridge on a turntable, illustrating proper alignment.

3.3. Setting Tracking Force

The recommended tracking force for the Ortofon 2M Red is 1.8 grams (18 mN). Refer to your turntable's manual for instructions on balancing the tonearm and setting the tracking force accurately. Incorrect tracking force can lead to poor sound quality and accelerated stylus wear.

3.4. Setting Anti-Skating

Set the anti-skating force to match the tracking force (1.8 grams). This helps prevent the tonearm from being pulled towards the center or outside of the record, ensuring even wear on the stylus and balanced channel output.

4. OPERATING INSTRUCTIONS

Once installed and properly adjusted, your Ortofon 2M Red cartridge is ready for use.

1. Ensure your turntable is connected to a phono preamplifier or an amplifier with a dedicated phono input.
2. Place a clean record on the platter.
3. Gently lower the tonearm onto the record's lead-in groove using the cueing lever. Avoid dropping the tonearm directly onto the record.
4. After playback, use the cueing lever to lift the tonearm and return it to its rest. Always engage the stylus guard when the turntable is not in use.




Image 4.1: The elliptical diamond stylus of the Ortofon 2M Red tracking a record groove.

5. MAINTENANCE

Regular maintenance ensures the longevity and performance of your cartridge.

5.1. Stylus Cleaning

Clean the stylus regularly using the provided stylus brush. Brush gently from back to front (from the pivot point towards the stylus tip). Do not brush from side to side or front to back, as this can damage the cantilever.



Image 5.1: Front view of the Ortofon 2M Red stylus, highlighting the elliptical diamond tip.

5.2. Stylus Replacement

The stylus is a consumable part and will wear out over time, typically after 500-1000 hours of playback, depending on record condition and cleaning habits. A worn stylus can damage your records and degrade sound quality. The 2M Red stylus is user-replaceable. Replacement styli (e.g., Ortofon Stylus 2M Red or

an upgrade like Stylus 2M Blue) can be purchased separately. To replace, gently pull the old stylus assembly forward and off the cartridge body, then carefully push the new stylus assembly onto the body until it clicks into place.

5.3. Cartridge Body Cleaning

Wipe the cartridge body with a soft, dry, lint-free cloth. Avoid using cleaning fluids on the cartridge body or stylus, unless specifically designed for phono cartridges.

6. TROUBLESHOOTING

If you encounter issues, review the following common problems and solutions:

- **No Sound or Low Volume:**
 - Check all cable connections from the cartridge to the amplifier.
 - Ensure your amplifier is set to the correct phono input.
 - Verify the phono preamplifier is powered on (if external).
- **Distorted Sound:**
 - Re-check tracking force and anti-skating settings.
 - Verify cartridge alignment.
 - Clean the stylus.
 - Inspect the stylus for wear or damage. A worn stylus requires replacement.
- **Humming or Buzzing Noise:**
 - Ensure the turntable's ground wire is properly connected to your amplifier's ground terminal.
 - Move the turntable away from other electronic devices that may cause interference.
 - Check for loose connections in the tonearm wiring or cartridge pins.
- **Skipping or Jumping:**
 - Check tracking force; it might be too low.
 - Ensure the record is clean and free of debris.
 - Verify the turntable is level.

7. SPECIFICATIONS

Key technical specifications for the Ortofon 2M Red Moving Magnet Phono Cartridge:

Item Weight	0.254 ounces
Product Dimensions	1.1 x 0.75 x 0.71 inches
Item Model Number	2M Red
Stylus Type	Elliptical Diamond
Output Voltage at 1000 Hz, 5cm/sec.	5.5 mV
Channel Balance at 1 kHz	1.5 dB
Channel Separation at 1 kHz	22 dB

Channel Separation at 15 kHz	15 dB
Frequency Response	20-20,000 Hz +3/-1 dB
Tracking Ability at 315Hz at recommended tracking force	70 µm
Compliance, dynamic, lateral	20 µm/mN
Stylus Tip Radius	r/R 8/18 µm
Tracking Force Range	1.6-2.0 g (16-20 mN)
Recommended Tracking Force	1.8 g (18 mN)
Tracking Angle	20°
Internal Impedance, DC Resistance	1.3 kOhm
Internal Inductance	700 mH
Recommended Load Resistance	47 kOhm
Recommended Load Capacitance	150-300 pF
Cartridge Weight	7.2 g


8. WARRANTY AND SUPPORT

Ortofon products are manufactured to high standards. For warranty information and technical support, please refer to the official Ortofon website or contact your authorized dealer. Keep your proof of purchase for warranty claims.


© 2023 Ortofon. All rights reserved.

Related Documents - 2M Red

	Ortofon VNL Moving Magnet Cartridge User Guide Comprehensive user guide for the Ortofon VNL Moving Magnet Cartridge, detailing mounting, stylus care, and technical specifications for turntablists and portablists.
	Ortofon 2M Stylus User Guide User guide for Ortofon 2M series phono cartridges, detailing stylus replacement procedures and recommended tracking force specifications for various models.

	Ortofon 2M Series Phono Cartridge User Guide Installation & Specifications Comprehensive user guide for Ortofon 2M series phono cartridges, covering installation, wiring, tracking force specifications for models like 2M Red, Blue, Bronze, Black, LVB 250, 78, and Mono, along with support information.
	Ortofon 2M Series Phono Cartridges: Technical Specifications and User Guide Detailed technical specifications, mounting instructions, and care guide for the Ortofon 2M series of high-performance phono cartridges, including models like 2M Red, Blue, Bronze, Black, and Mono.
	Ortofon MC 90X Phonograph Cartridge: Technical Specifications and Support Information Detailed technical specifications, features, and support resources for the Ortofon MC 90X high-fidelity phonograph cartridge. Includes output voltage, stylus details, compliance, tracking force, and manufacturer contact.
	Ortofon Quintet Series Cartridge Installation and Setup Guide A concise guide to installing and setting up the Ortofon Quintet Series phono cartridges, including wiring, mounting, and tracking force recommendations.

Documents - Ortofon – 2M Red



[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi INSTRUCTIONS FOR USE Pro Ject RPM 1 Carbon User Guide 2 © Audio Systems · Ortofon 2M Red Revision 2014 10 8 Dear music lover thank you for purchasing a record player In order to achieve maximum performance and reliability with this should study these instructions PJ Phono RPM1Carbon Userguide 081014 resources sevenoakssoundandvision co uk images manuals INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.8 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter 4 Tonearm counterweight * 5 Tonearm lift ...

lang:en score:53 filesize: 496.89 K page_count: 9 document date: 2014-10-08



INSTRUCTIONS FOR USE
Pro-Ject RPM 1 Carbon

[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi INSTRUCTIONS FOR USE Pro Ject RPM 1 Carbon 2 © Audio Systems

· Ortofon 2M Red Revision 2014 10 16 Guide utilisation toponil hifi 2024 03 |||

INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.16 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter, felt mat 4 Tonearm counterweight 5 Tone...

lang:en **score:52** filesize: 547.69 K page_count: 9 document date: 2024-03-11



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC



[\[pdf\]](#) User Manual Instructions Parts List Guide Borchure

USER GUIDE Günter Antoniazzi privat Project Debut Carbon DC Turntable Instruction Manual 34996m

hifix co uk pub media brochures |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10 Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...

lang:en **score:50** filesize: 440.38 K page_count: 9 document date: 2014-06-23



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) Instructions Parts List

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib Pro Ject Debut Carbon DC Pult ru Audio Systems · Ortofon OM 10 2M Red Revision 2014 03 2 Downloaded from Manualslib manuals 28a791924ed92bbf0cae2d26246789e3 pult upload iblock 28a

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC Downloaded from www.Manualslib.com manuals search engine 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Downloaded from www.Manualslib.com manuals search engine Dear music lover, thank you f...

lang:en **score:48** filesize: 480.25 K page_count: 9 document date: 2015-08-04



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat Ortofon Debut Carbon Turntable With 2M Red Cartridge Manual
assets worldwidestereo s3 amazonaws files 164551 documents |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems
Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to
achieve maximum performance and reliability with this rec...

lang:en **score:48** filesize: 464.79 K page_count: 9 document date: 2015-08-12



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi privat INSTRUCTIONS FOR USE Pro Ject Debut Carbon DC The
counterweights 6 supplied are suitable for cartridges weighing between 4 5 6g Ortofon OM 10 weight no
80 and 8 5g 2M Red 1446 7 pro ject dcarbdcprp manual worldwidestereo weblinc netdna ssl product
documents debut carbon dc turntable with ortofon 2m red cartridge 5ac842a5f1f70e298d0001a5 c
1615006891

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems
Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2016.07.20
Pro-Ject Debut Carbon DC Controls, features and connections 1 2 3 4 5 6 7 8/18 9 10
11 12 13 14 15 16 17 19 20 21 22 Motor brackets with Orto...

lang:en **score:47** filesize: 468.23 K page_count: 9 document date: 2016-07-20



[\[pdf\]](#) User Manual Borchure

Ortofon 2M Red PnP MK2 Moving Magnet Cartridge inc Headshell Instruction Manual 43491m hifix co uk
pub media brochures |||

accuracy in sound 2M 78 2M 78 Verso 2M 78 PnP MkII 2M Mono 2M Red 2M Mono
Verso 2M Red Verso 2M Mono PnP MkII 2M Red PnP MkII 2M Blue 2M Blue Verso
2M Blue PnP MkII 2M Bronze 2M Black 2M Bronze Verso 2M Black Verso 2M Bronze
PnP MkII 2M Black PnP MkII Output voltage at 1 kHz, 5 cm/sec. ...

lang:en **score:47** filesize: 597.6 K page_count: 9 document date: 2018-02-19



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat PRO JECT Debut Carbon DC Turntable With Ortofon 2M Red
Cartridge Green Manual assets worldwidestereo s3 amazonaws files 165543 documents |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems
Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to
achieve maximum performance and reliability with this rec...

lang:en **score:46** filesize: 464.8 K page_count: 9 document date: 2015-12-07



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat PRO JECT Debut Carbon DC Turntable With Ortofon 2M Red Cartridge Green Manual assets worldwidestereo s3 amazonaws files 165948 documents |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems
Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...

lang:en **score:46** filesize: 464.8 K page_count: 9 document date: 2016-03-22



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC Esprit SB

[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi privat Pro Ject Debut Carbon DC Esprit SB Safety instructions Audio Trade GmbH · Ortofon 2M Red Revision 2016 07 20 3 AC outlet voltages vary from country to Before connecting the mains make sure that voltage in your area meets requirements Manual PS00Frida project audio 2018 04

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC Esprit SB 11 21 1 1 3 2 4 11
16 6 30 0 5 6a 17 15 9a 7 5 8 18 9 19 17 22 10 11 14 13 20 9a 12 2 Audio Trade
GmbH Pro-Ject Debut Carbon DC Esprit SB / Ortofon 2M Red Revision 2016.07.20
Pro-Ject Debut Carbon DC Esprit SB C...

lang:en **score:46** filesize: 310.29 K page_count: 8 document date: 2016-07-20



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat PRO JECT Debut Carbon DC Turntable With Ortofon 2M Red Cartridge Gloss Black Manual assets worldwidestereo s3 amazonaws files 165957 documents |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems
Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...

lang:en **score:45** filesize: 464.8 K page_count: 9 document date: 2016-02-19



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat INSTRUCTIONS FOR USE Pro Ject Debut Carbon DC Manual Sevenoaks Sound and Vision Check the manual supplied with your amplifier for relevant information The earthing wire of tonearm should be connected to earth terminal on if provided If does not have an input suitable phono cartridges you will require a separate channel black or white Your turntable has been delivered factory fitted adjusted cartridge Please ignore set up instructions unless changing at 1446 7 pro ject debut carbon dc ortofon 2m red yellow worldwidestereo weblinc netdna ssl product documents 571eeb0df7430b71d3010c6d c 1504154847 571ef788f7430b71d3010d3a 1504159841

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10

Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...

lang:en **score:43** filesize: 464.8 K page_count: 9 document date: 2016-02-18



INSTRUCTIONS FOR USE
Pro-Ject 1 Xpression Carbon

[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi INSTRUCTIONS FOR USE Pro Ject 1 Xpression Carbon ** The following instructions for adjusting the cartridge are provided in case is replaced by a different model at later date During assembly and adjustment of deck small parts could be lost if not carefully placed suitable receptacle Before starting make yourself acquainted with listed above 2 © Audio Systems · Ortofon 2M RED Revision 2016 03 01 Check manual supplied your amplifier relevant information earthing wire tonearm lead should connected to earth terminal on correspondingly numbered technical drawings Separately packed items marked an asterisk * PROJ XPRES CARB BORD Manual 1Xpression 11716 1xpressioncarbon richersounds media project audio 2018 04 inhalt en

INSTRUCTIONS FOR USE Pro-Ject 1 Xpression Carbon 2 Pro-Ject Audio Systems Pro-Ject 1 Xpression ... weight support hoop Power switch Headshell with finger lift and optional fitted cartridge Ortofon 2M Red Motor Adjustable tip-toe feet with anti-scratch cups * Connection cable not shown * Pow...

lang:en **score:41** filesize: 559.63 K page_count: 8 document date: 2016-03-02



INSTRUCTIONS FOR USE
Pro-Ject The Beatles 1964 Recordplayer

[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi manual thebeatles1964 sarte audio sites default files manuales project 80 inhalt en

INSTRUCTIONS FOR USE Pro-Ject The Beatles 1964 Recordplayer 11 21 1 1 3 2 4 11 16 6 30 0 5 6a 17 15 9a 7 5 8 18 9 19 17 22 10 11 14 13 20 9a 12 2 Audio Trade GmbH Pro-Ject The Beatles 1964 Recordplayer / Ortofon 2M Red Revision 2017.02.16 Pro-Ject The Beatles 1964 Rec...

lang:en **score:40** filesize: 241.9 K page_count: 8 document date: 2017-02-16



INSTRUCTIONS FOR USE
Pro-Ject RPM 1 Carbon

[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi manual 0 57 Mb Pro Ject RPM 1 Carbon Ext supersonido es documento 6190 |||

INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.16 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter, felt mat 4 Tonearm counterweight 5 Tone...

lang:en **score:37** filesize: 579.79 K page_count: 9 document date: 2014-12-16



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat DCARBONDC manual PJ Phono DebutCarbonDC Userguide 100314 4 content abt documents 67600 pro jectusa ContentsFiles

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10 Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...

lang:en **score:36** filesize: 465.04 K page_count: 9 document date: 2014-06-23

[\[pdf\]](#) User Manual Instructions Specifications Guide

USER GUIDE Günter Antoniazzi privat INSTRUCTIONS FOR USE Pro Ject Debut Carbon DC Audio Systems Manual Safety instructions ! Make sure that the plug and switch are easily accessible at all times Hold when unplugging power cord Never handle while your hands wet or damp Avoid letting liquids enter device place any item containing liquid such as a flower vase Check manual supplied with amplifier for relevant information The earthing wire of tonearm lead should be connected to earth terminal on if provided If does not have an input suitable phono cartridges you will require separate channel black white Motor brackets Ortofon® pads 2 Stepped drive pulley 3 Drive belt * 3a Hook 4 Hub 5 Platter felt mat 6 Tonearm counterweight 6a Downforce Headshell finger lift fitted Ortofon OM 10 2M Red skating force factory cartridge Recommended tracking 591185 PROJ DEBUT CARBON User bhphotovideo lit files richersounds media project audio 2018 03 retailspecs attachment 36445 pro jectusa 2020 05 INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2016.07.20 Pro-Ject Debut Carbon DC Controls, features and connections 1 2 3 4 5 6 7 8/18 9 10 11 12 13 14 15 16 17 19 20 21 22 Motor brackets with Orto...


lang:en score:36 filesize: 450.22 K page_count: 9 document date: 2016-07-20

[\[pdf\]](#) User Manual Instructions Guide

PJ Phono DebutCarbonRecordMasterHiRes Userguide 30032017 INSTRUCTIONS FOR USE Pro Ject Debut Carbon RecordMaster HiRes Controls features and connections 1 Motor brackets with Ortofon® pads User Manual pro jectusa 2020 05 INSTRUCTIONS FOR USE Pro-Ject Debut Carbon RecordMaster HiRes Pro-Ject Debut Carbon RecordMaster ... le for cartridges weighing between 4,5 - 6g Ortofon OM 10 - weight no. 80 and 6,5 - 8,5g Ortofon 2M Red - weight no. 8 . Pushing carefully, turn the counterweight 6 onto the rear end of the tonea... lang:en score:36 filesize: 83.78 K page_count: 17 document date: 2020-05-19

[\[pdf\]](#) User Manual Instructions Dimension Guide Accessories

Audio Tuning PRO JECT Debut Carbon DC Turntable With Ortofon 2M Red Cartridge Green Instructions assets worldwidiestereo s3 amazonaws files 165948 documents ||| Product information 12. 2014 Debut Carbon DC Audiophile „best buy turntable 8,6 carbon tonearm Increased platter size with more weight Precision belt drive with synchronous motor New DC power supply with ultra precision frequency DC-driven AC generator like Speed Box for ultimat... lang:en score:36 filesize: 726.41 K page_count: 1 document date: 2016-03-22






[\[pdf\]](#) User Manual Instructions Dimension Guide Accessories

Audio Tuning PRO JECT Debut Carbon DC Turntable With Ortofon 2M Red Cartridge Yellow Instructions assets worldwidestereo s3 amazonaws files 165950 documents |||

Product information 12. 2014 Debut Carbon DC Audiophile „best buy turntable 8,6 carbon tonearm Increased platter size with more weight Precision belt drive with synchronous motor New DC power supply with ultra precision frequency DC-driven AC generator like Speed Box for ultimat...

lang:en score:36 filesize: 726.4 K page_count: 1 document date: 2016-02-18



[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi Pro Ject Debut Carbon RecordMaster HiRes INSTRUCTIONS FOR USE Rodel Audio Manual Systems User Guide Anti skating stub with anti weight adjustment scale Dear music lover thank you for purchasing a record player Safety instructions Make sure that the plug and switch are easily accessible at all times Hold when unplugging power cord Never handle while your hands wet or damp Avoid letting liquids enter device place any item containing liquid such as flower vase on near Motor brackets Ortofon® pads 2 Stepped drive pulley 3 Drive belt * 3a Hook 4 Sub platter 5 Platter 6 Tonearm counterweight 6a Downforce © · Revision 2017 03 30 Recordmaster 8a9b1591 1d20 4c97 930e 6b6b04c265f2 cs project audio 2018 rodel cz ew pro jectusa 2020 09 INSTRUCTIONS FOR USE Pro-Ject Debut Carbon RecordMaster HiRes 2 Pro-Ject Audio Systems Pro-J ... able for cartridges weighing between 4,5 - 6g Ortofon OM 10 weight no. 80 and 6,5 - 8,5g Ortofon 2M Red - weight no. 8 . Pushing carefully, turn the counterweight 6 onto the rear end of the tonea...


lang:en score:34 filesize: 1013.91 K page_count: 16 document date: 2017-11-08



[\[pdf\]](#) User Manual Owner's Manual Instructions Guide

USER GUIDE Günter Antoniazzi privat PROJCT 88442Pro Ject DEBUT Carbon DC Turntable w 2M RED Cartridge WalnutPROJCT 88442audio connexion product images 88442 Pro Debut Owner s ManualPROJCT 88442Preowned AURAL HiFiPro WalnutPro ject project users owners manualPROJCT 88442cdn shopify files 1 0478 4884 9576 manual v 1698769555audio ||| INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2016.07.20 Pro-Ject Debut Carbon DC Controls, features and connections 1 2 3 4 5 6 7 8/18 9 10 11 12 13 14 15 16 17 19 20 21 22 Motor brackets with Orto...

lang:en score:34 filesize: 450.22 K page_count: 9 document date: 2016-07-20



[\[pdf\]](#) User Manual Instructions Guide

USER GUIDE Günter Antoniazzi privat INSTRUCTIONS FOR USE Pro Ject Debut Carbon DC Esprit SB
Safety instructions ! AC outlet voltages vary from country to Before connecting the mains make sure that voltage in your area meets requirements printed on power supply The is used disconnect unit Make easily
** Your turntable has been delivered with a factory fitted and adjusted cartridge please ignore set up unless changing at later date surface you wish use level spirit before placing tu rntable it Remove transport lock 18 tonearm Check manual supplied amplifier for relevant information earthing wire of lead should be connected earth terminal if provided If does not have an input suitable phono cartridges will require separate channel black or white PROJ CARBON ESPRIT Manual 5575 viewfile User richersounds media resources sevenoakssoundandvision co uk images manuals project audio 2018 03 pro jectusa 2020 05

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC Esprit SB 11 21 1 1 3 2 4 11
16 6 30 0 5 6a 17 15 9a 7 5 8 18 9 19 17 22 10 11 14 13 20 9a 12 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon DC Esprit SB / Ortofon 2M Red Revision 2016.07.20 Pro-Ject Debut Carbon DC Esprit...

lang:en **score:34** filesize: 310.56 K page_count: 8 document date: 2016-07-20



[\[pdf\]](#) User Manual

Lothar Mertens Manual Usuario Dual CS518 Giradiscos HiFi Manual con Capsula Ortofon 2M Red CS 518 usuario madridhifi crm documents produit 2 8 10226182 photos 1 |||
CS 518 DE: Betriebsanleitung: Hi-Fi Plattenspieler mit Riemenantrieb EN: Instruction Manual: Hi-Fi ... h 221,5 mm 25,6 19 mm Statisch, durch Verschiebung des Gegengewichtes 0 bis 4 g 5 g bis 9 g Ortofon 2M Red Ortofon Stylus 2M Red Aluminium-Druckguss Gummi 2,5 mm Achse aus gehrtetem Stahl, Lagerbuchse...
lang:de **score:32** filesize: 943.34 K page_count: 22 document date: 2022-10-19



[\[pdf\]](#) Instructions Guide

Ortofon Stylus 2M Black 2m userguide 2018 1Ortofon по цене 54 690 py62m 1avcomfort ru instructions audio 59570 1 |||
accuracy in sound 2M 78 2M 78 Verso 2M 78 PnP MkII 2M Mono 2M Red 2M Mono Verso 2M Red Verso 2M Mono PnP MkII 2M Red PnP MkII 2M Blue 2M Blue Verso 2M Blue PnP MkII 2M Bronze 2M Black 2M Bronze Verso 2M Black Verso 2M Bronze PnP MkII 2M Black PnP MkII Output voltage at 1 kHz, 5 cm/sec. ...
lang:en **score:32** filesize: 1.59 M page_count: 9 document date: 2018-09-28



INSTRUCTIONS FOR USE
Pro-Ject Debut Recordmaster

[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi privat Pro Ject Debut Recordmaster User Guide 14 ago 2020 — thank you for purchasing a Audio record player In order to achieve maximum performance and Hold the counterweight 6 without moving it Cartridge downforce adjustment The counterweights supplied are suitable cartridges weighing between 4 5 6g Ortofon OM 10 weight no 80 8 5g 2M Red PJ Phono 13012017 pro jectusa 08

INSTRUCTIONS FOR USE Pro-Ject Debut Recordmaster 2 Pro-Ject Audio Systems Pro-Ject Debut Rec ... le for cartridges weighing between 4,5 - 6g Ortofon OM 10 - weight no. 80 and 6,5 - 8,5g Ortofon 2M Red - weight no. 8 . Pushing carefully, turn the counterweight 6 onto the rear end of the tonea...

lang:en **score:32** filesize: 907.58 K page_count: 10 document date: 2020-08-12



INSTRUCTIONS FOR USE
Pro-Ject Debut Carbon DC

[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi original media s bol YEEApNX80AE n |||

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2016.07.20 Pro-Ject Debut Carbon DC Controls, features and connections 1 2 3 4 5 6 7 8/18 9 10 11 12 13 14 15 16 17 19 20 21 22 Motor brackets with Orto...

lang:en **score:31** filesize: 318.96 K page_count: 9 document date: 2020-03-27

[\[pdf\]](#) User Manual Instructions Parts List Guide

USER GUIDE Günter Antoniazzi privat INSTRUCTIONS FOR USE Pro Ject Debut Carbon DC

Sevenoaks Sound and Vision Safety instructions ! Make sure that the plug switch are easily accessible at all times Hold when unplugging power cord Never handle while your hands wet or damp Avoid letting liquids enter device place any item containing liquid such as a flower vase on near Check manual supplied with amplifier for relevant information The earthing wire of tonearm should be connected to earth terminal if provided If does not have an input suitable phono cartridges you will require separate 15 19mN 2 nd bearing ring 20mN higher 3 rd Slip loop anti skating weight 39 s thread over second groove stub set correct channel black white Your turntable has been delivered factory fitted adjusted cartridge Please ignore up unless changing Instructions use Parts list Warning hazard user unit or 297645

5629a5093d3d5 klipsch debut debutcarbondc mtime 20160708122731 focal none 562902 01U PJ Phono DebutCarbonDC Userguide 100314 9 productreview au products manuals f072605def1c9a5ef179 a0bc3fbf1884fc0965506ae2b946e1cd ssl cf2 rackcdn product resources sevenoakssoundandvision co uk images d2um2qdswy1tb0 cloudfront net assets imagescdn jun0 project audio inhalt en 80 pro jectusa ContentsFiles

INSTRUCTIONS FOR USE Pro-Ject Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2014.03.10 Dear music lover, thank you for purchasing a Pro-Ject Audio record player. In order to achieve maximum performance and reliability with this rec...



lang:en score:31 filesize: 465 K page_count: 9 document date: 2014-06-23

[\[pdf\]](#)

ortofon 1s stylus manuals audiomania ru data


Ortofon Moving Magnets Cartridges/Styli tracking force recommended HiFi styli Stylus 1S Stylus 3E S ... or other purposes. 1.50 g 1.50 g 1.50 g 1.50 g 1.50 g 1.50 g 1.50 g 1.50 g Stylus 540 MkII Stylus 2M Red Stylus 2M Blue Stylus 2M Bronze Stylus 2M Black Stylus 2M 78 Stylus 2M Mono Stylus Omega 1S/1...

lang:en score:31 filesize: 119.2 K page_count: 2 document date: 2017-09-22



[\[pdf\]](#) User Manual

Lothar Mertens Manual Usuario Dual CS429 Giradiscos HiFi Automatico con Capsula Ortofon 2M Red dual cs429 giradiscos black full automatico manual usuario madridhifi crm documents produit 7 8 10226187 photos 1 ||| CS 429 DE: Betriebsanleitung: Hi-Fi Plattenspieler mit Vollautomatik EN: Instruction Manual: Hi-Fi ... t 221,5 mm 25,6 19 mm Statisch, durch Verschiebung des Gegengewichtes 0 bis 4 g 5 g bis 9 g Ortofon 2M Red Ortofon Stylus 2M Red Aluminium-Druckguss Gummi 2,5 mm Achse aus gehärtetem Stahl, Lagerbuchse... lang:de score:30 filesize: 974.36 K page_count: 22 document date: 2022-10-19




[\[pdf\]](#) User Manual Datasheet Guide

Microsoft Word LBT 335 345 manual V1 NL EN DE FR ES IT DK SE RU c choi Model lenco lbt 345wa manuals coolblue be 345Model 345v1manuals 345wamanuals de 345LBT 335BA MAN COMPModel 345Lenco Acheter Boutique officielle Lenco fr Webshop Officielv1LBT COMPmanuals 345wacdn nedis datasheets COMP ||| ||| Model: LBT-335/ LBT-345 User manual - Turntable with bluetooth transmission and Ortofon 2M Red cartridge Gebruikshandleiding - Platen-speler met bluetooth-overdracht en Ortofon 2M Red element Bedienungsanleitung Plattenspieler mit Bluetooth-

Model: LBT-335/ LBT-345 User manual - Turntable with bluetooth transmission and Ortofon 2M Red cartridge Gebruikshandleiding - Platen-speler met bluetooth-overdracht en Ortofon 2M Red element Bedienungsanleitung Plattenspieler mit Bluetooth-Funktion und Ortofon 2M Red Tonabnehmer Guide d utilisation...


lang:en **score:30** filesize: 3.02 M page_count: 216 document date: 2023-10-05



[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi privat pro ject debut carbon dc trovaprezzi it manuali ||| Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Pro-Ject Debut C ... ect Debut Carbon DC 2 Pro-Ject Audio Systems Pro-Ject Debut Carbon / Ortofon OM 10 and Ortofon 2M Red Revision 2016.07.20 Pro-Ject Debut Carbon DC Controls, features and connections 1 2 3 4 ...

lang:en **score:30** filesize: 521.61 K page_count: 9 document date: 2016-07-20



[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi pro ject the beatles 1964 recordplayer trovaprezzi it manuali ||| Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Pro-Ject The Bea ... 22 10 11 14 13 20 9a 12 2 Audio Trade GmbH Pro-Ject The Beatles 1964 Recordplayer / Ortofon 2M Red Revision 2017.02.16 Pro-Ject The Beatles 1964 Recordplayer Controls, features and connect...

lang:en **score:30** filesize: 284.18 K page_count: 8 document date: 2017-02-16



[\[pdf\]](#) User Manual Instructions Dimension Guide Accessories

Audio Tuning Product information Henley 33 45 manual speed change Drive principle belt drive Platter 300mm metal with felt mat Mains bearing stainless steel Wow flutter 0 10% Speed drift 80% Signal to noise 68dB Tonearm 8 6 Carbon Effective arm length 218 5 mm mass g Overhang 18 5mm 1446 pro ject debut carbon dc turntable ortofon 2m red cartridge gloss black instructions worldwidestereo weblinc netdna ssl product documents 571eecb2f7430b71d3010c83 c 1504155697

Product information 12. 2014 Debut Carbon DC Audiophile „best buy turntable 8,6 carbon tonearm Increased platter size with more weight Precision belt drive with synchronous motor New DC power supply with ultra precision frequency DC-driven AC generator like Speed Box for ultimat...

lang:en score:30 filesize: 726.41 K page_count: 1 document date: 2016-02-19



[\[pdf\]](#) Instructions Specifications Borchure

2M Moving Magnet CartridgesBrochureretailspecs files attachment 65806 Brochure Ortofon Bronze ortofon 2m bronze — брошюра2M CartridgesOrtofon по цене 52 290 рубortofon bronze — брошюраaavcomfort ru instructions audio 59504 брошюраetailspecs брошюраOrtofon Mono mono рубOrtofon брошюраortofon mono — 59501 Stylus 34 890 рубv1ortofon 59569 |||

2M Moving Magnet Cartridges 2M Moving Magnet Cartridges THE STORY BEHIND THE 2M SERIES The 2M Se ... Ortofon, and were originally presented in the 500 and Ortofon OM Super Series. The 2M 78, 2M Mono, 2M Red and 2M Blue use an improved engine, which provides an optimized sound reproduction and a high...

lang:en score:30 filesize: 4.15 M page_count: 6 document date: 2019-03-26



[Pro-Ject Debut Carbon DC Проигрыватель винила: Инструкция по эксплуатации](#)

Полное руководство пользователя для проигрывателя винила Pro-Ject Debut Carbon DC, включая инструкции по установке, настройке, эксплуатации, обслуживанию и устранению неполадок. Совместим с картриджами Ortofon OM 10 и Ortofon 2M Red.

lang:en score:30 filesize: 639.31 K page_count: 9 document date: 2016-12-07



[\[pdf\] Guide](#)

ortofon images stories cartridges 2m 2M Verso 78 Mono UserGuide webDownload and Series Userguide hereCan you swap in a Ortofon Bronze Stylus into Cart Steve Hoffman Music Forums Hi guy1 here is link to the user guide format for I hope this helpsOrtofon AudioAktøren2M web2M webortofon web ||| accuracy in sound 2M 78 / 2M 78 Verso Output voltage at 1 kHz, 5cm/sec. 4 mV Frequency range at ... * 1,8 g 18 mN Load resistance* 47 kOhm Load capacitance* 150-300 pF *Recommended 2M Mono / 2M Red / 2M Mono Verso 2M Red Verso 4 mV 20-22.000 Hz 5,5 mV 20-22.000 Hz 70 m 70 m 18 m/mN Nu...

lang:en score:29 filesize: 918.66 K page_count: 9 document date: 2012-05-01




[\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

823MMF33 Music Hall MMF3 3 turntable w Ortofon 2M CRUTCHFIELD COM HNEWBERRY MMF 3SE Walnut owner s manual Manual belt drive with pre mounted Red cartridge at Crutchfield crutchfieldonline ImageBank v20191222180700 Manuals 823 |||

music hall mmf-3.3 series INSTRUCTION MAN UAL BEDI EN UNG SAN LEITU NG music hall <http://www.musichallaudio.com> ... ng the dust cover hinge screws 16 . 8 NOTE If you are substituting another cartridge for Ortofon 2M Red, you may need to make the following further adjustments to the tonearm 6 and cartridge: If...

lang:en score:29 filesize: 3.94 M page_count: 16 document date: 2019-12-22



[\[pdf\]](#) User Manual Specifications

Mat VPI Nomad Turntable Manual INDUSTRIES Home NOMAD SPECIFICATIONS Type Belt drive manual turntable Motor 24 VAC Synchronous AC Platter Machined MDF Diameter 11 81 30 0 cm The is the first all in one high end entry level Complete with a headphone amplifier phonostage and pre mounted Ortofon 2M Red cartridge nomad 2016 vpiindustries 1 2 6 5 126517731

VPI Nomad Turntable Manual Setup and Instruction Manual VPI Industries, Inc., 77 Cliffwood Ave. #5D, ... 4 mm Lofgren A 21.8 10g without cartridge 0 - 3g with 4 g cartridge Cartridge Output Ortofon 2M Red 5.5 mV 1 KHz Phono Preamplifier Gain Cartridge Loading Frequency Response Low Frequency Ro...

lang:en score:29 filesize: 577.28 K page_count: 8 document date: 2016-05-23




[\[pdf\]](#) User Manual

User ManualOrtofon 2M Red Cartridge Stylus K B Audioortofon 2m series user manualcdn shopify s files 1 0055 9906 8206 ortofon manual v 1723028913 accuracy in soundUser Audio2M Manualortofon manualkjwestone co uk 2021 04 Manual srsitid AfmBOopog r2Lc2HfbE4awQp7ggFls4pUkz59 UY oWykOrG3jC48n9Ocdn ManualViewOrtofon AudioOrtofon Black Moving Magnet Nearly New at AV2M manual737794kjwestone 1723028913r2 gear4music media 73 737794 soundaccuracy Manual2M oWykOrG3jC48n9Okjwestone

AfmBOoqYSCOYb03pLdxzPFGuAvEkUBDVNinb6ZHmHRPVL0WSj3o3OErtcdn ||| accuracy in sound 2M 78 / 2M 78 Verso Output voltage at 1 kHz, 5cm/sec. 4 mV Frequency range at ... * 1,8 g 18 mN Load resistance* 47 kOhm Load capacitance* 150-300 pF *Recommended 2M Mono / 2M Red / 2M Mono Verso 2M Red Verso 4 mV 20-22.000 Hz 5,5 mV 20-22.000 Hz 70 m 70 m 18 m/mN Nu...

lang:en score:29 filesize: 807.13 K page_count: 9 document date: 2012-09-04




[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi Bekijk de handleiding Pro Ject RPM 1 Carbon bol original media s JJ27wB4OXji |||

INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.16 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter, felt mat 4 Tonearm counterweight 5 Tone...

lang:en score:28 filesize: 368.75 K page_count: 9 document date: 2020-04-30



[\[pdf\]](#) Instructions Guide

USER GUIDE Günter Antoniazzi Bekijk de handleiding Pro Ject RPM 1 Carbon bol original media s mAmmyAB0GZn |||

INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.16 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter, felt mat 4 Tonearm counterweight 5 Tone...

lang:en **score:28** filesize: 368.75 K page_count: 9 document date: 2020-03-27



[Ortofon 2M Series Phono Cartridges: Technical Specifications and User Guide](#)

Detailed technical specifications, mounting instructions, and care guide for the Ortofon 2M series of high-performance phono cartridges, including models like 2M Red, Blue, Bronze, Black, and Mono.

lang:en **score:28** filesize: 1.29 M page_count: 9 document date: 2022-03-11




[\[pdf\]](#) User Manual Dimension Guide Guide

Download the 2M series userguide Ortofon accuracy in sound adjust stylus overhang refer to record player or tone arm manual and cartridge dimensions fig 5 Never overtighten screws never use aluminium 2020 12 10 — 78 Mono Red Blue Bronze Black LVB 250 Verso ortofon 2m lvb250 web sarte audio sites default files manuales media 151407

accuracy in sound 2M 78 2M 78 Verso 2M 78 PnP MkII 2M Mono 2M Mono Verso 2M Mono PnP MkII 2M Red 2M Red Verso 2M Red PnP MkII 2M Blue 2M Blue Verso 2M Blue PnP MkII 2M Bronze 2M Black 2M Black LVB 250 2M Bronze Verso 2M Black Verso 2M Bronze PnP MkII 2M Black PnP MkII Output voltage at 1 ...

lang:en **score:27** filesize: 1.16 M page_count: 9 document date: 2020-12-09



[\[pdf\]](#) User Manual Guide

Microsoft Word LBT 335 345 manual V1 0 NL EN DE FR ES IT DK SE RU c choi Model User Turntable with bluetooth transmission and Ortofon 2M Red cartridge Gebruikshandleiding Platenspeler met overdracht en 6b67e26a2bd635c3c18c3c4a7062f3d46f5d4f0c cdn maxx nl |||

Model: LBT-335/ LBT-345 User manual - Turntable with bluetooth transmission and Ortofon 2M Red cartridge Gebruikshandleiding - Platenspeler met bluetooth-overdracht en Ortofon 2M Red element Bedienungsanleitung Plattenspieler mit Bluetooth-Funktion und Ortofon 2M Red Tonabnehmer Guide d utilisation...

lang:en **score:27** filesize: 3.02 M page_count: 216 document date: 2023-10-05

[\[pdf\]](#) User Manual Dimension Guide Guide

accuracy in sound Rodel Audio Ortofon adjust stylus overhang refer to the record player or tone arm manual and cartridge dimensions fig 5 Never overtighten screws never use aluminium as they can get stuck threaded holes of mounting plate Note If excessively long are used pressing against body material this a9798672 6daf 469c a601 05229c419763 cs guia usuario 2m ortofon 163581 7 0 1 2 3 4 series userguide black pnp rodel audio cz ew sarte sites default files manuales worldwidestereo weblinc netdna ssl product documents hifi phono with elliptical diamond red 2mred 560ac307f7430b49610004c1 c 1504160023 80 media 14812 manuals audiomania ru data

accuracy in sound 2M 78 2M 78 Verso 2M 78 PnP 2M Mono 2M Mono Verso 2M Mono PnP 2M Red 2M Red Verso 2M Red PnP 2M Blue 2M Blue Verso 2M Blue PnP 2M Bronze 2M Black 2M Bronze Verso 2M Black Verso 2M Bronze PnP 2M Black PnP Output voltage at 1 kHz, 5cm/sec. 4 mV Frequency range at -3 dB 20...
lang:en score:26 filesize: 842.17 K page_count: 9 document date: 2014-09-08



[\[pdf\]](#) User Manual Owner's Manual Instructions

2521140013 Project RPM1Carb Gls Blk Rain turntable w Sumiko Rainier CRUTCHFIELD COM HNEWBERRY Pro Ject RPM 1 Carbon owner s manual Gloss Red Manual belt drive with pre mounted cartridge at Crutchfield crutchfieldonline ImageBank v20201012135600 Manuals 252 ||| INSTRUCTIONS FOR USE Pro-Ject RPM 1 Carbon 2 Pro-Ject Audio Systems Pro-Ject RPM 1 Carbon / Ortofon 2M Red Revision 2014.10.16 Controls, features and connections 1/11 Power switch, motor unit with stepped drive pulley 2 Drive belt * 3 Platter, felt mat 4 Tonearm counterweight 5 Tone...
lang:en score:25 filesize: 580.35 K page_count: 9 document date: 2020-10-12

