

[Manuals.plus](#) /

› [JERDON](#) /

› JERDON HL65C Lighted Wall-Mount Makeup Mirror User Manual

JERDON HL65C

JERDON HL65C Lighted Wall-Mount Makeup Mirror User Manual

Model: HL65C

INTRODUCTION

Thank you for choosing the JERDON HL65C Lighted Wall-Mount Makeup Mirror. This mirror is designed to enhance your daily grooming routine with its dual magnification and integrated LED lighting. Crafted with durable materials and a scratch-resistant chrome finish, it offers both functionality and elegance. Please read this manual thoroughly before installation and use to ensure proper operation and longevity of your product.



The JERDON HL65C Lighted Wall-Mount Makeup Mirror, showcasing its chrome finish and integrated lighting.

PRODUCT FEATURES

- **New & Improved Lighting:** Features 3000K warm white LED bulbs for natural illumination, closely resembling soft indoor lighting. Includes a 6-foot power cord for convenient plug-in operation.
- **5X Magnification:** Provides clear, close-up detail for precise tasks such as makeup application, eyebrow shaping, and tweezing.
- **Dimensions & Design:** An 8-inch diameter mirror that extends up to 14 inches from the wall. The 4-inch by 5-inch mounting plate houses the power cord.
- **Two-Sided Swivel Mirror:** Easily switch between 1X (true-to-life view) and 5X magnification with a 360-degree swivel function.
- **Quality Construction:** Expertly crafted with scratch-resistant chrome finish and durable hardware, suitable for various environments.

5X + 1X Magnification



The two-sided mirror offers both 1X and 5X magnification for versatile use.


SETUP AND INSTALLATION

The JERDON HL65C mirror is designed for wall-mount installation. All necessary mounting hardware is included for your convenience. This model is a plug-in unit, requiring access to a standard electrical outlet.

Installation Steps:

1. **Choose Location:** Select a suitable wall location near a standard electrical outlet, ensuring the mirror can extend and swivel freely without obstruction.
2. **Mark Drilling Points:** Hold the mounting plate against the wall at the desired height and use a pencil to mark the positions for drilling.
3. **Drill Holes:** Using a drill, create holes at the marked points. For drywall, a 3/8-inch drill bit is recommended for moly bolts.
4. **Insert Anchors:** Insert the appropriate wall anchors (e.g., moly bolts) into the drilled holes.
5. **Secure Mounting Plate:** Align the mounting plate with the anchors and secure it to the wall using the provided screws. Slowly tighten the screws while firmly pressing on the mounting plate to prevent damage to the wall.

6. **Attach Mirror Arm:** Connect the mirror arm assembly to the secured mounting plate.
7. **Plug In:** Plug the 6-foot power cord into a standard electrical outlet.



The mirror extends 14 inches from the wall, offering flexibility for various uses.

OPERATING INSTRUCTIONS

Your JERDON HL65C mirror is designed for ease of use, providing versatile viewing options and illumination.

Using the Magnification:

- The mirror features two sides: one with 1X (true-to-life) magnification and the other with 5X magnification.
- To switch between magnifications, simply swivel the mirror head 360 degrees.
- For 1X magnification, use for general viewing, skincare routines, makeup blending, and shaving.
- For 5X magnification, position your face approximately 3-5 inches from the mirror for optimal clarity and precision in tasks like eyeliner application, tweezing, or detailed makeup work. Moving too far from the 5X side may cause distortion.

Activating the Light:

- The mirror is equipped with an integrated light switch, typically a rotary switch located on the mounting plate or mirror frame.
- Turn the switch to the 'ON' position to activate the warm white LED lighting.
- Turn the switch to the 'OFF' position when not in use to conserve energy.

Adjusting the Mirror Position:

- The mirror features an extendable arm that allows it to reach up to 14 inches from the wall.
- Gently pull or push the mirror arm to adjust its distance from the wall.
- The mirror head can also be tilted up or down to achieve your desired viewing angle.
- When not in use, the mirror can be folded back against the wall to save space.

Two-Sided Swivel Mirror with 360-Degree Rotation



The 360-degree swivel allows for easy adjustment and switching between magnifications.

MAINTENANCE

Proper care and maintenance will ensure your JERDON HL65C mirror remains in excellent condition for years.

Cleaning the Mirror:

- Always unplug the mirror from the electrical outlet before cleaning.
- Use a soft, damp cloth with a mild glass cleaner or water to wipe the mirror surface.
- Avoid abrasive cleaners, harsh chemicals, or rough cloths, as these can scratch the mirror or damage the chrome finish.
- Dry the mirror immediately with a clean, lint-free cloth to prevent water spots.

Cleaning the Finish:

- Wipe the chrome finish with a soft, damp cloth.
- Do not use abrasive cleaners or polishes on the chrome, as this can remove the protective coating and dull the finish.

LED Lighting:

- The mirror uses long-lasting LED bulbs that are not user-replaceable. If the lighting fails, please contact customer support.

TROUBLESHOOTING

If you encounter any issues with your JERDON HL65C mirror, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	Mirror is not plugged in or power outlet is not active.	Ensure the power cord is securely plugged into a working electrical outlet. Check if the outlet is controlled by a wall switch and that the switch is on.
Mirror appears distorted on 5X magnification.	Incorrect viewing distance for magnified side.	For 5X magnification, position your face approximately 3-5 inches from the mirror. This is the optimal focal distance for clear viewing.
Mirror fogs up during use.	High humidity in the bathroom.	This is normal in humid environments. The fog will typically clear on its own as the humidity dissipates.
Mirror arm is stiff or difficult to move.	Joints may require lubrication or adjustment.	Apply a small amount of silicone-based lubricant to the moving joints. Do not over-tighten any visible screws on the arm joints unless specified by customer support.

SPECIFICATIONS

- **Brand:** JERDON
- **Model:** HL65C
- **Magnification:** 1X / 5X
- **Lighting:** 3000K Warm White LED
- **Mirror Diameter:** 8 inches
- **Extension from Wall:** Up to 14 inches
- **Power Cord:** 6 feet, Plug-in
- **Finish:** Chrome
- **Mounting Type:** Wall Mount
- **Material:** Alloy Steel, Glass
- **Item Weight:** Approximately 4 pounds
- **Product Dimensions (Overall):** 9.75 x 2 x 13.75 inches (L x W x H, when folded)
- **UPC:** 027043105882

WARRANTY INFORMATION

The JERDON HL65C Lighted Wall-Mount Makeup Mirror is covered by a **1-year limited manufacturer warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, accident, alteration, or unauthorized repair. Please retain your proof of purchase for warranty claims.

SUPPORT

For further assistance, technical support, or warranty inquiries regarding your JERDON HL65C Lighted Wall-Mount Makeup Mirror,

please contact JERDON customer service. Refer to the product packaging or the official JERDON website for the most current contact information.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question