

Central Brass 0125-A

Central Brass 0125-A Kitchen Faucet Instruction Manual

Model: 0125-A | Brand: Central Brass

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Central Brass 0125-A Two Handle Cast Brass Kitchen Faucet. Designed for durability and ease of use, this faucet features a robust cast brass body, two ergonomic handles, and an 8-inch curved swivel spout. Please read this manual thoroughly before beginning installation or operation to ensure proper function and longevity of your product.



Image: The Central Brass 0125-A kitchen faucet, showcasing its chrome finish, two handles, and curved spout.

SAFETY INFORMATION

Always observe the following safety precautions during installation and maintenance:

- Turn off the main water supply before beginning any installation or repair work.
- Wear appropriate personal protective equipment, such as safety glasses and gloves.

- Ensure all connections are secure to prevent leaks.
- If you are unsure about any step, consult a qualified plumber.
- Keep small parts away from children.

INCLUDED COMPONENTS

Verify that all parts are present before beginning installation:

- Faucet Body with Spout
- Two Handles (Hot and Cold)
- Mounting Hardware (nuts, washers)
- Gaskets/Seals
- Instruction Manual (this document)

INSTALLATION GUIDE

The Central Brass 0125-A faucet is designed for a two-hole, 6-inch centerset installation. Follow these steps for a smooth setup:

1. **Prepare the Sink:** Ensure the sink deck is clean and free of debris around the faucet holes.
2. **Install Faucet Body:** Place the faucet body onto the sink deck, aligning the two mounting shanks with the holes. Ensure any included gaskets are properly seated between the faucet base and the sink surface to create a watertight seal.
3. **Secure Faucet:** From underneath the sink, slide the rubber washer, then the metal washer, onto each mounting shank. Thread the mounting nuts onto the shanks and tighten them securely by hand, then use a wrench to snug them down, ensuring the faucet is stable and straight. Do not overtighten.
4. **Connect Water Supply Lines:** Attach the hot and cold water supply lines (not included) to the threaded inlets on the underside of the faucet body. Use a wrench to tighten connections, but avoid overtightening. Connect the other ends of the supply lines to your hot and cold water shut-off valves.
5. **Install Handles:** Place the handles onto their respective valve stems. Secure them according to the specific handle design (e.g., with a set screw or by threading a cap). Ensure the handles operate smoothly.
6. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. If leaks are present, gently tighten the connections until they stop.
7. **Flush the Faucet:** Remove the aerator from the spout. Turn on both hot and cold water for a few minutes to flush out any debris from the lines. Turn off the water, reattach the aerator, and test the water flow.




Image: An illustrative diagram detailing the key steps for installing the two-handle cast brass kitchen faucet, including water line connections and handle assembly.



Image: An icon featuring a wrench and screwdriver, symbolizing the easy installation process of the faucet, supported by comprehensive guides.

OPERATING INSTRUCTIONS

Your Central Brass 0125-A faucet features two handles for precise control of water temperature and flow:

- **Cold Water:** Turn the right handle counter-clockwise to open the cold water supply.
- **Hot Water:** Turn the left handle counter-clockwise to open the hot water supply.
- **Temperature Control:** Adjust both handles simultaneously to achieve the desired water temperature.
- **Flow Control:** The further the handles are turned, the greater the water flow.
- **Swivel Spout:** The spout can be rotated 360 degrees for convenience in various sink configurations and tasks.

MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your chrome faucet:

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome finishes. Rinse thoroughly with water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or bleach, as these can damage the chrome finish.
- **Aerator Maintenance:** If water flow becomes restricted, the aerator may be clogged. Unscrew the aerator from the end of the spout, clean any debris, and rinse it before reattaching.
- **Leak Prevention:** Periodically check all connections for any signs of leaks and tighten if necessary.



Image: A shield icon with a checkmark, symbolizing the robust and durable construction of the faucet, designed to withstand daily use.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valve; debris in supply line.	Clean aerator. Ensure shut-off valves are fully open. Flush supply lines.
Leaking at Base	Loose mounting nuts; improperly seated gasket.	Tighten mounting nuts. Re-seat gasket if necessary.
Leaking from Spout	Worn out cartridge/washer.	Contact customer support for replacement parts or professional assistance.
Handles Stiff/Hard to Turn	Mineral buildup; worn internal components.	Clean around handle base. If issue persists, internal components may need replacement.

SPECIFICATIONS

Model Name	0125-A
Brand	Central Brass
Mounting Type	Deck Mount, Centerset
Finish Type	Chrome
Material	Cast Brass (Body), Brass (Handles)
Number of Handles	2
Hole Count	3
Maximum Flow Rate	1.5 Gallons Per Minute (GPM)
Spout Height	6.12 Inches
Spout Reach	8 Inches
Spout Design	Swivel Spout
Item Weight	3 Pounds
Product Dimensions	3.37 x 6.62 x 3.5 inches
Compliance	ADA Compliant, CAL Green Certified, IAPMO Listed, Compliant with federal and state drinking water legislation (AB1953, S152, HB372)

WARRANTY AND CUSTOMER SUPPORT

Central Brass is part of the Pioneer family of products, committed to providing quality and customer satisfaction. While specific warranty details are not provided in this document, Central Brass offers incomparable commitment to great customer care for the lifetime of the product.

For any questions, comments, challenges, or triumphs regarding your Central Brass 0125-A faucet, please contact our quick-response support team. Refer to the contact information provided with your purchase or visit the official Central Brass website for assistance.

Online Resources: For additional information and support, you may visit the [Central Brass Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B00117ER2S>

More documents and user manuals: <https://manuals.plus/>