

- Manuals.plus /
- > [Top Knobs](#) /
 - > Top Knobs M633 Normandy Ring Pull User Manual

Top Knobs M633

Top Knobs M633 Normandy Ring Pull
USER MANUAL

Product Overview

The Top Knobs M633 Normandy Ring Pull is a cabinet hardware component designed to enhance the aesthetic and functionality of your cabinetry. Part of the Normandy collection, this ring pull features a classic design inspired by English metalworking traditions, suitable for traditional and rustic decor styles.

Crafted from durable materials such as brass or steel, it offers a Patine Rouge finish, providing a distinctive appearance. This manual provides essential information for the installation, usage, maintenance, and specifications of your M633 Normandy Ring Pull.

Product Visual



Image: A close-up view of the Top Knobs M633 Normandy Ring Pull. The pull features a circular ring in a dark, reddish-brown Patine Rouge finish, attached to a cylindrical post. The base plate beneath the post has a decorative, slightly scalloped edge. The overall appearance is rustic and traditional.

Installation Guide

The Top Knobs M633 Normandy Ring Pull is designed for easy installation. Follow these steps to properly attach the pull

to your cabinet doors or drawers.

1. **Prepare the Surface:** Ensure the cabinet surface where the pull will be installed is clean and dry.
2. **Mark Drilling Points:** Carefully measure and mark the precise location for the mounting screw. For a single-point pull, one mark is sufficient. Use a pencil to mark the center point.
3. **Drill Pilot Hole:** Using a drill bit appropriate for your cabinet material and the screw size, drill a pilot hole through the marked point. Ensure the hole is straight and clean.
4. **Attach the Pull:** Align the ring pull with the drilled hole. Insert the mounting screw from the inside of the cabinet door or drawer, through the pilot hole, and into the threaded receiver on the back of the pull.
5. **Tighten Securely:** Hand-tighten the screw until the pull is firmly secured against the cabinet surface. Avoid over-tightening, which can strip the screw or damage the cabinet.

Note: Always use appropriate safety gear, such as eye protection, when drilling. If you are unsure about the installation process, consider consulting a professional.

Operating Instructions

The M633 Normandy Ring Pull functions as a decorative and functional handle for cabinet doors and drawers. To open or close, simply grasp the ring and pull or push the cabinet component as needed.

- Ensure the pull is securely fastened to prevent wobbling or detachment during use.
- Avoid excessive force when operating, as this is unnecessary and could potentially damage the cabinet or the pull over time.

Care and Maintenance

Proper care will help maintain the finish and longevity of your Top Knobs M633 Normandy Ring Pull.

- **Cleaning:** Clean the pull regularly with a soft, damp cloth. Avoid using abrasive cleaners, harsh chemicals, or polishes, as these can damage the Patine Rouge finish.
- **Drying:** After cleaning, immediately dry the pull with a clean, soft cloth to prevent water spots or residue buildup.
- **Avoid Scratches:** Be mindful of sharp objects or abrasive materials that could scratch the surface of the pull.
- **Periodic Check:** Periodically check the tightness of the mounting screw. If the pull feels loose, gently re-tighten the screw.

Troubleshooting

If you encounter any issues with your Normandy Ring Pull, refer to the common solutions below:

- **Pull is Loose:**

Solution: The mounting screw may have loosened over time. Gently re-tighten the screw from the inside of the cabinet door or drawer using an appropriate screwdriver. Do not over-tighten.

- **Finish Appears Dull or Damaged:**

Solution: Ensure you are cleaning the pull only with a soft, damp cloth and drying it immediately. Avoid harsh chemicals or abrasive materials. If the finish is significantly damaged, contact Top Knobs customer support for advice.

- **Difficulty Opening/Closing Cabinet:**

Solution: This is typically not related to the pull itself but rather to the cabinet hinges or drawer slides. Check these components for proper alignment and lubrication. Ensure the pull is not catching on any part of the cabinet frame.

Product Specifications

Feature	Detail
Model Number	M633
Brand	Top Knobs
Material	Alloy Steel, Brass
Color/Finish	Patine Rouge
Exterior Finish	Brass, Iron
Diameter	1.1875 inches
Projection Distance	0.75 inches
Item Weight	1.28 ounces
Product Dimensions	1.19 x 1.19 x 0.75 inches
Included Components	Knob (Ring Pull)
Special Feature	Easy to Install
UPC	840355006339

Warranty Information

The Top Knobs M633 Normandy Ring Pull is covered by a **One Year Limited Warranty** from the date of purchase. This warranty covers defects in material and workmanship under normal use and service. It does not cover damage resulting from improper installation, misuse, abuse, accident, or normal wear and tear.

For specific details regarding warranty claims or to understand the full terms and conditions, please refer to the official Top Knobs warranty documentation or contact their customer support.

Customer Support

Should you require further assistance, have questions not covered in this manual, or need to report an issue with your Top Knobs M633 Normandy Ring Pull, please contact Top Knobs customer support.

For the most current contact information, including phone numbers, email addresses, or online support portals, please visit the official Top Knobs website:

www.topknobs.com

Please have your product model number (M633) and purchase details ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B00134A94O>

More documents and user manuals: <https://manuals.plus/>