

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [beyerdynamic](#) /
- › [beyerdynamic DT 770 PRO 80 Ohm Over-Ear Studio Headphones Instruction Manual](#)

beyerdynamic DT 770 PRO 80 Ohm

beyerdynamic DT 770 PRO 80 Ohm Over-Ear Studio Headphones Instruction Manual

MODEL: DT 770 PRO 80 OHM

Introduction

The beyerdynamic DT 770 PRO 80 Ohm headphones are a closed-back, dynamic over-ear model designed for professional use in studio environments, including monitoring and recording applications. This manual provides essential information for the proper setup, operation, and maintenance of your headphones to ensure optimal performance and longevity.





Image: The beyerdynamic DT 770 PRO 80 Ohm headphones, showcasing their over-ear design and robust construction.

Setup

The DT 770 PRO 80 Ohm headphones are designed for wired connectivity. Proper connection to your audio equipment is crucial for optimal sound quality.

Connecting Your Headphones

1. **Identify the Audio Output:** Locate the headphone output jack on your audio interface, mixer, amplifier, or other audio device.
2. **Select the Correct Adapter:** The DT 770 PRO 80 Ohm headphones come with a fixed 3.0m cable terminated with a 3.5mm stereo jack. A 6.35mm (1/4-inch) screw-on adapter is included for compatibility with professional audio equipment. Attach the 6.35mm adapter if your device requires it.
3. **Insert the Connector:** Firmly insert the 3.5mm jack (or 6.35mm adapter) into the corresponding audio output on your

device.

Impedance Considerations: The 80 Ohm impedance version is versatile, suitable for a wide range of studio and home applications, including audio interfaces, mixing consoles, and portable devices with sufficient output power. For mobile devices with lower output, a 32 Ohm version is available. For high-power professional studio equipment, a 250 Ohm version is recommended. Using the correct impedance for your source device ensures proper volume levels and sound reproduction.

LIEFERUMFANG



**STUDIOKOPFHÖRER
DT 770 PRO**
32, 80 oder 250 Ohm



Klinkenadapter 6,35 mm



Zugbeutel

Image: Illustration of the different impedance variants (32 Ohm, 80 Ohm, 250 Ohm) of the DT 770 PRO headphones and their recommended applications.

Operating Instructions

The DT 770 PRO headphones are designed for extended listening sessions with high comfort and accurate sound reproduction.

Wearing the Headphones

- **Adjust the Headband:** Extend or retract the adjustable headband to ensure a comfortable and secure fit on your head. The soft-padded headband construction is designed for comfort.
- **Position the Earcups:** Ensure the circumaural velour ear pads fully enclose your ears. This provides optimal sound isolation and comfort.



Image: A person wearing the DT 770 PRO headphones, highlighting the comfortable over-ear design.

Sound Monitoring and Recording

- **Closed-Back Design:** The closed-back design provides excellent sound isolation, minimizing leakage into microphones during recording and reducing external noise interference during monitoring.
- **Volume Control:** Adjust the volume using the controls on your connected audio device. The headphones themselves feature a remote control type for volume adjustment, if supported by your source.
- **Professional Use:** These headphones are engineered for accurate and high-resolution sound, making them suitable for critical listening tasks in studio and stage environments.



Image: A musician wearing the DT 770 PRO headphones during a recording session, illustrating their use in a professional context.

Maintenance

Regular maintenance ensures the longevity and hygienic use of your headphones.

Cleaning the Ear Pads

- The velour ear pads are replaceable and can be removed for cleaning.
- Gently detach the ear pads from the earcups.
- Hand wash the ear pads with mild soap and lukewarm water. Avoid harsh detergents.
- Rinse thoroughly and allow them to air dry completely before reattaching.

General Cleaning

- Wipe the exterior surfaces of the headphones with a soft, dry cloth.
- Avoid using liquid cleaners or solvents directly on the headphones.

Storage

- When not in use, store the headphones in the included carrying bag to protect them from dust and physical damage.



Image: A close-up view of the internal components, emphasizing the 'Handmade in Germany' quality and modular design for replaceable parts.

Troubleshooting

If you encounter issues with your DT 770 PRO headphones, consider the following common solutions:

- **No Sound or Low Volume:**
 - Ensure the headphone cable is fully inserted into both the headphones and the audio source.
 - Check the volume level on your audio source device.
 - Verify that the audio source is powered on and playing audio.
 - Confirm that the 80 Ohm impedance is compatible with your audio source's output power. Lower impedance headphones (e.g., 32 Ohm) might be required for some portable devices.
- **Distorted Sound:**
 - Reduce the volume on your audio source.
 - Ensure the audio cable is not damaged or kinked.
 - Test with a different audio source to rule out source-related issues.
- **Discomfort During Use (especially with glasses):**
 - Adjust the headband and earcup position to relieve pressure points.
 - Take short breaks during long listening sessions to alleviate pressure.
 - Ensure the ear pads are correctly seated and not twisted.
- **Poor Sound Isolation:**
 - Ensure the ear pads fully seal around your ears. Adjust the headband for a snug fit.
 - Check if the ear pads are worn out and require replacement.

Specifications

Brand	beyerdynamic
Model	DT 770 PRO 80 Ohm
Type	Closed, Dynamic Over-Ear Headphones
Impedance	80 Ohm
Frequency Range	5 Hz - 35,000 Hz
Connectivity Technology	Wired
Headphones Jack	3.5 mm; 6.3 mm (with adapter)

Noise Control	Sound Isolation
Material	Soft PVC (ear pads: velour)
Item Weight	9.5 ounces (270 grams)
Product Dimensions	10 x 5 x 8 inches
Manufacturer	beyerdynamic

What's in the Box

The beyerdynamic DT 770 PRO 80 Ohm package includes:

- beyerdynamic DT 770 PRO 80 Ohm Studio Headphones
- 6.35 mm (1/4-inch) Jack Adapter
- Drawstring Carrying Bag



Image: The complete package contents for the DT 770 PRO headphones, showing the headphones, adapter, and carrying bag.

Warranty and Support

beyerdynamic products are manufactured to high quality standards. For information regarding warranty coverage, technical support, or service, please refer to the official beyerdynamic website or contact their customer service directly. Keep your proof of purchase for warranty claims.



Related Documents - DT 770 PRO 80 Ohm

 DT 990 PRO DT 990 PRO 	Beyerdynamic DT 990 PRO Studio Headphones User Manual and Technical Specifications Comprehensive user manual and technical specifications for the Beyerdynamic DT 990 PRO open dynamic studio headphones. Learn about features, applications, safety, maintenance, and detailed specs.
 DT 770 PRO X DT 770 PRO X 	beyerdynamic DT 770 PRO X Studio Headphones User Manual Comprehensive user manual for the beyerdynamic DT 770 PRO X dynamic studio headphones, covering safety, application, maintenance, specifications, and more.
 DT 880 PRO DT 880 PRO 	beyerdynamic DT 880 PRO Studio Headphones User Manual Official user manual for the beyerdynamic DT 880 PRO Studio Headphones, providing comprehensive information on safety, design features, application, maintenance, accessories, service, disposal, and technical specifications.
 DT 270 PRO DT 270 PRO 	Beyerdynamic DT 270 PRO Studio Headphones User Manual User manual for the Beyerdynamic DT 270 PRO studio headphones. Covers safety, application, maintenance, cable connections (audio and USB-C), ear pad replacement, technical specifications, and warranty information for professional audio use.
 DT 770 PRO DT 770 PRO 	Beyerdynamic DT 770 PRO Studio Headphones User Manual Comprehensive user manual for the Beyerdynamic DT 770 PRO Studio Headphones, covering safety instructions, design features, application, maintenance, replacement of parts, service, disposal, and technical specifications.


DT 990 PRO X
open-back headphones

[Beyerdynamic DT 990 PRO X Studio Headphones User Manual](#)

Comprehensive user manual for the Beyerdynamic DT 990 PRO X open-back studio headphones, covering safety instructions, application, maintenance, cable connection, pad replacement, version, accessories, replacement parts, service, disposal, technical specifications, and warranty.

Documents - beyerdynamic – DT 770 PRO 80 Ohm



Beyerdynamic DT 770 PRO 80 OHM - Sluchawki studyjne zamknięte
Indeks: 215758 Producent: Beyerdynamic Kod producenta: 42000108

Cena: 827.61 zł

Opis

Beyerdynamic DT 770 PRO 80 OHM - Sluchawki studyjne zamknięte
Producent: Beyerdynamic

Cechy

- Typ produktu: Sluchawki studyjne

Waga i wymiary

- Waga produktu: 270 g

Wyposażenie

- Długość przewodu: Okablowanie na głowę
- Zastosowanie: Mikrofon
- Kolor produktu: Czarny

Party i interfejsy

- Sposób łączności: Przewodowy
- Maksymalna moc wejściowa: 2500 mW
- Zestaw bezprzewodowego nadajnika: 3 m
- Zestaw 3.5 mm: Tak

Dane techniczne

- Kod zharmonizowanego systemu (HS): 85183000

Mikrofon

- Typ mikrofonu: Niesłyszalny

Sluchawki

- Ciężar słuchawek: 96 dB
- Współczynnik zawieszenia harmonicznych: 0.2%
- Maksymalna moc wejściowa: 100 mW
- Impedancja: 80 Ω
- Budowa słuchawek: Ciężkie, profesjonalne
- Ciężar przewodu: 1.2000 kg
- System akustyczny: Zamknięty

[\[pdf\]](#)

Beyerdynamic DT 770 PRO 80 OHM Słuchawki studyjne zamknięte Sklep internetowy stylem pl
beyerdynamic dt pro ohm sluchawki zamkniete 215758 upload files product |||

Beyerdynamic **DT 770 PRO 80 OHM** - Sluchawki studyjne zamknite Indeks: 215758
Producent: Beyerdynamic ... cja Impedancja Długo przewodu Cechy dodatkowe
Zalczone wyposaenie Kod producenta Stan Beyerdynamic DT 770 PRO 80 Ohm
czarny 4010118474743 270 0.58 wokluszne tworzywo sztuczne nie nie zamknita 80 3
Ob...

lang:pl score:42 filesize: 207.6 K page_count: 3 document date: 2023-01-23



Beyerdynamic DT 770 PRO 80 OHM BLACK LIMITED EDITION - Sluchawki studyjne zamknięte
Indeks: 221550 Producent: Beyerdynamic Kod producenta: 42000220

Cena: 886.60 zł

Opis

Beyerdynamic DT 770 PRO 80 OHM BLACK LIMITED EDITION - Sluchawki studyjne zamknięte
Producent: Beyerdynamic

Cechy

- Typ produktu: Sluchawki studyjne

Waga i wymiary

- Waga produktu: 270 g

Wyposażenie

- Kolor produktu: Czarny
- Długość przewodu: Niesłyszalny
- Zastosowanie: Mikrofon

Party i interfejsy

- Sposób łączności: Przewodowy
- Zestaw 3.5 mm: Tak
- Maksymalna moc wejściowa: 2500 mW
- Zestaw bezprzewodowego nadajnika: 3 m

Dane techniczne

- Kod zharmonizowanego systemu (HS): 85183000

Mikrofon

- Typ mikrofonu: Niesłyszalny

Sluchawki

- Współczynnik zawieszenia harmonicznych: 0.2%
- Maksymalna moc wejściowa: 100 mW
- Budowa słuchawek: Ciężkie
- Ciężar słuchawek: 96 dB
- Impedancja: 80 Ω

[\[pdf\]](#)

Beyerdynamic DT 770 PRO 80 OHM BLACK LIMITED EDITION Słuchawki studyjne zamknięte Sklep internetowy stylem pl
beyerdynamic dt pro ohm black limited edition sluchawki zamkniete 221550 upload files product |||

Beyerdynamic **DT 770 PRO 80 OHM BLACK LIMITED EDITION** - Sluchawki studyjne zamknite Indeks: 221550 Pr ... Regulacja głośności Mikrofon Konstrukcja Impedancja Długo przewodu Kod producenta Stan Beyerdynamic DT 770 PRO 80 Ohm Limited Edition czarny 4010118717772 270 wokluszne metal nie nie zamknita 80 3 DT7...

lang:pl score:40 filesize: 168.5 K page_count: 2 document date: 2023-02-01



[\[pdf\]](#) User Manual

Скачать мануал BEYERDYNAMIC DT 770 Pro 80 Ohms купить в UNITED MUSIC beyerdynamic dt pro ohms naushniki user manual united music by pub manuals 32105 |||

DT770 PRO 495 315 3092 DT 770PRO. , . DT 770PRO - . 20 , Beyerdynamic. . . , . . 3 -Jack 1 Jack. . , , , , , , , . Beyerdynamic . . 5-35.000 80/250 96 3.5N 270 . , 3 , 3,5 1,4 6,35 ...

lang:pl **score:39** filesize: 103.84 K page_count: 2 document date: 2008-04-22




[\[pdf\]](#)

M3030 118 Marshall MICS DI S AND HEADPHONES AKG C414 XLII Stereo Set x2 C451 Beyerdynamic DT 770 PRO 80 ohms x4 BSS AR133 MarshallStudio info marshall file 15ed2db3 da27 40cf a216 767ab3052725 |||

M3030.118 THE MARSHALL STUDIO 1.0 FLOORPLAN Located at Marshall HQ, Milton Keynes, the Marshall Studio is a state-of-the-art recording and mixing studio and events space with a live room that can hold up to 250 people. This versatile space is ideal for any recording requirements. WC Green Room 32m...

lang:en **score:32** filesize: 8.41 M page_count: 5 document date: 2021-07-06



[\[pdf\]](#) User Manual Instructions

THÖRESS Stephen Roberts thoreress selector in pos4 5 6 and pos1 2 3 respectively The input impedance on these inputs is 30 000 ohms Low Gain Input assigned with an exceptionally low gain of dual function amp manual manuals |||

THRESS Dual Function Amplifier ===== DFamp
..... I N S T R U C T I O N M A N U A L.....

Thank you for purchasing the THRESS Dual Function Amplifier DFamp The DFamp represents an ultimate implementation of...

lang:en **score:24** filesize: 182.69 K page_count: 13 document date: 2023-05-08

[illegible]

Excluded from this limited guarantee are:

- Minor defects or irregularities in the condition of the product which are insignificant as far as the quality and intended use of the product are concerned.
- Accessories included with the product
- Rechargeable and nonrechargeable batteries (due to their nature these products have a shorter lifespan which in individual cases also depends practically on the intensity of use)
- Headband pad, ear pads, head shield and all parts of the product that have body contact
- Defects which have occurred through improper use or misuse of the product (for example, faulty operation, mechanical damage, incorrect operating voltage), including, but not limited to, an unintended use of the product

Dynamic Headphones



FEATURES

- Closed diffuse field studio headphones
- Immersive bass reflex system
- Robust spring steel headband

- Single-sided cobble
- Soft headband pad
- Gold plated mini stereo jack plug (3.5 mm) &

APPLICATIONS

The DT 770 Studio is identical in construction to the DT 770 PRO 80 ohms and differs only by the label on the ear cups. It is a closed, dynamic headphone for professional applications in studios. The single-sided cable makes it easier to handle the headphones when they have to be constantly put on and taken off.

The robust spring steel construction gives the headphones a secure fit and the mechanical

The connecting cable is fitted with a gold-plated mini stereo jack plug (3.5 mm) with a 1/2" adapter (6.35 mm) and can therefore be connected to all common headphone outputs.

With its impulsive behaviour, the DT770 Studio comes close to electrostatic headphones and delivers a natural and balanced sound. Even the deepest bass is reproduced with clarity and punch. High frequencies are converted into a lovely hiss, clear and differentiated sound that does not produce screaming or shaking even with powerful treble sounds.

Soft, adjustable ear cups and a single-sided cable contribute to a high level of long-term comfort.

CREATE THE AMAZING



beyerdynamic

beyerdynamic GmbH & Co. KG
Theresienstr. 8 • 74072 Heilbronn / Germany
Tel. +49 7141 301-11 • Fax +49 7141 301-120
E-Mail: info@beyerdynamic.com

For further distributors worldwide, please go to www.2eyedynamic.com
Non-contractual illustrations. Contents subject to change without notice. © VDF 770 Studio (04/22)

PART C. Hardware Periphery Compatibility

1. Hard Drives

1.1. HDD Devices

Types		Model
H08T		H08T2110AL6630
		H08T7100AL6630
		H08T7400AL6640
		H417000AL6600
		H08T7000AL6610
		H08T7000AL6614
		ST800CA0050
		ST1000CA0030
		ST3000MA0010
		ST4000MA0010
Seagate		ST1000LM1014
		ST4000MA0020
		ST10000K0010
		ST10000MA0030
		ST10000L0003
		ST20000MA0043
		ST8000MA0024
		ST8000MA0030
		ST1200CA0009
		ST1200CA0030
SATA 6G		ST3000CA0009
		ST10000CA0004
		ST8000L00017
		ST10000K0002
		ST10000L0003
		ST8000MA0040
TOSHIBA		DH5A100
		DT01CA060
		HD06L050
		WD1000FZEX
		WD8000EAEX
		WD8000FZUX
WD		WD10EALX
		WD10EFLX
		WD10EHLX
		WD10EJLX
		WD10EJLX
		WD10EJLX

PRIME H310T R2.0

PAGE 1



Beaudreau Castro Marcy click here beyerdynamic DT 770 PRO 80 Ohm Over Ear Studio Headphones in

For warranty information about this product please 71 FlsfB iS m media amazon images I |||

Guarantee Terms beyerdynamic GmbH Co. KG, Theresienstrasse 8, 74072

Heilbronn, Germany subsequently called: beyerdynamic provides this limited

guarantee for the original beyerdynamic product subsequently called: product

purchased by you. If you wish to make a guarantee claim for your produ...

lang:en score:24 filesize: 219.29 K page_count: 2 document date: 2015-08-30

SPEC SHEETDAT DT 770 Studio EN 28 MB beyerdynamic STUDIO 80 ohms B Stock Closed studio

headphones DAT api de amfile file 1480 |||

DT 770 Studio Dynamic Headphones FEATURES Closed diffuse field studio

headphones Innovative bass reflex system Robust spring steel headband Single-

-sided cable Soft headband pad Gold plated mini stereo jack p

6.35 mm APPLICATIONS The DT 770 Studio is identical in...

Comprehensive compatibility list for ASUS PRIME H310T R2.0, detailing supported Hard Drives (HDD, SSD), Power Supplies, USB Storage, Audio Devices, Networking, Fans, Keyboards, Mice, Optical Drives, Printers, Displays, and more.

lang:de score:22 filesize: 669.31 K page count: 15 document date: 2019-06-18

DT770PRO BA DEF NEU Astrid Reimann Bekijk de handleiding Beyer Dynamic DT 770 Pro 80 Ohm

Studio hoofdtelefoon ohm versie zwart bol original media s BLm9ogvJ468N |||

DT 770 PRO Sie haben sich für den dynamischen Studio-Kopfhörer DT 770 PRO von

beyerdynamic entschieden. Vielen Dank für Ihr Vertrauen. Nehmen Sie sich bitte

einige Minuten Zeit und lesen Sie diese Produktinformation vor Inbetriebnahme

aufmerksam durch. Sicherheitshinweis Wenn Sie den Kopfhörer anschlie...

lang:de score:21 filesize: 36.72 K page_count: 2 document date: 2020-03-12



[illegible]



Ontvang 8 gratis e-books en audio books bij aankoop van geselecteerde hoofdtitels en voorleesjes.

Je hebt een voorlees-gangset waar je gratis e-books en audio books bij krijgt van BoekhuisAanpak. Alleen de 8 e-books en audio books niet via CoöLibre ontvangen, moet je nog een aantal zinnen uitspreken om het product in ontvangst te nemen. Wat je moet doen, lees je hieronder.

Looptijd:

De actie loopt 18 maart 2019 tot 21 april 2019. Mocht je voor april 2019 al om de gratis e-books en audio books in ontvangst te ontvangen.

Wat heb je nodig?

Na aankoop ontvang je via de mail een code. Met deze code krijg je gratis toegang tot de 8 geselecteerde e-books en audio books van de maand.

Hoe kom je hiervoor in aanmerking?

1. Koop op 18 maart 2019 en 21 april 2019 één van de onderstaande hoofdtitels en voorleesjes van CoöLibre.
2. En ontvang na aankoop ontvangst per mail een unieke code. Deze code wisselt je op www.boekhuisaanpak.nl in te zetten te activeren.
3. Je ontvangt de boeken van de maand waarin de code verzonden wordt. Deze zijn dan te downloaden tot aan het einde van de volgende kalendermaand. Wanneer je dus op 18 maart je code moet heb je een maand lang recht op de 8 geselecteerde boeken van de maand maart.

Gelidheid

Deze actie is geldig in Nederland en Vlaanderen.

[\[pdf\]](#)

Декларации о соответствии 2024 03 04 — Тип декларации Декларация продукции включенной в перечень Российской Федерации null Аудио и видеоприемники теле 5 puslapiai

50176629 static mvideo ru certificates Certificates |||

PRO 32 OHMS, **DT 770 PRO 80 OHMS**, DT 770 PRO 250 OHMS, DT 990 PRO 80 OHMS, DT 990 PRO 250 OHMS, DT 990 PRO BLACK L...

lang:en score:19 filesize: 90.86 K page_count: 5 document date: 2024-05-30

[\[pdf\]](#)

62f21c0b111e07da28ae8d66 LFO Technicke vybavenie assets global website files

5ed93b0298607debf2251d39 |||

Tveycbhanveicnkíe DJ Room Prehrvace a Gramofny Pioneer CDJ 3000 Pioneer CDJ 2000 NXS2 Technics SL 1210 MK2 Technics SL 1200 MK5 Technics SL 1210 MK7 Mixpulty Allen Heat - XO:NE 96 Pioneer DJM 900 NXS2 Pioneer DJM 750 MK2 Native Instruments Z2 Traktor www.lfo.sk All in one DJ System a kontrole...

lang:en score:18 filesize: 220.41 K page_count: 5 document date: 2022-08-09

[\[pdf\]](#)

bookchoice actie 2019 coolblue nl f93157ccd30e58e6e5d01987dbad389b |||

Ontvang 8 gratis e-books en audio books bij aankoop van geselecteerde
hoofdtelefoons en oordopjes. Je hebt een product gekocht waar je gratis e-books en
audio books bij krijgt van Bookchoice. Aangezien je de e-books en audio books niet
via Coolblue ontvangt, moet je nog een aantal stappen uitvoeren ...

lang:nl score:17 filesize: 98.57 K page count: 14 document date: 0000-00-00

What is the difference between Pro and Edition models of DT 770, DT 880 and DT 990?

The models of the Pro product family are designed for professional users while those of the Edition product family are designed for end users.

It is important to know that the models of the Pro and Edition product families do not differ essentially in terms of sound, provided that they have the same impedance (e.g. the 250 ohm DT 880 Edition and the 250 ohm DT 880 Pro sound the same).

The following table shows the differences in detail.

	DT 770 Pro	DT 880 Pro	DT 990 Pro	DT 770 Edition	DT 880 Edition	DT 990 Edition
Impedances available	32, 80 and 250 ohms	250 ohms	250 ohms	32, 250 and 600 ohms	32, 250 and 600 ohms	32, 250 and 600 ohms
Cable	3.2 ohms: 1.6 m straight cable 80 ohms: 3.0 m straight cable 250 ohms: 3.0 m coiled cable	3.0 m coiled cable	3.0 m coiled cable	3.0 m straight cable	3.0 m straight cable	3.0 m straight cable
Case	Drawing bag	Drawing bag	Drawing bag	Artificial leather bag	Artificial leather bag	Artificial leather bag
Contact pressure	Tight (3.3 N)	Tight (3.3 N)	Tight (3.3 N)	Comfortable (2.8 N)	Comfortable (2.8 N)	Comfortable (2.8 N)
Available as Manufacture	No	No	No	Yes	Yes	Yes
Note				Product discontinued		

Which model is the best? DT 770 Edition, DT 880 Edition or DT 990 Edition?

[pdf]

Sivakumar Jaswant 81go3u3Zi8S images eu ssl amazon I |||

What is the difference between Pro and Edition models of DT 770, DT 880 and DT 990 The models of the Pro product family are designed for professional users while those of the Edition product family are designed for end users. It is important to know that the models of the Pro and Edition product f...

lang:en score:16 filesize: 399.94 K page_count: 4 document date: 2019-12-14

[pdf] Safety Datasheet

Vista Procedure QTC PRIME N4000T Devices report dlcndnets asus pub ASUS mb Intel CPU Onboard |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G 2.5 HGST T ... WIN Edifier Logitech Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** - HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:13 filesize: 286.41 K page_count: 12 document date: 2018-08-17

PART C. Hardware Periphery Compatibility

1. Hard Drives

1.1. HDD Devices

Type	Model
SATA 6G (S)	HGST HT5710 10MB/6000-4233
	TOSHIBA MG01AB01 100-4227
	WD WD10LPX 4231
	Seagate ST1000LX015-4237

1.2. SATA SSD

Type	Model
SATA 6G SSD	ADATA AS500SS 280-3903
	ADATA AS500SS 2400-4256
	Seagate 5400-4271
	ADATA AS500SS 4800-4369
	AMD R8 1200
	T1-1300-4342
	NO 2000-4388
	AS1800S 1390
	AS1800S 1390
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400

PRIME N4000T

PAGE 1



PART C. Hardware Periphery Compatibility

1. Hard Drives

1.1. HDD Devices

Type	Model
SATA 6G (S)	HGST HT5710 10MB/6000-4233
	TOSHIBA MG01AB01 100-4227
	WD WD10LPX 4231
	Seagate ST1000LX015-4237

1.2. SATA SSD

Type	Model
SATA 6G SSD	ADATA AS500SS 280-3903
	ADATA AS500SS 2400-4256
	Seagate 5400-4271
	ADATA AS500SS 4800-4369
	AMD R8 1200
	T1-1300-4342
	NO 2000-4388
	AS1800S 1390
	AS1800S 1390
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400
	AP2400AS30-2400

PN40

PAGE 1



[pdf] Safety Datasheet

Vista Procedure QTC PN40 Devices report 20180306 dlcndnets asus pub ASUS Desktop MiniPC

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G 2.5 HGST TOS ... SADES Somic VENTION Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** - HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:13 filesize: 239.73 K page_count: 13 document date: 2018-03-06

PART C.Hardware Periphery Compatibility		
1.Hard Drives		
1.1. SSD Devices		
Type	Model	
SATA 6G SSD	ADATA	ASU1000SSD ASU1000 SP400 240G SP400 120G SP400 120G SP400 120G SP400 120G SP400 120G SP400 120G SP400 120G SP400 120G SP400 120G
		ASU1000 ASU1000
	AMD	ASU1000 ASU1000
		ASU1000
	APACER	APACER APACER
		APACER
	CORSAIR	CORSAIR CORSAIR
		CORSAIR
	Crucial	Crucial Crucial
		Crucial
	FUJITSU	FUJITSU FUJITSU
		FUJITSU
GALAXY	GALAXY GALAXY	
	GALAXY	
Intel	Intel Intel	
	Intel	
Kingmax	Kingmax Kingmax	
	Kingmax	
Kingston	Kingston Kingston	
	Kingston	
LITEON	LITEON LITEON	
	LITEON	
MAXELL	MAXELL MAXELL	
	MAXELL	

UNIBU

PAGE 1



PART C.Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G (5.25)	HGST	HGST/HGST2000A1C000-4200
		HTS71710M6S00-4200
	TOSHIBA	MQ01ABD100-4207
		WD/WD10PLX-4201
	WD	WD/WD10PLX-4201
		WD/WD10PLX-4207
	Seagate	ST1000DM003-4209
		ST1000DM003-4209
1.2. SATA SSD		
Type	Model	
SATA 6G SSD	ADATA	ASU1000SSD 120G 390G
		ASU1000SSD 120G 390G
		ASU1000SSD 120G 390G
		ASU1000SSD 120G 390G
	AMD	ASU1000SSD 120G 390G
		ASU1000SSD 120G 390G
	APRACER	APRACER/ASU1000SSD 120G 390G
		APRACER/ASU1000SSD 120G 390G
	CORSAIR	CORSAIR/CM600 120G 390G
		CORSAIR/CM600 120G 390G
	Crucial	Crucial/BX200 120G 390G
		Crucial/BX200 120G 390G
	FLUITSU	FLUITSU/FLUITSU 120G 390G
		FLUITSU/FLUITSU 120G 390G
	GALAXY	GALAXY/GALAXY 120G 390G
		GALAXY/GALAXY 120G 390G
	Intel	Intel/Intel 600P 120G 390G
		Intel/Intel 600P 120G 390G
	Kingmax	Kingmax/Kingmax 600P 120G 390G
		Kingmax/Kingmax 600P 120G 390G
	Kingston	Kingston/Kingston 600P 120G 390G
		Kingston/Kingston 600P 120G 390G
	LITEON	LITEON/LITEON 600P 120G 390G
		LITEON/LITEON 600P 120G 390G
	OCZ	OCZ/OCZ 600P 120G 390G
		OCZ/OCZ 600P 120G 390G
Panasote	Panasote/Panasote 600P 120G 390G	
	Panasote/Panasote 600P 120G 390G	

PM60

PAGE 1



PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. SATA SSD		
Type	Model	
SATA 6G SSD	ADATA	ASU1000SSD 120G 390G
		ASU1000SSD 240G 459G
		ASU1000SSD 480G 871G
		ASU1000SSD 480G 1260G 4369
	AMD	R100 100G
		T1 100G 434G
	ANACONDA	N2 120G 440G
		AS1000 120G
	APRACER	AP1000AS30 120G 390G
		AP1000AS30 120G 390G
	CORSAIR	260G 17 360GB 3.8
		260G 17 360GB 3.8
	Crucial	CT1000BX100 100G 301G
		CT1000BX100 100G 301G
	FLUITSU	F100 100G
		F100 100G
	Intel	Intel
		Intel
	Kingston	SK1000 100G 301G
		SK1000 100G 301G
	LITEON	LT1000 100G 301G
		LT1000 100G 301G
	TOSHIBA OCZ	TR100 100G 301G
		TR100 100G 301G
	PLEXTOR	P1 100G 301G
		P1 100G 301G
	SAHUNG	SH1000 100G 301G
		SH1000 100G 301G
	Sandisk	SD1000 100G 301G
		SD1000 100G 301G
	Seagate	ST1000 100G 301G
		ST1000 100G 301G
	Shion Power	SP1000 100G 301G
		SP1000 100G 301G
TOSHIBA	T1000 100G 301G	
	T1000 100G 301G	



PM61

PAGE 1

[pdf] Safety Datasheet

Vista Procedure QTC PART C Hardware Periphery Compatibility Asus logitech g510s g610 mouow k16

bow hw186c steelseries apex m800 2 4 keyboard mice combos type model usb 1 0 aibo ly enkm08

mk520r microsoft wireless comfort desktop 5000 razer abussus essential gaming bundle thermaltake mo

cmcwdon kb plbl iogear long range 4ghz elephant gkm001bk dell km717 3 UN68U Devices report ga

13999795 589872596 1514382570 194153536 1512220929 dlcndnet asus pub ASUS Desktop VivoMini |||

PART C.Hardware Periphery Compatibility 1.Hard Drives 1.1. SSD Devices Type

SATA 6G SSD ADATA AMD ... RANSWIN Edifier Logitech Model IPHONE 7

Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM DT 770

PRO 80 OHM -HEADSET UE900 TIAMAT 7.1 CX 300-II G3818 Earphone ATH-M50

ATH-XS7 ST750 Model DM-...

lang:de score:13 filesize: 313.16 K page_count: 14 document date: 2017-10-13

[pdf] Safety Datasheet

Vista Procedure QTC PART C Hardware Periphery Compatibility langtu g402 keve yan jing she logitech

m905 mx master g102 prodigy gaming mouse razer deathadder 1800dpi rz01 0085 teamwolf immortal

958 thermaltake mo vet tsinghua f 760 pn60 page 10 2 5 optical drives type model usb 0 asus sbw s1 pro

sbc 06d2x u lenovo db75 plus dvd lg gp65nb60 liteon ebau108 3 PN60 Devices report dlcndnets pub

ASUS Desktop Vivo PC |||

PART C.Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G 2.5 HGST TO ... SADES Somic VENTION Model Iphone6 PLUS Earphone

ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM DT 770 PRO 80

OHM -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN

ESSENTIAL HEADSET CX 300-II S...

lang:de score:13 filesize: 274.75 K page_count: 13 document date: 2018-06-20

[pdf] Safety Datasheet

Vista Procedure QTC ASUS UE MINI BOOMBOX Line out Logitech Z906 EDIFIER S5 1MKII R151T

TRANSWIN T C1 HD720P CAMERA BLUELOVER T3200 C270 HD Microsoft PN61 Devices report

model dlcndnets asus pub Desktop MiniPC |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. SATA SSD Type

SATA 6G SSD ADATA AMD ... YNATIC Model AX360-PROFESSION GAMING

HEADSET Iphone6 PLUS Earphone STRIX 2.0-HEADSET DT 880 600OHM DT 770

PRO 80 OHM -HEADSET PN61 PAGE 5 Type 3.5mm Logitech NUBWO RAZER

SENNHEISER TDK TECHNICA ...

lang:tl score:13 filesize: 315.79 K page_count: 13 document date: 2018-11-01

PART C. Hardware Periphery Compatibility		
1. Hard Drive		
1.1. HDD Devices		
Type		Model
SATA 6G	HGST	HDS721010ALE60
		HDS721060ALE60
		HDS721640ALE60
		HDS722060ALE60
		HNT72000ALE14
		HDS72000ALE14
		HDS72000ALE14
		HDS72000ALE14
		HDS72000ALE14
		HDS72000ALE14
SATA 6G	Seagate	ST1000DM003
		ST3000DM001
		ST1000LM014
		ST4000DM000
		ST1000DM001
		ST2000DM003
		ST1000DM003
		ST2000DM004
		ST8000AS002
		ST8000AS002
SATA 6G	TOSHIBA	DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
		DT01ACA100
SATA 6G	WD	WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX

PRIME H310T2 R2 0 D3

PAGE 1



[\[pdf\]](#) User Manual

Vista Procedure QTC Kraken X62 Manual Pdf KRAKEN SERIES NZXT PRIME H310T2 R2 0 D3 Devices

report dlcdnets asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G HGST Seagat ... ADES Somic USCORSAIR Model Iphone6 PLUS

Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770**

PRO 80 OHM -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN

ESSENTIAL HEADSET CX 300-II S...

lang:de **score:13** filesize: 569.06 K page_count: 15 document date: 2019-06-18

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type		Model
SATA 6G	HGST	HDS721010ALE60
		HDS721060ALE60
		HDS721640ALE60
		HDS722060ALE60
		HNT72000ALE14
		ST1000DM003
		ST3000DM001
		ST1000LM014
		ST4000DM000
		ST1000DM001
SATA 6G	Seagate	ST2000DM003
		ST1000DM003
		ST2000DM004
		ST8000AS002
		ST8000AS002
		ST5000DM009
		ST5000DM009
		ST1000DM004
		ST1000DM004
		ST1000DM004
		DT01ACA100
		DT01ACA060
		HDWE150
		WD1002FLEX
		WD2000AAKX
		WD1002FLEX
SATA 6G	TOSHIBA	WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX
		WD1002FLEX

[\[pdf\]](#)

Vista Procedure QTC PRIME H310T2 R2 0 Devices report 0620 dlsvr04 asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G HGST Seagat ... ADES Somic USCORSAIR Model Iphone6 PLUS

Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770**

PRO 80 OHM -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN

ESSENTIAL HEADSET CX 300-II S...

lang:de **score:13** filesize: 568.84 K page_count: 15 document date: 2019-06-18

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type		Model
SATA 6G (S)	HGST	HTS721010AK-630-4233
		MD01ABD100-4227
		WD10PLX-4237
		WD10PLX-4237
SATA 6G (S)	Seagate	ST1000DM003-4237
		ST2000MM15-4239
1.2. SATA SSD		
Type		Model
ATA	ADATA	SS59 120G
		AS890SS-120G-3903
		AS890SS-240G-4256
		AS890SS-480G-4257
ATA	AMD	AS890SS-960G-4257
		AS890SS-1920G-4257
		AS890SS-3840G-4257
		AS890SS-7680G-4257
ATA	ARACONDA	RSD 120G
		T1-120G-4342
		N2-240G-4348
		AS890SS-120G
ATA	APACER	AP40K040379-240G
		AP40K040379-480G
		AP40K040379-960G
		AP40K040379-1920G
ATA	Corsair	AP850S(CAS1)-500G-256G
		BL300-120G-4248
		CS850-120G-4248
		CS850-120G-4248
ATA	CORSAIR	CS850-120G-4248
		CS850-120G-4248
		CS850-120G-4248
		CS850-120G-4248
ATA	Crucial	C12000-1000-501
		C12000-2000-501
		C12000-4000-501
		C12000-8000-501
ATA	Corsair	C12000-1000-501
		C12000-2000-501
		C12000-4000-501
		C12000-8000-501
ATA	FLITEST	FL1200-120G
		FL1200-240G
		FL1200-480G
		FL1200-960G
ATA	GALAX	SS10TAM-480G-3903-8602
		SS10TAM-960G-3903-8602
		SS10TAM-1920G-3903-8602
		SS10TAM-3840G-3903-8602
ATA	HYUNDAI	HP303-120G-4444
		HP303-240G-4444
		HP303-480G-4444
		HP303-960G-4444
ATA	Kingston	SK801-120G-377960
		SK801-240G-377960
		SK801-480G-377960
		SK801-960G-377960
ATA	MICRON	M92-120G-4245-4500
		M92-240G-4245-4500
		M92-480G-4245-4500
		M92-960G-4245-4500
ATA	TOSHIBA	MTFC4254STEN11-100-2950B-4054
		THN10-256G-3-2400
		THN10-512G-3-2400
		THN10-256G-3-2400



[\[pdf\]](#) Safety Datasheet

Vista Procedure QTC H310S R2 0 Devices report dlsvr04 asus cn pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G 2.5 HGST T ... gitech SADES Somic USCORSAIR Model AX360-

PROFESSION GAMING HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770**

PRO 80 OHM -HEADSET MATE 20-HMA-AL00 Earphone UE900 N1-GAMING

HEADPHONE TIAMAT 7.1 KRAKEN ESS...

lang:de **score:13** filesize: 312.36 K page_count: 13 document date: 2020-03-11

PART C.Hardware Periphery Compatibility	
Hard Drives	
HDD Devices	Model
Type	Type
SATA 6G	HGST
	H02571010LLE80
	H02571020LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100

[pdf] Safety Datasheet

Vista Procedure QTC PRIME J4005I C Devices report ga 2 133833102 1843868145 1584342427

402117656 1579505435 dldncts asus pub ASUS mb Intel CPU Onboard |||

PART C.Hardware Periphery Compatibility Hard Drives HDD Devices Type SATA 6G

HGST Seagate TOSHIBA ... del Z906 Digital RX-V573 Model IPHONE 5S Earphone

ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80**

OHM -HEADSET UE900 TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET G3818

Earphone CX 300-II ST750 ...

lang:de score:13 filesize: 356.36 K page_count: 17 document date: 2018-02-27

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	H02571010LLE80
	H02571020LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100

[pdf]

Vista Procedure QTC PART C Hardware Periphery Compatibility langtu g402 keve yan jing she logitech

m905 mx master g102 prodigy gaming mouse g903 razer deathadder 1800dpi rz01 0085 teamwolf

immortal 958 tsinghua f 760 prime h310t r2 0 page 12 3 6 optical drives type model sata asus bw 16d1ht

lg gh24nsc0 liteon ihas324 pioneer bdr s11j bk usb 2 sbw s1 pro sbc 06d2x u PRIME H310T R2 Devices

report 200210 dldncts pub ASUS mb LGA1151 H310T2 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G HGST Seagat ... KSTAR USB 3.0 ASUS Model Iphone6 PLUS Earphone

ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80**

OHM -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN

ESSENTIAL HEADSET CX 300-II S...

lang:de score:13 filesize: 643.72 K page_count: 15 document date: 2020-02-07

Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	H02571010LLE80
	H02571020LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
	H02574004LLE80
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100

[pdf]

Vista Procedure QTC Proceduredlsvr04 asus cn â° LGA1151 H310T A R2 0 Devices report model h310t

a r2 dlsvr04 pub ASUS mb |||

Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type HGST

SATA 6G Seagate TOSHIB ... 3.5mm BEYERDYNAMIC Huawei Model AX360-

PROFESSION GAMING HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770**

PRO 80 OHM -HEADSET MATE 20-HMA-AL00 Earphone H310T-A R2.0 PAGE 7

Type 3.5mm Logitech NU...

lang:de score:13 filesize: 370.79 K page_count: 16 document date: 2019-04-01

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
SATA 6G	Seagate	ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
SATA 6G	TOSHIBA	DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
SATA 6G	WD	WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX

[pdf]

Vista Procedure QTC ASUS T10 240GB OCZ RD400 512G PLEXTOR PX 512M8PeG 512GB

1TM9PEGN 1TB Bluetooth Adapter Type Model USB 1 Linksys USBBT100 2 0 AIBO MINI V2 PRIME

H310T Devices report dldcnets asus pub mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... AKSTAR USB3.0 ASUS Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:tl **score:13** filesize: 302.42 K page_count: 15 document date: 2018-04-26

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
SATA 6G	Seagate	ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
SATA 6G	TOSHIBA	DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
SATA 6G	WD	WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX

[pdf]

Vista Procedure QTC ASUS STRIX CLAW MOUSE GT200 L701 WIRELESS WIRED GAMING EVOLVE

P302 DARE U VX7GAMING LANGTU G402 KEVE YAN JING SHE Logitech M905 MX MASTER G102

CSM dldcnets asus pub mb LGA1151 PRIME H310T Devices report 0620 model |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... AKSTAR USB3.0 ASUS Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:tl **score:13** filesize: 674.87 K page_count: 15 document date: 2019-06-18

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
		H25T210TCL6E80
SATA 6G	Seagate	ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
		ST5000DM003
SATA 6G	TOSHIBA	DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
		DT10ACA100
SATA 6G	WD	WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX
		WD1000FZEX

[pdf] Safety Datasheet

Vista Procedure QTC ASUS MEMORY STICK PRO HG DUO 32 MSX M8GS X 8G SD Kingston 1G

SanDisk 2GB CLASS 2 SDHC 4 4G 32G 0064 CLASS10 8GB VC66 C Devices Report model dldcnets

asus pub Desktop Vivo PC |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G 2.5 HGST T ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET VC66-C PAGE 6 Type Earphone Logitech NUBWO RAZER SENNHEISER TDK TECH...

lang:de **score:13** filesize: 306.08 K page_count: 14 document date: 2018-08-27

[\[pdf\]](#) Safety Datasheet

Vista Procedure QTC 1 3 M 2 SSD Key Type SATA APACER ADATA COLORFUL Crucial INTEL

Kingston PLEXTOR Model TRN150 25SAT3 240G TL100 View PN62 Devices QVL dlcdnets asus pub

ASUS Desktop VivoMini Asus e502ma xx0016t OPTANE MEMORY M15 32G 4550 64G 4551 Page 5

PAGE DAEWOO EM2751W HP X2301 Philips 248C3LSB 241P6VPJKEB ThinkVision ASUSVista

AsusOPTANE ThinkVisionasus xx0016t1 Viewdldcdnets QVLdldcdnets model PN62dldcdnets |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type

SATA 6G 2.5 HGST T ... pe USB 2.0 Creative VENTION Model AX360-
PROFESSION GAMING HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770**
PRO 80 OHM -HEADSET MATE 20-HMA-AL00 Earphone UE900 N1-GAMING
HEADPHONE TIAMAT 7.1 KRAKEN ESS...

lang:de score:13 filesize: 305.46 K page_count: 13 document date: 2019-09-04

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type		Model
SATA 6G/S	HDS1	HT571010AE 13K-4233
	TOSHIBA	M021MAG 160 4227 4232
	WD	WDCR1907 160 4236
		WDR1910 160 4231
	Seagate	ST1000NM0013 4237 ST2000MM15-4229
1.2. SATA SSD		
Type		Model
SATA 6G SSD		ES380 360
		AU8000S-128G-3963
	ADATA	SD8000S-240G-4056 SD8000S-480G-4171 AU8000S-960S-4369
	AMD	PS18 180
	ANACONDA	T1-1900 4342 T2-2400 4348 AT51600S 1180S AP404007 92 2400
	APACER	AP404003SS 240G AP206003SS 128G 256G
	Colson	BL 390 1380 4645
	CORSAIR	CSB27 128GB 68 CSB27 256GB 68 CSB27 512GB 68
		CT128M4SSD2
		CT240M4SSD2
		CT512M4SSD2
		CT1024M4SSD2
	Crucial	CT1400E4 2000 512G CT1400E4 3000 512G BL 360 1400 4503 F 360 2400
	Colson	F 360 1500
	FLUORIDE	SSD244000-480GB SSD-4622
	GALAXY	SS20C20M20V480
	INTEL	SSDSC20M20V480 SSDSC20M20V416G
	KINGSTON	KP330 360 4444 HSH512 240G BK-4800037 256G BK-4800038 480G SA400S3 240GB SA400S3 480GB
	Kingston	ML2 360 4440
	LITEON	ML2 360 4440
MICRON	MTHF040S216B 1100 256GB 4634	

PM2

PAGE 1



Type	Model
HGST	H2C7210/10KLE630
	H2C7210/50KLE630
	H2C740/40KLE640
	H2L17080/40KLE650
	H2N7260/60KLE610
	H2N7260/40KLE614
	ST8000V40Q2
	ST1000V40Q3
	ST8000V40Q1
	ST8000V40Q1
Seagate	ST1000LM614
	ST10000V40Q0
	ST10000V40Q1
	ST10000V40Q3
	ST10000V40Q2
	ST10000V40Q4
	ST10000V40Q4
	ST8000V40Q2
	ST2000V40Q0
	ST6000V40Q9
SATA 6G	ST8000V40Q9
	ST10000V40Q04
	ST8000V40Q01
	ST1000V40Q0
	ST1000V40Q10
	ST8000V40Q04
	ST8000V40Q05
	ST1000V40Q08
	ST1000V40Q07
	DT14CA100
TOSHIBA	DT14CA60
	CMT610
	WD6002FV2LX
	WD6000AAKX
	WD60EAFK
	WD60EALX
	WD60EALX
	WD60EAFK
	WD60EAFK
	WD60EAFK
WD	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK
	WD60EAFK

PRIME H101M K R2.0
PAGE 1


Type	Model
HGST	H2D712110AL630
	H2D7121050AL630
	H2D724040ALE440
	H2L110800AL630
	H2M72900AL630
	H2M72900ALE440
	H2M72900ALE440
	ST1000MM002
	ST1000MM001
	ST1000MM014
Seagate	ST1000MM000
	ST1000MM001
	ST1000MM033
	ST1000MM002
	ST2000MM024
	ST2000MM024
	ST8000MM002
	ST2000MM002
	ST8000MM009
	ST1000MM004
SATA 6G	ST1000MM004
	ST8000MM001
	ST1000MM002
	ST1000MM010
	ST8000MM004
	ST8000MM005
	ST1000MM004
	ST12000MM007
	DT01ACA100
	DT01ACA650
TOSHIBA	HDN6
	WD1005FZLX
	WD1005MAKX
	WD10E2PZK
	WD10EALX
	WD10E2LX
	WD10EFLR
	WD10E2PZL
	WD10EFLR
	WD10EFLR
WD	WD10E2PZK
	WD10EFLR
	WD10E2PZL
	WD10E2LX
	WD10EFLR
	WD10E2PZL
	WD10E2LX
	WD10EFLR
	WD10E2PZL
	WD10E2LX

PRIME H101M F R2.0
PAGE 1


[\[pdf\]](#)

Vista Procedure QTC PART C Hardware Periphery Compatibility prime h310m k r2 0 page 3 type model

sata 6g ssd liteon mu3 ph4 ce240 240gb PRIME H310M K R2 Devices report dlcdnets asus pub ASUS

mb LGA1151 R20

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type
SATA 6G HGST Seagat ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone
ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80
OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN
ESSENTIAL HEADSET CX 300-II S...

lang:tl score:12 filesize: 377.96 K page count: 16 document date: 2018-07-04

[\[pdf\]](#)

Vista Procedure QTC PRIME H310M F R2 0 Devices report dlsvr04 asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type
SATA 6G HGST Seagat ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone
ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80
OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN
ESSENTIAL HEADSET CX 300-II S...

lang:tl score:12 filesize: 347.41 K page count: 16 document date: 2019-01-16

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	HDS721010LLE680
		HDS721010LLE680
		HDS721010LLE680
	Seagate	ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
	TOSHIBA	DT01ACA100
		DT01ACA100
		DT01ACA100
WD	WD	WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX

[pdf]

Vista Procedure QTC PRIME H310M R R2 0 Devices report model dlcdnets asus pub ASUS mb

LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... KSTAR USB 3.0 ASUS Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de **score:12** filesize: 319.41 K page_count: 16 document date: 2018-09-06

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	HDS721010LLE680
		HDS721010LLE680
		HDS721010LLE680
	Seagate	ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
	TOSHIBA	DT01ACA100
		DT01ACA100
		DT01ACA100
WD	WD	WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX

[pdf]

Vista Procedure KC Wu ASUS SDRW 08U9M U 0912 SBC 06D2X LENOVO DB75 PLUS DVD LG

GP65NB60 LITEON EBAU108 USB 3 0 BW 16D1H 0910 Pioneer BDR XS06T 8 Multi EX B365M V

Devices report dlcdnets asus pub mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... R Model Z906 Digital RX-V573 Model AX360-PROFESSION GAMING HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET MATE 20-HMA-AL00 Earphone UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESS...

lang:de **score:12** filesize: 314.22 K page_count: 17 document date: 2019-02-19

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type	Model	
SATA 6G	HGST	HDS721010LLE680
		HDS721010LLE680
		HDS721010LLE680
	Seagate	ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
		ST1000DM003
	TOSHIBA	DT01ACA100
		DT01ACA100
		DT01ACA100
WD	WD	WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX
		WD1002FJEX

[pdf]

Vista Procedure QTC ASUS Silicon Power ARMOR A30 1TB TRANSCEND TS1TSJ25MC USB 3 0

TYPE C 1 ADATA SE730 250GB USB3 EXTERNAL SSD AGESTAR SATA DOCKING STATION 1 EX

B360M V Device QVL dlcdnets asus pub mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... SADES Somic VENTION Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:tl **score:12** filesize: 336.25 K page_count: 16 document date: 2018-04-26

PART C. Hardware Periphery Compatibility		
1. Hard Drives		
1.1. HDD Devices		
Type		Model
		H42572110CL6E0
		H42572105CL6E0
	HGST	H42572040ML6E0
		H42572030ML6E0
		H42572030ML6E10
		H42572030ML6E14
		ST5000AA02
		ST1000DM003
		ST3000DM001
		ST5000DM001
		ST1000L8014
		ST5000DM006
		ST1000DM001
		ST2000MA003
		ST1000MA003
		ST2000MA004
		ST6000MA004
	Seagate	ST5000AS002
		ST2000AS002
		ST6000AS006
		ST3000CM008
		ST1000CM008
		ST6000V2001
		ST1000V2002
		ST1000CM010
		ST6000CM004
		ST8000CM005
		ST1000V2008
		ST12000L0007
		DT14L4180
		DT14LCA550
	TOSHIBA	HDWE150
		WD1002FZLX
		WD5000AAKX
		WD1002TXL
		WD10EALX
		WD1002TXL
	WD	WD1002FZLX
		WD1002TXL
		WD1002FZLX
		WD1002FZLX
		WD1002FZLX

PRIME H310M-K
PAGE 1

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST72010DL6E90
	HGST72010DL6E90
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
B360M-BASALT	
PAGE 1	

[pdf]

Microsoft Word B360M BASALT Devices report Emest Li dlsvr04 asus pub ASUS mb LGA1151

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE B360M-BASALT PAGE 8 Type Earphone RAZER SE...

lang:de score:12 filesize: 559.74 K page_count: 18 document date: 2018-08-08

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST72010DL6E90
	HGST72010DL6E90
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
PRIME H310M-D R2.0	
PAGE 1	

[pdf]

Vista Procedure QTC PART C Hardware Periphery Compatibility prime h310m d r2 0 page 4 type model m 2 sata wd s250g1b0b 00as40 250gb PRIME H310M D R2 Devices report dlsvr04 asus cn pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:12 filesize: 327.6 K page_count: 17 document date: 2018-07-24

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST72010DL6E90
	HGST72010DL6E90
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
PRIME Z370-P II	
PAGE 1	

[pdf]

Vista Procedure QTC PART C Hardware Periphery Compatibility PRIME Z370 P II PAGE 4 Type Model M 2 SATA SanDisk X300 2280 256G Devices report dlsvr04 asus cn pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:12 filesize: 340.42 K page_count: 18 document date: 2018-09-10

PART C.Hardware Periphery Compatibility	
1.Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX

[pdf]

Microsoft Word PRIME B360M K Devices report Emest Li Go Now Asus Prime B360m C Drivers Uri dldcdnets asus pub ASUS mb LGA1151 |||

PART C.Hardware Periphery Compatibility 1.Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:12 filesize: 523.48 K page_count: 19 document date: 2018-08-08

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX

[ASUS PRO A320M-R WIFI Hardware Periphery Compatibility List](#)

A comprehensive compatibility list for hardware peripherals with the ASUS PRO A320M-R WIFI motherboard, detailing compatible Hard Drives, SSDs, Power Supplies, Peripherals (USB Storage, Audio, Networking, Fans, Keyboards, Mice), Controller Cards (Graphics, SATA, SAS), Optical Drives, Printers, TV Tuners, Input Devices, Display Devices (Monitors, Projectors), UPS, Modems, TPM, and VR/MR devices, including model numbers and manufacturers.

lang:de score:12 filesize: 398.11 K page_count: 17 document date: 2019-01-08

PART C.Hardware Periphery Compatibility	
1.Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
	HGST720100L4E60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
	DT10ACA100
SATA 6G	WD
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX
	WD1002FJEX

[pdf]

Vista Procedure QTC ROG STRIX Z370 G GAMING Devices report 20171019 dldcdnets asus pub ASUS mb LGA1151 |||

PART C.Hardware Periphery Compatibility 1.Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... del RX-V573 Z906 Digital Model IPHONE 5S Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 TIAMAT 7.1 CX 300-II G3818 Earphone ATH-M50 ATH-XS7 ST750 Model DM-...

lang:de score:12 filesize: 393.93 K page_count: 20 document date: 2017-10-18

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
VIO	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X

[pdf]

Microsoft Word PRIME H310M2 R2 0 Devices report Mia Li D dldcdnets asus pub ASUS mb LGA1151 H310M |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de **score:12** filesize: 619.55 K page_count: 18 document date: 2019-07-23

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
VIO	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X

[pdf] Declaration of Conformity

Microsoft Word EX B360M V5 Devices report doc Abbey Chen V3 dlsvr04 asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... US Creative TEMPOTEC Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:tl **score:12** filesize: 677.99 K page_count: 18 document date: 2018-03-16

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
	HGST H720LE6E30
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
	DT01ACA100
VIO	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X
	VIO200P-2E-X

[pdf]

Vista Procedure QTC Q370M IM A Devices report dldcdnets asus pub ASUS mb Embedded IPC |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE Q370M-IM-A PAGE 8 Type Earphone RAZER SENN...

lang:tl **score:12** filesize: 427.25 K page_count: 18 document date: 2019-12-30

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	H425721010LLE60
	H425721050LLE60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM006
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA050
WD	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
PRIME H310M R R2.0 WIFI PAGE 1	

[pdf]

Vista Procedure QTC PRO H310M R R2 0 WIFI Devices QVL dlsvr04 asus pub ASUS mb LGA1151

PRIME |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... IBERIA Model AX360-PROFESSION GAMING HEADSET Iphone6 PLUS Earphone STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:de score:12 filesize: 412.48 K page_count: 18 document date: 2019-01-08

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	H425721010LLE60
	H425721050LLE60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM006
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA050
WD	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
PRIME H310M A R2.0 PAGE 1	

[pdf]

Vista Procedure QTC 6 févr 2024 — LONG RANGE 2 4GHz WIRELESS Microsoft COMFORT

DESKTOP 5000 Thermaltake MO CMC WDON KB PLBL Page 16 PRIME H310M A R2 0 PAGE 3 Mice

Devices report model dlcdnets asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE TIAMAT 7.1 KRAKEN ESSENTIAL HEADSET CX 300-II S...

lang:tl score:12 filesize: 405.03 K page_count: 19 document date: 2018-07-09

PART C.Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
SATA 6G	HGST
	H425721010LLE60
	H425721050LLE60
SATA 6G	Seagate
	ST1000DM003
	ST1000DM006
SATA 6G	TOSHIBA
	DT10ACA100
	DT10ACA050
WD	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
PRIME A320M-R PAGE 1	

ASUS PRIME A320M-R Device Compatibility List

A comprehensive list of compatible devices for the ASUS PRIME A320M-R motherboard, including storage, audio, networking, graphics cards, and more.

lang:tl score:12 filesize: 336.4 K page_count: 17 document date: 2018-03-16

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
HGST	H425721100LE680
	H425721000LE680
	H425724000LE640
	H425724000LE640
SATA 6G	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
WD	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX

[pdf]

Vista Procedure QTC 10 ore fa — BAR MUF 32BC 32G 32CB 32GB Page 8 B360M KYLIN PAGE Type Model USB 3 0 SOUND BLASTER OMNI SURROUND 5 1 KOTION EACH G2200 HEADSET Logitech H600 Devices report model dlcdnets asus pub ASUS mb LGA1151 |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagate ... Z906 Digital RX-V573 Model Iphone6 PLUS Earphone ROG ORION-HEADSET STRIX 2.0-HEADSET DT 880 600OHM **DT 770 PRO 80 OHM** -HEADSET UE900 N1-GAMING HEADPHONE B360M-KYLIN PAGE 8 Type Earphone RAZER SEN...

lang:de score:12 filesize: 352.06 K page_count: 18 document date: 2018-03-16

PART C. Hardware Periphery Compatibility	
1. Hard Drives	
1.1. HDD Devices	
Type	Model
HGST	H425721100LE680
	H425721000LE680
	H425724000LE640
	H425724000LE640
SATA 6G	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
Seagate	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
TOSHIBA	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
	ST1000DM003
WD	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX
	WD1000FZEX

[ASUS ROG STRIX Z370-G GAMING \(WI-FI AC\) Compatible Peripherals List](#)

Comprehensive compatibility list for the ASUS ROG STRIX Z370-G GAMING (WI-FI AC) motherboard, detailing compatible hard drives, SSDs, power supplies, audio devices, networking gear, and more.

lang:de score:12 filesize: 392.37 K page_count: 18 document date: 2017-10-18