

[Manuals.plus](#) /

› [Geberit](#) /

› Geberit 603.557.00.5 Mepla Crimping Nipple with Nut Instruction Manual

## Geberit 603557005

# Geberit 603.557.00.5 Mepla Crimping Nipple with Nut Instruction Manual

**Brand:** Geberit | **Model:** 603.557.00.5

## INTRODUCTION

This instruction manual provides essential information for the proper installation, operation, and maintenance of your Geberit 603.557.00.5 Mepla Crimping Nipple with Nut. Please read this manual thoroughly before beginning any installation or use to ensure safety and optimal performance of the product.

## PRODUCT OVERVIEW

The Geberit 603.557.00.5 is a bronze crimping nipple with a nut, designed for secure and reliable connections within plumbing systems. It functions as a female coupling, suitable for various Mepla range applications.



**Figure 1:** The Geberit 603.557.00.5 Mepla Crimping Nipple with Nut. This image displays the bronze-colored fitting, featuring threaded ends and a central body, designed for secure pipe connections.

## SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE), such as gloves and eye protection, during installation.
- Ensure that the water supply is turned off before commencing any installation work to prevent water damage or injury.
- Use only tools specifically designed for crimping plumbing fittings to ensure a secure and leak-free connection.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not overtighten connections, as this can damage the fitting or piping.

## SETUP AND INSTALLATION

Proper installation is critical for the long-term performance of the crimping nipple. Follow these general steps:

1. **Prepare the Pipe:** Cut the pipe to the required length, ensuring a clean, straight cut. Deburr the inside and outside edges of the pipe.
2. **Inspect the Nipple:** Verify that the crimping nipple and its seals are free from damage or debris.
3. **Insert the Pipe:** Push the pipe fully into the crimping nipple until it reaches the stop. Ensure the pipe is correctly aligned.
4. **Perform Crimping:** Using the appropriate crimping tool for Geberit Mepla fittings, position the tool jaws over the crimping sleeve. Activate the tool to perform a complete crimp cycle.
5. **Check the Connection:** After crimping, visually inspect the connection to ensure the crimping sleeve is uniformly compressed and the pipe is securely held.
6. **Tighten the Nut:** If applicable, securely tighten the nut to complete the female coupling connection.
7. **Test for Leaks:** Once all connections are made, slowly restore water pressure to the system and carefully check for any leaks at the newly installed fitting.

## OPERATING INSTRUCTIONS

The Geberit 603.557.00.5 Mepla Crimping Nipple with Nut is a passive component within a plumbing system. Once correctly installed and tested for leaks, it functions by maintaining a secure, watertight connection between pipes. No further operational steps are required beyond initial installation.

## MAINTENANCE

This crimping nipple requires minimal maintenance once installed correctly. Periodically inspect visible connections for any signs of corrosion or leakage. If any issues are detected, address them promptly to prevent further damage to the plumbing system.

## TROUBLESHOOTING

- **Leakage at Connection:**
  - Ensure the pipe was fully inserted into the nipple before crimping.

- Verify that the crimping process was completed correctly with the appropriate tool.
  - Check for damage to the nipple or seals prior to installation.
  - Confirm the nut is securely tightened.
- **Difficulty Inserting Pipe:**
    - Ensure the pipe ends are properly deburred and free of sharp edges.
    - Verify that the pipe diameter matches the fitting specification.

SPECIFICATIONS

| Feature                        | Detail                              |
|--------------------------------|-------------------------------------|
| Brand                          | Geberit                             |
| Model Number                   | 603.557.00.5 (603557005)            |
| Product Detailed Type          | Crimping Nipple with Nut            |
| Connector Type                 | Female Coupling                     |
| Material                       | Bronze                              |
| Item Weight                    | 0.18 Kilograms (approx. 6.3 ounces) |
| Product Dimensions (L x W x H) | 2.8 x 2.8 x 1.54 inches             |
| Range Name                     | Mepla                               |
| Item Package Quantity          | 1                                   |

WARRANTY INFORMATION

Specific warranty details for the Geberit 603.557.00.5 Mepla Crimping Nipple with Nut are not provided in this manual. Please refer to the official Geberit website or the documentation included with your purchase for comprehensive warranty terms and conditions.

CUSTOMER SUPPORT

For technical assistance, product inquiries, or support, please visit the official Geberit website or contact their customer service department. Contact information can typically be found on the manufacturer's website or product packaging.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**

---

**Open the live page**

**<https://manuals.plus/asin/B0017V0542>**

More documents and user manuals: **<https://manuals.plus/>**