

[Manuals.plus](#) /

> [hansgrohe](#) /

> Hansgrohe 14095000 Faucet Cartridge Instruction Manual

hansgrohe 14095000

Hansgrohe 14095000 Faucet Cartridge

Instruction Manual

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Hansgrohe 14095000 Faucet Cartridge. This cartridge is designed as a replacement part for compatible Hansgrohe mixer ball faucets, ensuring optimal water flow and temperature control. Please read these instructions carefully before proceeding with installation or use.



Image 1.1: The Hansgrohe 14095000 Faucet Cartridge. This component is crucial for controlling water flow and temperature in your faucet.

2. SAFETY INFORMATION

- Always turn off the main water supply to the faucet before attempting any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure to prevent leaks.
- If you are unsure about any step, consult a qualified plumber.

3. PACKAGE CONTENTS

The Hansgrohe 14095000 Faucet Cartridge package typically includes:

- 1 x Hansgrohe 14095000 Faucet Cartridge



Image 3.1: A detailed view of the Hansgrohe 14095000 Cartridge, showing its various parts.

4. SETUP AND INSTALLATION

This cartridge is a replacement part. Installation involves removing the old cartridge and inserting the new one. The exact steps may vary slightly depending on your specific faucet model. Refer to your faucet's original instruction manual for detailed disassembly and reassembly steps.

General Installation Steps:

1. **Turn off Water Supply:** Locate the shut-off valves for your faucet (usually under the sink) and turn them off completely. Turn on the faucet to drain any remaining water and relieve pressure.
2. **Remove Faucet Handle:** Depending on your faucet model, you may need to pry off a decorative cap,

unscrew a set screw (often with an Allen wrench), or simply pull the handle off.

3. **Access the Cartridge:** Once the handle is removed, you will typically see a retaining nut or clip holding the cartridge in place. Remove this fastener.
4. **Remove Old Cartridge:** Carefully pull the old cartridge straight out of the faucet body. It may require some wiggling or gentle prying. Note its orientation.
5. **Install New Cartridge:** Insert the new Hansgrohe 14095000 Cartridge into the faucet body, ensuring it is correctly oriented. It should slide in smoothly.
6. **Secure Cartridge:** Reinstall the retaining nut or clip to secure the new cartridge. Do not overtighten.
7. **Reassemble Faucet:** Reattach the faucet handle and any decorative caps or screws.
8. **Restore Water Supply and Test:** Slowly turn the water supply valves back on. Check for leaks around the faucet base and connections. Test the faucet's operation for water flow and temperature control.



Image 4.1: An alternative view of the Hansgrohe 14095000 Cartridge, useful for understanding its structure during installation.

5. OPERATING THE FAUCET WITH THE NEW CARTRIDGE

Once installed, the Hansgrohe 14095000 Cartridge functions as the core mechanism for your faucet. It

controls the mixing of hot and cold water and regulates the water flow. Operate your faucet as usual by moving the handle to adjust temperature and flow rate. The new cartridge should provide smooth and precise control.

6. MAINTENANCE

The Hansgrohe 14095000 Cartridge is designed for durability and requires minimal maintenance. However, periodic checks can help ensure its longevity and optimal performance:

- **Leak Inspection:** Periodically check around the faucet base and under the sink for any signs of leaks. Address any leaks promptly.
- **Cleaning:** Clean the exterior of your faucet regularly with a soft cloth and mild soap. Avoid abrasive cleaners or harsh chemicals, as these can damage the finish and potentially affect internal components.
- **Water Quality:** In areas with hard water, mineral deposits can accumulate over time. If you notice a decrease in performance or stiffness in the handle, it might indicate mineral buildup. In such cases, professional servicing or a cartridge replacement might be necessary.

7. TROUBLESHOOTING

If you encounter issues after installing the new cartridge, consider the following:

Problem	Possible Cause	Solution
Faucet Leaks	Improperly seated cartridge, loose retaining nut, damaged O-rings.	Ensure cartridge is fully seated and retaining nut is snug. Check for any visible damage to the cartridge or O-rings during installation.
Low Water Flow	Debris in water lines, clogged aerator, incorrect cartridge installation.	Clean the faucet aerator. Flush water lines before installing the cartridge. Recheck cartridge installation.
Temperature Control Issues	Cartridge not correctly oriented, hot/cold lines reversed (unlikely with new cartridge unless lines were disconnected).	Verify the cartridge is installed in the correct orientation as per your faucet's manual.
Stiff Handle Operation	Mineral buildup, incorrect installation.	Ensure all parts are correctly aligned and lubricated (if specified by faucet manufacturer). Consider water quality.

8. SPECIFICATIONS

- **Manufacturer:** Hansgrohe
- **Part Number:** 14095000
- **Item Model Number:** 14095000
- **Item Weight:** 6.7 ounces
- **Product Dimensions:** 6 x 4 x 4 inches
- **Style:** Cartridge - 14095000

- **Color:** Chrome (referring to the faucet it's typically used in, cartridge itself is functional)
- **Item Package Quantity:** 1
- **Number Of Pieces:** 1
- **Date First Available:** January 31, 2013

9. WARRANTY

Hansgrohe products are known for their quality and durability. This cartridge comes with a manufacturer's warranty. Please refer to the official Hansgrohe website or your purchase documentation for specific warranty terms and conditions.



Image 9.1: Hansgrohe offers a 5-year warranty on products and guarantees 15 years of spare parts availability.



Image 9.2: Hansgrohe emphasizes the quality of its products.

10. SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please visit the official Hansgrohe website or contact their customer service department.

Hansgrohe Official Website: www.hansgrohe-usa.com