Moen T2132

Moen Eva Chrome Posi-Temp Shower Trim Kit User Manual

Brand: Moen

Model: T2132

1. Product Overview

The Moen Eva Posi-Temp Shower Trim Kit (Model T2132) offers a blend of elegant design and efficient water usage for your bathroom. This trim kit is designed to work with a compatible Posi-Temp valve (sold separately) to ensure consistent water temperature and pressure.

Key features include:

- **Versatile Design:** Features a highly reflective chrome finish that complements various decorating styles.
- **Pressure Balancing:** The Posi-Temp valve (required for installation) helps maintain water pressure and temperature, even when other water sources in the house are in use.
- **Longstanding Flexibility:** Built on the Moen M-PACT common valve system, allowing for future style updates without plumbing changes.
- **Water Conservation:** WaterSense certified, the eco-performance single-function showerhead dispenses water at 1.75 GPM.





Figure 1: Moen Eva Chrome Posi-Temp Shower Trim Kit components.

2. Setup and Installation

This trim kit requires one of the following Moen Posi-Temp valves for installation (sold separately): 2510, 2520, 2570, or 2590. Ensure you have the correct valve before proceeding with installation.




Figure 2: Example of a required Moen Posi-Temp valve (sold separately).

The Moen M-PACT common valve system allows for easy trim substitution without altering existing plumbing, providing flexibility for future style changes.

Identifying Your Moen Posi-Temp Valve

To confirm you have a compatible Moen Posi-Temp valve, observe the handle operation and escutcheon screw placement. Posi-Temp valves typically feature a handle that rotates only for temperature adjustment.




Figure 3: Diagram for identifying a Moen Posi-Temp valve.

For detailed installation instructions, please refer to the specific guide provided with your Moen Posi-Temp valve, as this trim kit is designed to fit onto that pre-installed valve.






Figure 4: Moen Eva Shower Trim Kit installed in a shower setting.

3. Operating Instructions

The single-handle lever on your Moen Eva shower trim kit controls both water flow and temperature. To operate:

- **Turn On/Off:** Lift the handle to turn on the water flow. Push down to turn off.
- **Adjust Temperature:** Rotate the handle 270 degrees to adjust the water temperature. Rotate counter-clockwise for

hotter water and clockwise for colder water.

- **Pressure Balancing:** The integrated Posi-Temp valve automatically adjusts to maintain consistent water temperature, even if there are sudden pressure drops from other water usage in your home.

4. Maintenance

To maintain the chrome finish and ensure the longevity of your Moen Eva shower trim kit, follow these simple maintenance guidelines:

- **Cleaning:** Clean the chrome finish regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Water Spots:** To prevent water spots, wipe the fixture dry after each use.
- **Showerhead Cleaning:** Periodically check the showerhead nozzles for mineral buildup. Most Moen showerheads feature rubber nozzles that can be easily cleaned by rubbing them with your finger to dislodge deposits.

5. Troubleshooting

If you encounter issues with your Moen Eva shower trim kit, consider the following common troubleshooting steps:

Problem	Possible Cause	Solution
Low Water Flow	Clogged showerhead nozzles or debris in the valve.	Clean showerhead nozzles. If problem persists, consult a plumber to check the valve.
Inconsistent Water Temperature	Issue with the Posi-Temp valve or water heater settings.	Ensure the Posi-Temp valve is correctly installed. Check your water heater temperature settings. If problem persists, professional assistance may be required.
Leaking from Handle/Spout	Worn seals or internal valve components.	Contact Moen customer support or a qualified plumber for repair or replacement of internal parts.

For more complex issues, it is recommended to contact Moen customer support or a certified plumber.

6. Specifications

Attribute	Detail
Brand	Moen
Model Number	T2132
Color	Chrome
Material	Metal (Brass handle)
Finish Type	Chrome
Number of Handles	1
Mounting Type	Drop-in
Included Components	Faucet Trim Kit (Valve sold separately)

Attribute	Detail
Maximum Pressure	9.5 Pound per Square Inch
Flow Rate	1.75 Gallons Per Minute (WaterSense Certified)
Item Weight	1.96 pounds
Product Dimensions	7.88 x 7.75 x 4.5 inches
UPC	026508153253

7. Warranty and Support

This Moen Eva Chrome Posi-Temp Shower Trim Kit is backed by Moen's Limited Lifetime Warranty. This warranty covers defects in material and manufacturing workmanship under normal use.

For detailed warranty information, to register your product, or for technical support, please visit the official Moen website or contact Moen customer service directly. Keep your proof of purchase for warranty claims.

Moen Customer Service: Refer to your product packaging or the official Moen website for the most current contact information.

© 2024 Moen Incorporated. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question