

DELTA H669

DELTA FAUCET H669 Chrome Faucet Handle Instruction Manual

Model: H669

1. PRODUCT OVERVIEW

The DELTA FAUCET H669 Chrome Faucet Handles are designed to complement select Delta Less Handle Program models, allowing for customization of your faucet's appearance. These handles are sold in pairs and are specifically intended for use with Roman tub faucets.



Image 1.1: A pair of DELTA FAUCET H669 Chrome Faucet Handles, showcasing their polished chrome finish and elegant design. These handles are designed to provide a complete and cohesive look for your Roman tub faucet.

2. KEY FEATURES

- **Customization:** Designed to integrate with Delta's Less Handle Program, offering flexibility in faucet design.
- **Complete Kit:** Provided as a complete handle kit, ensuring all necessary components are included.
- **Paired Set:** Sold in pairs for a balanced and complete installation.
- **Application:** Specifically engineered for use on Roman tub faucets.
- **Material:** Constructed from durable brass with a chrome finish.
- **Easy Installation:** Features an easy-to-install design.

3. SPECIFICATIONS

Attribute	Detail
Brand	DELTA
Model Number	H669
Color	Chrome
Material	Brass
Exterior Finish	Chrome
Product Dimensions	7.88"L x 4.38"W
Item Weight	2.15 pounds
Included Components	Handles (Pair)
Specific Uses	Roman tub faucets
Country of Origin	China
UPC	034449506892




Image 3.1: A single DELTA FAUCET H669 Chrome Faucet Handle shown in a hand, illustrating its approximate size and ergonomic design. The image also indicates a height of 3.7 inches (9 cm).

4. INSTALLATION

The DELTA FAUCET H669 handles are designed for easy installation on compatible Roman tub faucets. While specific installation steps may vary slightly depending on your existing faucet model, the general process involves securing the handles to the faucet body.

General Installation Guidelines:

- Preparation:** Ensure the water supply to the Roman tub faucet is turned off before beginning installation. Clear the work area around the faucet.
- Handle Removal (if replacing):** If replacing old handles, carefully remove them. This typically involves unscrewing a set screw (often hidden under a decorative cap) and lifting the old handle off.
- Handle Placement:** Position the new DELTA FAUCET H669 handles onto the valve stems of your Roman tub faucet. Ensure they are correctly oriented for proper operation (e.g., hot on left, cold on right, if applicable).

4. **Securing Handles:** Secure the handles in place. This usually involves tightening a set screw located on the side or back of the handle base. Use an appropriate hex key or screwdriver as needed.
5. **Testing:** Once both handles are securely attached, slowly turn the water supply back on. Check for any leaks and test the operation of the handles to ensure smooth turning and proper water flow control.

For detailed, model-specific installation instructions, please refer to the manual provided with your Roman tub faucet or visit the official Delta Faucet website for support documentation related to your specific faucet model.



Image 4.1: A detailed view of a single DELTA FAUCET H669 Chrome Faucet Handle, highlighting the base and lever design. This view can assist in identifying the set screw location for installation.

5. OPERATION

Operating the DELTA FAUCET H669 Chrome Faucet Handles is straightforward. These handles control the water flow and temperature of your Roman tub faucet.

Using the Handles:

- **Turning Water On/Off:** Rotate the handle counter-clockwise to turn the water on and clockwise to turn it off. The degree of rotation will control the water flow rate.
- **Adjusting Temperature:** For two-handle Roman tub faucets, the left handle typically controls hot water and the right handle controls cold water. Adjust the temperature by blending the hot and cold water to your desired level.



Image 5.1: A front view of two DELTA FAUCET H669 Chrome Faucet Handles, illustrating their appearance when installed on a Roman tub faucet. This shows the typical orientation for operation.

6. MAINTENANCE AND CARE

To ensure the longevity and maintain the aesthetic appeal of your DELTA FAUCET H669 Chrome Faucet Handles, follow these simple maintenance guidelines:

- **Cleaning:** Clean the chrome finish regularly with a soft, damp cloth. For stubborn spots, use a mild soap and water solution. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, or chemical cleaners containing ammonia, bleach, or alcohol, as these can damage the chrome finish.
- **Regular Inspection:** Periodically check the handles for any looseness. If a handle feels loose, gently tighten the set screw (refer to Section 4 for general location) to secure it. Do not overtighten.

7. TROUBLESHOOTING

Most issues with faucet handles are minor and can be resolved with simple troubleshooting steps.

Common Issues and Solutions:

- **Loose Handle:**
Symptom: The handle wobbles or spins freely without controlling water flow.
Solution: The set screw securing the handle to the valve stem may be loose. Locate the set screw (often on the underside or back of the handle base) and tighten it gently with an appropriate hex key or screwdriver. Do not overtighten.
- **Stiff Handle:**
Symptom: The handle is difficult to turn or feels stiff.
Solution: Mineral buildup or worn internal components of the faucet valve may be causing stiffness. This issue is typically related to the faucet's internal valve rather than the handle itself. Consult your faucet's main instruction manual or a professional plumber for valve maintenance.
- **Water Leaks from Handle Base:**
Symptom: Water drips or leaks from around the base of the handle.
Solution: This usually indicates an issue with the faucet's internal valve or O-rings, not the handle itself. Turn off the water supply and consult your faucet's main instruction manual for valve repair or replacement, or contact a qualified plumber.

If these troubleshooting steps do not resolve the issue, it may indicate a problem with the faucet's internal components. In such cases, it is recommended to consult a professional plumber or contact Delta Faucet customer

support.

8. WARRANTY AND SUPPORT

Delta Faucet products are known for their quality and durability. While specific warranty details for the H669 handles are typically covered under the warranty of the Roman tub faucet they are installed on, Delta Faucet generally offers comprehensive warranties on its products.

- **Warranty Information:** For detailed warranty terms and conditions, please refer to the documentation that came with your complete Delta Roman tub faucet or visit the official [Delta Faucet website](#).
- **Customer Support:** If you require assistance with installation, operation, or troubleshooting, you can contact Delta Faucet customer support.
 - **Website:** www.deltafaucet.com/service-parts/contact-us
 - **Phone:** Refer to the contact section on their website for the most current phone numbers.

When contacting support, please have your product model number (H669) and any relevant purchase information ready.

© 2024 Delta Faucet Company. All rights reserved.

This manual is for informational purposes only. Delta Faucet Company is not responsible for any damages or injuries resulting from improper installation or use of this product.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B001AS9DZO>

More documents and user manuals: <https://manuals.plus/>