

## HUDORA 22042

# HUDORA My First Quad Roller Skates User Manual

Model: 22042 | Brand: HUDORA | US Kids Size 9–12

## INTRODUCTION

---

The HUDORA My First Quad Roller Skates are designed to facilitate the initial learning stages of roller skating for children. These adjustable skates provide stability and support, helping young users gain confidence and develop essential skating skills. Featuring four quiet PU wheels and a robust PP high-impact chassis, they are built for safety and durability. The integrated rear stoppers simplify braking, making them ideal for beginner skaters.

## IMPORTANT SAFETY WARNINGS

---

- **WARNING:** Not suitable for children under 3 years of age due to small parts and potential for injury.
- Always wear appropriate protective gear, including a helmet, knee pads, elbow pads, and wrist guards, when using roller skates.
- Use skates only on smooth, dry, and clean surfaces, away from traffic and pedestrians.
- Adult supervision is required at all times.
- Regularly inspect skates for wear and tear, especially wheels, bearings, and braking components. Do not use if damaged.
- Ensure all straps and buckles are securely fastened before each use.

## WHAT'S IN THE BOX

---

- 1 pair of HUDORA My First Quad Roller Skates

## SETUP AND ADJUSTMENT

---

Before first use, ensure the skates are properly adjusted for the user's foot size and securely fastened.

1. **Size Adjustment:** While the skates are designed for US Kids Size 9-12, they feature an adjustable design for a snug fit. Locate any adjustment mechanisms (often a button or lever) on the side or heel of the skate. Press and hold the button while extending or retracting the toe section to achieve the desired length. Release the button to lock the size.
2. **Foot Insertion:** Open all straps and buckles. Insert the foot into the skate, ensuring the heel is seated firmly at the back.
3. **Securing Straps:** Fasten the ankle strap first, ensuring it is snug but not overly tight to allow for ankle movement. Then, secure any additional straps or laces across the foot. The closure type is strap-on, providing a secure fit.





Image: Close-up view of the skate's ankle strap and upper boot, highlighting the secure strap-on closure system.





Image: Front view of the roller skate, illustrating the toe area and how the straps secure the foot.

## OPERATING INSTRUCTIONS

---

Learning to roller skate requires practice and patience. Start in a safe, open area with a smooth surface.

1. **Starting Position:** Stand with feet shoulder-width apart, knees slightly bent, and lean slightly forward. Keep your arms out for balance.
2. **Basic Forward Movement:** Push off with one foot at an angle, gliding forward on the other. Alternate feet in a 'V' shape motion.
3. **Braking:** The HUDORA My First Quad skates feature integrated stoppers at the back of each shoe. To brake, shift your weight slightly back, lift the front of your foot, and press the rear stopper firmly onto the ground. Practice this motion slowly until you are comfortable.
4. **Turning:** To turn, shift your weight in the direction you want to go and gently lean, guiding the skates with your feet.



Image: Side view of the roller skate, showing the four wheels and the prominent rear stopper for easy braking.



Image: A child wearing the HUDORA My First Quad Roller Skates, illustrating the product in use and the importance of protective gear.

## MAINTENANCE

Proper maintenance will extend the life of your roller skates and ensure safe operation.

- **Cleaning:** Wipe down the exterior of the skates with a damp cloth after each use to remove dirt and dust. Avoid using harsh chemicals.
- **Wheel Inspection:** Regularly check the wheels for wear, cracks, or damage. Ensure they spin freely. Replace worn wheels as necessary.
- **Bearing Care:** The skates feature closed carbon ball bearings. While generally low maintenance, if wheels become sluggish, bearings may need cleaning or replacement by a professional.
- **Stopper Check:** Inspect the rear stoppers for wear. If they become significantly worn, they should be replaced to maintain effective braking.
- **Storage:** Store skates in a cool, dry place away from direct sunlight and extreme temperatures.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Skates do not roll smoothly	Dirty or damaged bearings; Worn wheels; Obstruction	Clean wheels and bearings; Replace worn wheels; Remove any obstructions.
Difficulty braking	Worn stoppers; Incorrect technique	Inspect and replace stoppers if worn; Practice braking technique in a safe area.
Skates feel loose on foot	Straps not tightened; Incorrect size adjustment	Ensure all straps are securely fastened; Re-adjust skate size for a snug fit.

## PRODUCT SPECIFICATIONS

---

- **Model Number:** 22042
- **Brand:** HUDORA
- **Size:** US Kids Size 9-12 (Adjustable)
- **Wheel Material:** Polyurethane (PU)
- **Wheel Type:** Quad (4 wheels per skate)
- **Wheel Size:** 80 Millimeters
- **Wheel Hardness:** 82A (High Rebound)
- **Bearings:** Closed Carbon Ball Bearings
- **Chassis:** PP High-Impact, Nylon-reinforced
- **Sole Material:** Nylon
- **Closure Type:** Strap-On
- **Material Composition:** 80% Plastic, 20% Aluminium (boot/chassis components)
- **Item Weight:** Approximately 3.9 Pounds
- **Maximum User Weight:** 44 lbs (20 kg)
- **Included Components:** Roller skates



Image: A pair of HUDORA My First Quad Roller Skates, illustrating the overall product design and construction.

## WARRANTY INFORMATION

This HUDORA product is covered by a **2-Year Manufacturer's Warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, accidents, unauthorized modifications, or normal wear and tear. Please retain your proof of purchase for warranty claims.

## CUSTOMER SUPPORT

For further assistance, questions, or warranty claims regarding your HUDORA My First Quad Roller Skates, please contact the retailer where the product was purchased or refer to the official HUDORA website for customer service contact information.

