

Alno A6904-PA

Alno A6904-PA Traditional Ornate Pulls Instruction Manual

Model: A6904-PA | Brand: Alno

INTRODUCTION

Thank you for choosing Alno Traditional Ornate Pulls. These pulls are designed to enhance your cabinetry with their distinctive traditional styling and quality craftsmanship. This manual provides essential information for the proper installation, care, and maintenance of your new hardware.

FEATURES

- **Traditional Styling:** Elegant design suitable for classic interiors.
- **Multiple Finishes:** Available in various finishes to match diverse decor (e.g., Polished Antique, Polished Brass, Satin Nickel).
- **Concealed Installation:** Provides a clean, seamless appearance without visible mounting hardware.
- **Durable Material:** Constructed from brass for longevity.

INSTALLATION INSTRUCTIONS

The Alno A6904-PA pull is designed for easy and concealed installation. Follow these general steps for mounting your new cabinet pulls.

1. **Prepare Tools:** Gather necessary tools including a drill, drill bits appropriate for your cabinet material and screw size, a measuring tape, a pencil, and a screwdriver.
2. **Mark Mounting Points:** Carefully measure and mark the desired location for your pull on the cabinet door or drawer. Ensure the marks are level and consistent for all pulls. The center-to-center measurement for this pull is 8 3/4 inches.
3. **Drill Pilot Holes:** Using a drill bit slightly smaller than the mounting screws, drill pilot holes at the

marked locations. Drill straight through the cabinet material to prevent splitting.

4. **Attach Pull:** Align the pull with the drilled holes. Insert the provided screws from the inside of the cabinet door or drawer and thread them into the pull.
5. **Secure Firmly:** Hand-tighten the screws until the pull is secure. Avoid over-tightening, which can strip the screws or damage the cabinet material.

SPECIFICATIONS

ORNATE
PULLS



FEATURES

Traditional styling
Multiple finishes
Concealed installation

WARRANTY

Limited lifetime


FINISHES

Polished Brass (PB)
Polished Brass, No Lacquer (PB/NL)
Antique English (AE)
Antique English Matte (AEM)
Antique Pewter (AP)
Barcelona (BARC)
Bronze (BRZ)
Chocolate Bronze (CHBRZ)
Polished Antique (PA)
Satin Nickel (SN)

MATERIAL

Brass

PRODUCT SHEET



Item#	A	B	C	D	E (L)	F (W)
A6904	4 1/2"	8 3/4"	1"	1 5/8"	5/16"	5/16"

KEY:

A

-

Overall Length

B

-

Center to Center

C

-

Handle Width

D

-

Projection

E

-

Mount Length

F

-

Mount Width

NOTE: Dimensions and specifications are subject to change without notice.

T 818.882.6028

F 818.700.1540

www.alnoinc.com

Image: Alno A6904-PA Traditional Ornate Pull. This image displays the ornate design and polished antique finish of the cabinet pull, showcasing its detailed craftsmanship and readiness for installation.

Image: Alno A6904-PA Product Diagram. This diagram illustrates the key dimensions of the Alno A6904-PA pull, including overall length (A), center-to-center (B), handle width (C), projection (D), mount length (E), and mount width (F). These measurements are crucial for accurate installation.

OPERATION

To operate the Alno A6904-PA pull, simply grasp the handle and apply gentle force to open or close your cabinet doors and drawers. The ergonomic design ensures comfortable use.

CARE AND MAINTENANCE

To maintain the beauty and finish of your Alno pulls, follow these care guidelines:

- **Cleaning:** Clean regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or polishing agents, as these can damage the finish.
- **Finish Patina:** Alno hardware features living finishes that may naturally patina over time with use. This change in coloration is a natural process that enhances the unique beauty of the hardware.
- **Avoid Moisture:** Prolonged exposure to moisture can affect the finish. Dry the pulls immediately if they become wet.
- **Periodic Inspection:** Periodically check the mounting screws for tightness. If a pull feels loose, gently tighten the screws with a screwdriver.

TROUBLESHOOTING

Most issues with cabinet pulls are minor and easily resolved.

- **Loose Pull:** If the pull feels loose, gently tighten the mounting screws from the inside of the cabinet door or drawer. Do not overtighten.
- **Finish Discoloration:** As noted, some finishes are designed to patina naturally over time. This is a characteristic of living finishes and not a defect. If unexpected discoloration occurs, ensure no harsh chemicals or abrasive materials have been used for cleaning.
- **Difficulty Opening/Closing:** If the cabinet door or drawer itself is difficult to open or close, the issue may not be with the pull but with the hinges or drawer slides. Consult the manual for your cabinet hardware.

SPECIFICATIONS

Alno A6904-PA Pull Dimensions

Dimension Key	Description	Measurement
A	Overall Length	4 1/2 inches
B	Center to Center	8 3/4 inches
C	Handle Width	1 inch
D	Projection	1 5/8 inches
E (L)	Mount Length	5/16 inches
F (W)	Mount Width	5/16 inches

Material: Brass, Metal

Finish: Polished Antique (for this specific model)

Item Weight: 0.035 ounces (approximately 1 gram)

Product Dimensions: 8.75 x 1 x 1.63 inches

Included Components: Screw

Note: Dimensions and specifications are subject to change without notice.

WARRANTY INFORMATION

Alno provides a **Limited Lifetime Warranty** for its products. This warranty covers defects in material and workmanship under normal use and service. Please retain your proof of purchase for any warranty claims. For specific terms and conditions, please refer to the official Alno warranty policy or contact customer support.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding your Alno Traditional Ornate Pulls, please contact Alno customer service.

Phone: T 818.882.6028 | F 818.700.1540

Website: www.alnoinc.com